#### CORRECTED VERSION

#### (19) World Intellectual Property Organization International Bureau



### 

#### (43) International Publication Date 21 March 2002 (21.03.2002)

#### PCT

#### (10) International Publication Number WO 02/022080 A3

(51) International Patent Classification7: C12N 15/86

(21) International Application Number: PCT/US01/28861

(22) International Filing Date:

14 September 2001 (14.09.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/233,180

15 September 2000 (15.09.2000)

- (71) Applicant (for all designated States except US): MERCK & CO., INC. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): EMINI, Emilio, A. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). YOUIL, Rima [AU/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). BETT, Andrew, J. [CA/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). CHEN, Ling [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). KASLOW, David, C. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). SHIVER, John, W. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). TONER, Timothy, J. [US/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US). CASIMIRO, Daniel, R. [PH/US]; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).
- (74) Common Representative: MERCK & CO., INC.; 126 East Lincoln Avenue, Rahway, NJ 07065-0907 (US).

- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD.

#### Published:

- with international search report
- (88) Date of publication of the international search report: 2 May 2002 Date of publication of the revised international search 16 January 2003
- (48) Date of publication of this corrected version:

6 March 2003

(15) Information about Corrections:

see PCT Gazette No. 10/2003 of 6 March 2003, Section II **Previous Corrections:** 

see PCT Gazette No. 03/2003 of 16 January 2003, Section II

see PCT Gazette No. 30/2002 of 25 July 2002, Section II

[Continued on next page]

(54) Title: ENHANCED FIRST GENERATION ADENOVIRUS VACCINES EXPRESSING CODON OPTIMIZED HIV1-GAG, POL, NEF AND MODIFICATIONS

(57) Abstract: First generation adenoviral vectors and associated recombinant adenovirus-based HIV vaccines which show enhanced stability and growth properties and greater cellular-mediated immunity are described within this specification. These adenoviral vectors are utilized to generate and produce through cell culture various adenoviral-based HIV-1 vaccines which contain HIV-1 gag, HIV-1 pol and/or HIV-1 nef polynucleotide pharmaceutical products, and biologically relevant modifications thereof. These adenovirus vaccines, when directly introduced into living vertebrate tissue, preferably a mammalian host such as a human or a non-human mammal of commercial or domestic veterinary importance, express the HIV1- Gag, Pol and/or Nef protein or biologically modification thereof, inducing a cellular immune response which specifically recognizes HIV-1. The exemplified polynucleotides of the present invention are synthetic DNA molecules encoding HIV-1 Gag, encoding codon optimized HIV-1 Pol, derivatives of optimized HIV-1 Pol (including constructs wherein protease, reverse transcriptase, RNAse H and integrase activity of HIV-1 Pol is inactivated), HIV-1 Nef and derivatives of optimized HIV-1 Nef, including nef mutants which effect wild type characteristics of Nef, such as myristylation and down regulation of host CD4. The adenoviral vaccines of the present invention, when administered alone or in a combined modality regime, will offer a prophylactic advantage to previously uninfected individuals and/or provide a therapeutic effect by reducing viral load levels within an infected individual, thus prolonging the asymptomatic phase of HIV-141004 infection.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

# TITLE OF THE INVENTION ENHANCED FIRST GENERATION ADENOVIRUS VACCINES EXPRESSING CODON OPTIMIZED HIV1-GAG, POL, NEF AND MODIFICATIONS

#### 5 CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit, under 35 U.S.C. §119(e), of U.S. provisional applications 60/233,180, 60/279,056, and Attorney Docket 20867PV2 (serial number unassigned), filed September 15, 2000, March 27, 2001, and September 7, 2001, respectively.

10

20

25

30

35

## STATEMENT REGARDING FEDERALLY-SPONSORED R&D Not Applicable

#### REFERENCE TO MICROFICHE APPENDIX

15 Not Applicable

#### FIELD OF THE INVENTION

The present invention relates to recombinant, replication-deficient first generation adenovirus vaccines found to exhibit enhanced growth properties and greater cellular-mediated immunity as compared to other replication-deficient vectors. The invention also relates to the associated first generation adenoviral vectors described herein, which, through the incorporation of additional 5' adenovirus sequence, enhance large scale production efficiency of the recombinant, replicationdefective adenovirus described herein. Another aspect of the instant invention is the surprising discovery that the intron A portion of the human cytomegalovirus (hCMV) promoter constitutes a region of instability in adenoviral vector constructs. Removal of this region from adenoviral expression constructs results in greatly improved vector stability. Therefore, improved vectors expressing a transgene under the control of an intron A-deleted CMV promoter constitute a further aspect of this invention. These adenoviral vectors are useful for generating recombinant adenovirus vaccines against human immunodeficiency virus (HIV). In particular, the first generation adenovirus vectors disclosed herein are utilized to construct and generate adenovirus-based HIV-1 vaccines which contain HIV-1 Gag, HIV-1 Pol and/or HIV-1 Nef polynucleotide pharmaceutical products, and biologically active modifications thereof. Host administration of the recombinant, replication-deficient adenovirus vaccines described herein results in expression of HIV-1 Gag, HIV-1- Pol and/or Nef protein or

immunologically relevant modifications thereof, inducing a cellular immune response which specifically recognizes HIV-1. The exemplified polynucleotides of the present invention are synthetic DNA molecules encoding codon optimized HIV-1 Gag, HIV-1 Pol, derivatives of optimized HIV-1 Pol (including constructs wherein protease, reverse transcriptase, RNAse H and integrase activity of HIV-1 Pol is inactivated), HIV-1 Nef, and derivatives of optimized HIV-1 Nef, including nef mutants which effect wild type characteristics of Nef, such as myristylation and down regulation of host CD4. The HIV adenovirus vaccines of the present invention, when administered alone or in a combined modality and/or prime/boost regimen, will offer a prophylactic advantage to previously uninfected individuals and/or provide a therapeutic effect by reducing viral load levels within an infected individual, thus prolonging the asymptomatic phase of HIV-1 infection.

#### BACKGROUND OF THE INVENTION

5

10

15

20

25

30

Human Immunodeficiency Virus-1 (HIV-1) is the etiological agent of acquired human immune deficiency syndrome (AIDS) and related disorders. HIV-1 is an RNA virus of the Retroviridae family and exhibits the 5'LTR-gag-pol-env-LTR 3'organization of all retroviruses. The integrated form of HIV-1, known as the provirus, is approximately 9.8 Kb in length. Each end of the viral genome contains flanking sequences known as long terminal repeats (LTRs). The HIV genes encode at least nine proteins and are divided into three classes; the major structural proteins (Gag, Pol, and Env), the regulatory proteins (Tat and Rev); and the accessory proteins (Vpu, Vpr, Vif and Nef).

The gag gene encodes a 55-kilodalton (kDa) precursor protein (p55) which is expressed from the unspliced viral mRNA and is proteolytically processed by the HIV protease, a product of the pol gene. The mature p55 protein products are p17 (matrix), p24 (capsid), p9 (nucleocapsid) and p6.

The pol gene encodes proteins necessary for virus replication; a reverse transcriptase, a protease, integrase and RNAse H. These viral proteins are expressed as a Gag-Pol fusion protein, a 160 kDa precursor protein which is generated via a ribosomal frame shifting. The viral encoded protease proteolytically cleaves the Pol polypeptide away from the Gag-Pol fusion and further cleaves the Pol polypeptide to the mature proteins which provide protease (Pro, P10), reverse transcriptase (RT, P50), integrase (IN, p31) and RNAse H (RNAse, p15) activities.

The *nef* gene encodes an early accessory HIV protein (Nef) which has been shown to possess several activities such as down regulating CD4 expression, disturbing T-cell activation and stimulating HIV infectivity.

5

10

15

20

25

30

35

The env gene encodes the viral envelope glycoprotein that is translated as a 160-kilodalton (kDa) precursor (gp160) and then cleaved by a cellular protease to yield the external 120-kDa envelope glycoprotein (gp120) and the transmembrane 41-kDa envelope glycoprotein (gp41). Gp120 and gp41 remain associated and are displayed on the viral particles and the surface of HIV-infected cells.

The tat gene encodes a long form and a short form of the Tat protein, a RNA binding protein which is a transcriptional transactivator essential for HIV-1 replication.

The rev gene encodes the 13 kDa Rev protein, a RNA binding protein. The Rev protein binds to a region of the viral RNA termed the Rev response element (RRE). The Rev protein promotes transfer of unspliced viral RNA from the nucleus to the cytoplasm. The Rev protein is required for HIV late gene expression and in turn, HIV replication.

Gp120 binds to the CD4/chemokine receptor present on the surface of helper T-lymphocytes, macrophages and other target cells in addition to other co-receptor molecules. X4 (macrophage tropic) virus show tropism for CD4/CXCR4 complexes while a R5 (T-cell line tropic) virus interacts with a CD4/CCR5 receptor complex. After gp120 binds to CD4, gp41 mediates the fusion event responsible for virus entry. The virus fuses with and enters the target cell, followed by reverse transcription of its single stranded RNA genome into the double-stranded DNA via a RNA dependent DNA polymerase. The viral DNA, known as provirus, enters the cell nucleus, where the viral DNA directs the production of new viral RNA within the nucleus, expression of early and late HIV viral proteins, and subsequently the production and cellular release of new virus particles. Recent advances in the ability to detect viral load within the host shows that the primary infection results in an extremely high generation and tissue distribution of the virus, followed by a steady state level of virus (albeit through a continual viral production and turnover during this phase), leading ultimately to another burst of virus load which leads to the onset of clinical AIDS. Productively infected cells have a half life of several days, whereas chronically or latently infected cells have a 3-week half life, followed by non-productively infected cells which have a long half life (over 100 days) but do not significantly contribute to day to day viral loads seen throughout the course of disease.

Destruction of CD4 helper T lymphocytes, which are critical to immune defense, is a major cause of the progressive immune dysfunction that is the hallmark of HIV infection. The loss of CD4 T-cells seriously impairs the body's ability to fight most invaders, but it has a particularly severe impact on the defenses against viruses, fungi, parasites and certain bacteria, including mycobacteria.

5

10

15

20

25

30

35

Effective treatment regimens for HIV-1 infected individuals have become available recently. However, these drugs will not have a significant impact on the disease in many parts of the world and they will have a minimal impact in halting the spread of infection within the human population. As is true of many other infectious diseases, a significant epidemiologic impact on the spread of HIV-1 infection will only occur subsequent to the development and introduction of an effective vaccine. There are a number of factors that have contributed to the lack of successful vaccine development to date. As noted above, it is now apparent that in a chronically infected person there exists constant virus production in spite of the presence of anti-HIV-1 humoral and cellular immune responses and destruction of virally infected cells. As in the case of other infectious diseases, the outcome of disease is the result of a balance between the kinetics and the magnitude of the immune response and the pathogen replicative rate and accessibility to the immune response. Pre-existing immunity may be more successful with an acute infection than an evolving immune response can be with an established infection. A second factor is the considerable genetic variability of the virus. Although anti-HIV-1 antibodies exist that can neutralize HIV-1 infectivity in cell culture, these antibodies are generally virus isolate-specific in their activity. It has proven impossible to define serological groupings of HIV-1 using traditional methods. Rather, the virus seems to define a serological "continuum" so that individual neutralizing antibody responses, at best, are effective against only a handful of viral variants. Given this latter observation, it would be useful to identify immunogens and related delivery technologies that are likely to elicit anti-HIV-1 cellular immune responses. It is known that in order to generate CTL responses antigen must be synthesized within or introduced into cells, subsequently processed into small peptides by the proteasome complex, and translocated into the endoplasmic reticulum/Golgi complex secretory pathway for eventual association with major histocompatibility complex (MHC) class I proteins. CD8<sup>+</sup> T lymphocytes recognize antigen in association with class I MHC via the T cell receptor (TCR) and the CD8 cell surface protein. Activation of naive CD8<sup>+</sup> T cells into activated effector or memory cells generally requires both TCR engagement of antigen as described above as well as engagement of costimulatory proteins. Optimal

induction of CTL responses usually requires "help" in the form of cytokines from CD4<sup>+</sup> T lymphocytes which recognize antigen associated with MHC class II molecules via TCR and CD4 engagement.

5

10

15

20

25

30

35

European Patent Applications 0 638 316 (Published February 15, 1995) and 0 586 076 (Published March 9, 1994), (both assigned to American Home Products Corporation) describe replicating adenovirus vectors carrying an HIV gene, including *env* or *gag*. Various treatment regimens were used with chimpanzees and dogs, some of which included booster adenovirus or protein plus alum treatments.

Replication-defective adenoviral vectors harboring deletions in the E1 region are known, and recent adenoviral vectors have incorporated the known packaging repeats into these vectors; e.g., see EP 0 707 071, disclosing, *inter alia*, an adenoviral vector deleted of E1 sequences from base pairs 459 to 3328; and U.S. Patent No. 6,033,908, disclosing, *inter alia*, an adenoviral vector deleted of base pairs 459-3510. The packaging efficiency of adenovirus has been taught to depend on the number of incorporated individual A (packaging) repeats; *see*, *e.g.*, Gräble and Hearing, 1990 J. Virol. 64(5):2047-2056; Gräble and Hearing, 1992 J. Virol. 66(2):723-731.

Larder, et al., (1987, Nature 327: 716-717) and Larder, et al., (1989, Proc. Natl. Acad. Sci. 86: 4803-4807) disclose site specific mutagenesis of HIV-1 RT and the effect such changes have on *in vitro* activity and infectivity related to interaction with known inhibitors of RT.

Davies, et al. (1991, *Science* 252:, 88-95) disclose the crystal structure of the RNase H domain of HIV-1 Pol.

Schatz, et al. (1989, FEBS Lett. 257: 311-314) disclose that mutations Glu478Gln and His539Phe in a complete HIV-1 RT/RNase H DNA fragment results in defective RNase activity without effecting RT activity.

Mizrahi, et al. (1990, Nucl. Acids. Res. 18: pp. 5359-5353) disclose additional mutations Asp443Asn and Asp498Asn in the RNase region of the pol gene which also results in defective RNase activity. The authors note that the Asp498Asn mutant was difficult to characterize due to instability of this mutant protein.

Leavitt, et al. (1993, J. Biol. Chem. 268: 2113-2119) disclose several mutations, including a Asp64Val mutation, which show differing effect on HIV-1 integrase (IN) activity.

Wiskerchen, et al. (1995, J. Virol. 69: 376-386) disclose singe and double mutants, including mutation of aspartic acid residues which effect HIV-1 IN and viral replication functions.

It would be of great import in the battle against AIDS to produce a prophylactic- and/or therapeutic-based HIV vaccine which generates a strong cellular immune response against an HIV infection. The present invention addresses and meets these needs by disclosing a class of adenovirus vaccines which, upon host administration, express codon optimized and modified versions of the HIV-1 genes, gag, pol and nef. These recombinant, replication-defective adenovirus vaccines may be administered to a host, such as a human, alone or as part of a combined modality regimen and/or prime-boost vaccination regimen with components of the present invention and/or a distinct viral HIV DNA vaccine, non-viral HIV DNA vaccine, HIV subunit vaccine, an HIV whole killed vaccine and/or a live attenuated HIV vaccine.

#### SUMMARY OF THE INVENTION

5

10

15

20

25

30

35

The present invention relates to enhanced replication-defective recombinant adenovirus vaccine vectors and associated recombinant, replication-deficient adenovirus vaccines which encode various forms of HIV-1 Gag, HIV-1 Pol, and/or HIV-1 Nef, including immunologically relevant modifications of HIV-1 Gag, HIV-1 Pol and HIV-1 Nef. The adenovirus vaccines of the present invention express HIV antigens and provide for improved cellular-mediated immune responses upon host administration. Potential vaccinees include but are not limited to primates and especially humans and non-human primates, and also include any non-human mammal of commercial or domestic veterinary importance. An effect of the improved recombinant adenovirus-based vaccines of the present invention should be a lower transmission rate to previously uninfected individuals (i.e., prophylactic applications) and/or reduction in the levels of the viral loads within an infected individual (i.e., therapeutic applications), so as to prolong the asymptomatic phase of HIV-1 infection. In particular, the present invention relates to adenoviral-based vaccines which encode various forms of codon optimized HIV-1 Gag (including but in no way limited to p55 versions of codon optimized full length (FL) Gag and tPA-Gag fusion proteins), HIV-1 Pol, HIV-1 Nef, and selected modifications of immunological relevance. The administration, intracellular delivery and expression of these adenovirus vaccines elicit a host CTL and Th response. The preferred replication-defective recombinant adenoviral vaccine vectors include but are not limited to synthetic DNA molecules which (1) encode codon optimized versions of wild type HIV-1 Gag; (2) encode codon optimized versions of HIV-1 Pol; (3) encode codon optimized versions of HIV-1 Pol fusion proteins; (4) encode codon optimized versions of modified HIV-1 Pol proteins and fusion proteins, including but not limited

to pol modifications involving residues within the catalytic regions responsible for RT, RNase and IN activity within the host cell; (5) encode codon optimized versions of wild type HIV-1 Nef; (6) codon optimized versions of HIV-1 Nef fusion proteins; and/or (7) codon optimized versions of HIV-1 Nef derivatives, including but not limited to nef modifications involving introduction of an amino-terminal leader sequence, removal of an amino-terminal myristylation site and/or introduction of dileucine motif mutations. The Nef-based fusion and modified proteins, disclosed within this specification and expressed from an adenoviral-based vector vaccine this specification, may possess altered trafficking and/or host cell function while retaining the ability to be properly presented to the host MHC I complex and in turn elicit a host CTL and Th response. Examples of HIV-1 Gag, Pol and/or Nef fusion proteins include but are not limited to fusion of a leader or signal peptide at the NH<sub>2</sub>-teriminal portion of the viral antigen coding region. Such a leader peptide includes but is not limited to a tPA leader peptide.

5

10

15

20

25

30

35

The adenoviral vector utilized in construction of the HIV-1 Gag-, HIV-1 Poland/or HIV-1 Nef- based vaccines of the present invention may comprise any replication-defective adenoviral vector which provides for enhanced genetic stability of the recombinant adenoviral genome through large scale production and purification of the recombinant virus. In other words, an HIV-1 Gag-, Pol- or Nef-based adenovirus vaccine of the present invention is a purified recombinant, replicationdefective adenovirus which is shown to be genetically stable through multiple passages in cell culture and remains so during large scale production and purification procedures. Such a recombinant adenovirus vector and harvested adenovirus vaccine lends itself to large scale dose filling and subsequent worldwide distribution procedures which will be demanded of an efficacious monovalent or multivalent HIV vaccine. The present invention meets this basic requirement with description of a replication-defective adenoviral vector and vectors derived therefrom, at least partially deleted in E1, comprising a wildtype adenovirus cis-acting packaging region from about base pair 1 to between from about base pair 342 (more preferably, 400) to about base pair 458 of the wildtype adenovirus genome. A preferred embodiment of the instant invention comprises base pairs 1-450 of a wildtype adenovirus. In other preferred embodiments, the replication -defective adenoviral vector has, in addition thereto, a region 3' to the E1-deleted region comprising base pairs 3511-3523. Basepairs 342-450 (more particularly, 400-450) constitute an extension of the 5'region of previously disclosed vectors carrying viral antigens, particularly HIV antigens (see, e.g., PCT International Application PCT/US00/18332, published

January 11, 2001 (WO 01/02067), which claims priority to U.S. Provisional Application Serial Nos. 60/142,631 and 60/148,981, filed 7/6/1999 and 8/13/1999, respectively; these documents herein incorporated by reference. Applicants have found that extending the 5' region further into the E1 gene into the disclosed vaccine vectors incorporated elements found to be important in optimizing the packaging of the virus.

As compared to previous vectors not comprising basepairs from about 1 to between from about base pair 342 (more preferably, 400) to about base pair 458 of the wildtype adenovirus genome, vectors comprising the above region exhibited enhanced growth characteristics, with approximately 5-10 fold greater amplification rates, a more potent virus effect, allowing lower doses of virus to be used to generate equivalent immunity; and a greater cellular-mediated immune response than replication-deficient vectors not comprising this region (basepairs 1-450). Even more important, adenoviral constructs derived therefrom are very stable genetically in large-scale production, particularly those comprising an expression cassette under the control of a hCMV promoter devoid of intron A. This is because Applicants have surprisingly found that the intron A portion of the hCMV promoter constituted a region of instability when employed in adenoviral vectors. Applicants have, therefore, identified an enhanced adenoviral vector which is particularly suited for use in gene therapy and nucleotide-based vaccine vectors which, favorably, lends itself to large scale propagation.

A preferred embodiment of this invention is a replication-defective adenoviral vector in accordance with the above description wherein the gene is inserted in the form of a gene expression cassette comprising (a) a nucleic acid encoding a protein or biologically active and/or immunologically relevant portion thereof; (b) a heterologous promoter operatively linked to the nucleic acid of part a); and, (c) a transcription terminator.

In preferred embodiments, the E1 gene, other than that contained within basepairs 1-450 or, alternatively, that contained within base pairs 1-450 and 3511-3523 has been deleted from the adenoviral vector, and the gene expression cassette has replaced the deleted E1 gene. In other preferred embodiments, the replication defective adenovirus genome does not have a functional E3 gene, or the E3 gene has been deleted. Most preferably, the E3 region is present within the adenoviral genome. Further preferred embodiments are wherein the gene expression cassette is in an E1 anti-parallel (transcribed in a 3' to 5' direction relative to the vector backbone)

orientation or, more preferably, an E1 parallel (transcribed in a 5' to 3' direction relative to the vector backbone) orientation.

5

10

15

20

25

30

35

Further embodiments relate to a shuttle plasmid vector comprising: an adenoviral portion and a plasmid portion, wherein said adenovirus portion comprises: a) a replication defective adenovirus genome, at least partially deleted in E1, comprising a wildtype adenovirus *cis*-acting packaging region from about base pair 1 to between from about base pair 342 (more preferably, 400) to about base pair 458 (preferably, 1-450) of the wildtype adenovirus genome and, preferably, in addition thereto, basepairs 3511-3523 of a wildtype adenovirus sequence; and b) a gene expression cassette comprising: (a) a nucleic acid encoding a protein or biologically active and/or immunologically relevant portion thereof; (b) a heterologous promoter operatively linked to the nucleic acid of part a); and (c) a transcription terminator and/or a polyadenylation site.

Other aspects of this invention include a host cell comprising said adenoviral vectors and/or said shuttle plasmid vectors; vaccine compositions comprising said vectors; and methods of producing the vectors comprising (a) introducing the adenoviral vector into a host cell which expresses adenoviral E1 protein, and (b) harvesting the resultant adenoviral vectors.

To this end, the present invention particularly relates to harvested recombinant, replication defective virus derived from a host cell, such as but not limited to 293 cells or PER.C6® cells, including but not limited to harvested virus related to any of the MRKAd5 vector backbones, with or without an accompanying transgene, including but not limited to the HIV-1 antigens described herein. An HIV-1 vaccine is represented by any harvested, recombinant adenovirus material which expresses any one or more of the HIV-1 antigens disclosed herein. This harvested material may then be purified, formulated and stored prior to host administration.

Another aspect of this invention is a method of generating a cellular immune response against a protein in an individual comprising administering to the individual an adenovirus vaccine vector comprising:

a) a recombinant, replication defective adenoviral vector, at least partially deleted in E1, comprising a wildtype adenovirus *cis*-acting adenovirus packaging region from about base pair 1 to between from about base pair 342 (more preferably, 400) to about base pair 458 (preferably, 1-450) and, preferably in addition thereto, base pairs 3511-3523 of a wildtype adenovirus sequence, and,

b) a gene expression cassette comprising:(i) a nucleic acid encoding a protein or biologically active and/or immunologically relevant portion thereof; (ii) a heterologous promoter operatively linked to the nucleic acid of part a); and (iii) a transcription terminator and/or a polyadenylation site.

5

10

15

20

25

30

35

In view of the efficacious nature of the adenoviral and/or DNA plasmid vaccines described herein, the present invention relates to all methodology regarding administration of one or more of these adenoviral and/or DNA plasmid vaccines to provide effective immunoprophylaxis, to prevent establishment of an HIV-1 infection following exposure to this virus, or as a post-HIV infection therapeutic vaccine to mitigate the acute HIV-1 infection so as to result in the establishment of a lower virus load with beneficial long term consequences. As discussed herein, such a treatment regimen may include a monovalent or multivalent composition, various combined modality applications, and/or a prime/boost regimen to as to optimize antigen expression and a concomitant cellular-mediated and/or humoral immune response upon inoculation into a living vertebrate tissue. Therefore, the present invention provides for methods of using the adenoviral and/or DNA plasmid vaccines disclosed herein within the various parameters disclosed herein as well as any additional parameters known in the art, which, upon introduction into mammalian tissue induces intracellular expression of the gag, pol and/or nef-based vaccines.

To this end, the present invention relates in part to methods of generating a cellular immune response in a vaccinee, preferably a human vaccinee, wherein the individual is given more than one administration of adenovirus vaccine vector, and it may be given in a regimen accompanied by the administration of a plasmid vaccine. The plasmid vaccine (also referred to herein as a "DNA plasmid vaccine" or "vaccine plasmid" comprises a nucleic acid encoding a protein or an immunologically relevant portion thereof, a heterologous promoter operably linked to the nucleic acid sequence, and a transcription terminator or a polyadenylation signal (such as bGH or SPA, respectively). There may be a predetermined minimum amount of time separating the administrations. The individual can be given a first dose of plasmid vaccine, and then a second dose of plasmid vaccine. Alternatively, the individual may be given a first dose of adenovirus vaccine, and then a second dose of adenovirus vaccine. In other embodiments, the plasmid vaccine is administered first, followed after a time by administration of the adenovirus vaccine. Conversely, the adenovirus vaccine may be administered first, followed by administration of plasmid vaccine after a time. In these embodiments, an individual may be given multiple doses of the same adenovirus serotype in either viral vector or plasmid form, or the virus may be of

differing serotypes. In the alternative, a viral antigen of interest can be first delivered via a viral vaccine other than an adenovirus-based vaccine, and then followed with the adenoviral vaccine disclosed. Alternative viral vaccines include but are not limited to pox virus and venezuelan equine encephilitis virus.

5

10

15

20

25

30

35

The present invention also relates to multivalent adenovirus vaccine compositions which comprise Gag, Pol and Nef components described herein; see, e.g., Example 29 and Table 25. Such compositions will provide for an enhanced cellular immune response subsequent to host administration, particularly given the genetic diversity of human MHCs and of circulating virus. Examples, but not limitations, include MRKAd5-vector based multivalent vaccine compositions which provide for a divalent (i.e., gag and nef, gag and pol, or pol and nef components) or a trivalent vaccine (i.e., gag, pol and nef components) composition. Such a mutlivalent vaccine may be filled for a single dose or may consist of multiple inoculations of each individually filled component; and may in addition be part of a prime/boost regimen with viral or non-viral vector vaccines as introduced in the previous paragraph. To this end, preferred compositions are MRKAd5 adenovirus used in combination with multiple, distinct HIV antigen classes. Each HIV antigen class is subject to sequence manipulation, thus providing for a multitude of potential vaccine combinations; and such combinations are within the scope of the present invention. The utilization of such combined modalities vaccine formulation and administration increase the probability of eliciting an even more potent cellular immune response when compared to inoculation with a single modality regimen.

The concept of a "combined modality" as disclosed herein also covers the alternative mode of administration whereby multiple HIV-1 viral antigens may be ligated into a proper shuttle plasmid for generation of a pre-adenoviral plasmid comprising multiple open reading frames. For example, a trivalent vector may comprise a gag-pol-nef fusion, in either a E3(-) or E3(+) background, preferably a E3 deleted backbone, or possibly a "2+1" divalent vaccine, such as a gag-pol fusion (i.e., codon optimized p55 gag and inactivated optimized pol; Example 29 and Table 25) within the same MRKAd5 backbone, with each open reading frame being operatively linked to a distinct promoter and transcription termination sequence. Alternatively, the two open reading frames may be operatively linked to a single promoter, with the open reading frames operatively linked by an internal ribosome entry sequence (IRES). Therefore, a multivalent vaccine delivered as a single, or possibly a second harvested recombinant, replication-deficient adenovirus is contemplated as part of the present invention.

Therefore, the adenoviral vaccines and plasmid DNA vaccines of this invention may be administered alone, or may be part of a prime and boost administration regimen. A mixed modality priming and booster inoculation scheme will result in an enhanced immune response, particularly if pre-existing anti-vector immune responses are present. This one aspect of this invention is a method of priming a subject with the plasmid vaccine by administering the plasmid vaccine at least one time, allowing a predetermined length of time to pass, and then boosting by administering the adenoviral vaccine. Multiple primings typically, 1-4, are usually employed, although more may be used. The length of time between priming and boost may typically vary from about four months to a year, but other time frames may be used. In experiments with rhesus monkeys, the animals were primed four times with plasmid vaccines, then were boosted 4 months later with the adenoviral vaccine. Their cellular immune response was notably higher than that of animals which had only received adenoviral vaccine. The use of a priming regimen may be particularly preferred in situations where a person has a pre-existing anti-adenovirus immune response.

5

10

15

20

25

30

35

It is an object of the present invention to provide for enhanced replication-defective recombinant adenoviral vaccine vector backbones. These recombinant adenoviral backbones may accept one or more transgenes, which may be passaged through cell culture for growth, amplification and harvest.

It is a further object to provide for enhanced replication-defective recombinant adenoviral vaccine vectors which encode various transgenes.

It is also an object of the present invention to provide for a harvested recombinant, replication-deficient adenovirus which shows enhanced growth and amplification rates while in combination with increased virus stability after continuous passage in cell culture. Such a recombinant adenovirus is particularly suited for use in gene therapy and nucleotide-based vaccine vectors which, favorably, lends itself to large scale propagation.

To this end, it is an object of the present invention to provide for (1) enhanced replication-defective recombinant adenoviral vaccine vectors as described herein which encode various forms of HIV-1 Gag, HIV-1 Pol, and/or HIV-1 Nef, including immunologically relevant modifications of HIV-1 Gag, HIV-1 Pol and HIV-1 Nef, and (2) harvested, purified recombinant replication-deficient adenovirus generated by passage of the adenoviral vectors of (1) through one or multiple passages through cell culture, including but not limited to passage through 293 cells or PER.C6® cells.

It is also an object of the present invention to provide for recombinant adenovirus harvested by one or multiple passages through cell culture. As relating to recombinant adenoviral vaccine vector, this recombinant virus is harvested and formulated for subsequent host administration.

5

10

15

20

25

30

35

It is also an object of the present invention to provide for replication-defective adenoviral vectors wherein at least one gene is inserted in the form of a gene expression cassette comprising (a) a nucleic acid encoding a protein or biologically active and/or immunologically relevant portion thereof; (b) a heterologous promoter operatively linked to the nucleic acid of part a); and, (c) a transcription terminator.

It is also an object of the present invention to provide for a host cell comprising said adenoviral vectors and/or said shuttle plasmid vectors; vaccine compositions comprising said vectors; and methods of producing the vectors comprising (a) introducing the adenoviral vector into a host cell which expresses adenoviral E1 protein, and (b) harvesting the resultant adenoviral vectors. It is a further object of the present invention to provide for methods of generating a cellular immune response against a protein in an individual comprising administering to the individual an adenovirus vaccine vector comprising a) a replication defective adenoviral vector, at least partially deleted in E1, comprising a wildtype adenovirus cis-acting packaging region from about base pair 1 to between from about base pair 342 (more preferably, 400) to about 450 (preferably, 1-450) and, preferably, 3511-3523 of a wildtype adenovirus sequence, and, b) a gene expression cassette comprising:(i) a nucleic acid encoding a protein or biologically active and/or immunologically relevant portion thereof; (ii) a heterologous promoter operatively linked to the nucleic acid of part a); and (iii) a transcription terminator and/or a polyadenylation site.

It is also an object of the present invention to provide various alternatives for vaccine administration regimes, namely administration of one or more adenoviral and/or DNA plasmid vaccines described herein to provide effective immunoprophylaxis for uninfected individuals or a therapeutic treatment for HIV infected patients. Such processes include but are not limited to multivalent HIV-1 vaccine compositions, various combined modality regimes as well as various prime/boost alternatives. These methods of administration, relating to vaccine composition and/or scheduled administration, will increase the probability of eliciting an even more potent cellular immune response when compared to inoculation with a single modality regimen.

As used throughout the specification and claims, the following definitions and abbreviations are used:

"HAART" refers to - highly active antiretroviral therapy -.

"first generation" vectors are characterized as being replication-defective.

5 They typically have a deleted or inactivated E1 gene region, and preferably have a deleted or inactivated E3 gene region as well.

"AEX" refers to Anion Exchange chromatography.

"QPA" refers to Quick PCR-based Potency Assay.

"bps" refers to basepairs.

10 "s" or "str" denotes that the transgene is in the E1 parallel or "straight" orientation.

"PBMCs" refers to peripheral blood monocyte cells.

"FL" refers to full length.

15

20

25

30

35

"FLgag" refers to a full-length optimized gag gene, as shown in Figure 2.

"Ad5-Flgag" refers to an adenovirus serotype 5 replication deficient virus which carries an expression cassette which comprises a full length optimized gag gene under the control of a CMV promoter.

"Promoter" means a recognition site on a DNA strand to which an RNA polymerase binds. The promoter forms an initiation complex with RNA polymerase to initiate and drive transcriptional activity. The complex can be modified by activating sequences such as enhancers or inhibiting sequences such as silencers.

"Leader" means a DNA sequence at the 5' end of a structural gene which is transcribed along with the gene. This usually results a protein having an N-terminal peptide extension, often referred to as a pro-sequences.

"Intron" means a section of DNA occurring in the middle of a gene which does not code for an amino acid in the gene product. The precursor RNA of the intron is excised and is therefore not transcribed into mRNA not translated into protein.

"Immunologically relevant" or "biologically active" means (1) with regards to a viral protein, that the protein is capable, upon administration, of eliciting a measurable immune response within an individual sufficient to retard the propagation and/or spread of the virus and/or to reduce the viral load present within the individual; or (2) with regards to a nucleotide sequence, that the sequence is capable of encoding for a protein capable of the above.

"Cassette" refers to a nucleic acid sequence which is to be expressed, along with its transcription and translational control sequences. By changing the cassette, a vector can express a different sequence.

"bGHpA" refers to the bovine growth hormone transcription terminator/polyadenylation sequence.

"tPAgag" refers to a fusion between the leader sequence of the tissue plasminogen activator leader sequence and an optimized HIV gag gene, as exemplified in Figure 30A-B, whether in a DNA or adenovirus-based vaccine vector.

Where utilized, "IA" or "inact" refers to an <u>inactivated</u> version of a gene (e.g. IApol).

"MCS" is "multiple cloning site".

5

10

15

20

25

30

35

In general, adenoviral constructs, gene constructs are named by reference to the genes contained therein. For example:

"Ad5 HIV-1 gag", also referred to as the original HIV-1 gag adenoviral vector, is a vector containing a transgene cassette composed of a hCMV intron A promoter, the full length version of the human codon-optimized HIV-1 gag gene, and the bovine growth hormone polyadenylation signal. The transgene was inserted in the E1 antiparallel orientation in an E1 and E3 deleted adenovector.

"MRK Ad5 HIV-1 gag" also referred to as "MRKAd5gag" or "Ad5gag2" is an adenoviral vector taught herein which is deleted of E1, comprises basepairs 1-450 and 3511-3523, and has a human codon-optimized HIV-1 gene in an E1 parallel orientation under the control of a CMV promoter without intron A. The construct also comprises a bovine growth hormone polyadenylation signal.

"pV1JnsHIVgag", also referred to as "HIVFLgagPR9901", is a plasmid comprising the CMV immediate-early (IE) promoter and intron A, a full-length codon-optimized HIV gag gene, a bovine growth hormone-derived polyadenylation and transcriptional termination sequence, and a minimal pUC backbone.

"pV1JnsCMV(no intron)-FLgag-bGHpA" is a plasmid derived from pV1JnsHIVgag which is deleted of the intron A portion of CMV and which comprises the full length HIV gag gene. This plasmid is also referred to as "pV1JnsHIVgag-bGHpA", pV1Jns-hCMV-FL-gag-bGHpA" and "pV1JnsCMV(no intron) + FLgag + bGHpA".

"pV1JnsCMV(no intron)-FLgag-SPA" is a plasmid of the same composition as pV1JnsCMV(no intron)-FLgag-bGHpA except that the SPA termination sequence replaces that of bGHpA. This plasmid is also referred to as "pV1Jns-HIVgag-SPA" and pV1Jns-hCMV-FLgag-SPA".

"pdelE1sp1A" is a universal shuttle vector with no expression cassette (i.e., no promoter or polyA). The vector comprises wildtype adenovirus serotype 5 (Ad5) sequences from bp 1 to bp 341 and bp 3524 to bp 5798, and has a multiple cloning

site between the Ad5 sequences ending 341 bp and beginning 3524 bp. This plasmid is also referred to as the original Ad 5 shuttle vector.

"MRKpdelE1sp1A" or "MRKpdelE1(Pac/pIX/pack450)" or

5

10

15

20

25

30

35

"MRKpdelE1(Pac/pIX/pack450)Cla1" is a universal shuttle vector with no expression cassette (i.e. no promoter or polyA) comprising wildtype adenovirus serotype 5 (Ad5) sequences from bp1 to bp450 and bp 3511 to bp 5798. The vector has a multiple cloning site between the Ad5 sequence ending 450 bp and beginning 3511 bp. This shuttle vector may be used to insert the CMV promoter and the bGHpA fragments in both the straight ("str". or E1 parallel) orientation or in the opposite (opp. or E1 antiparallel) orientation)

"MRKpdelE1(Pac/pIX/pack450)+CMVmin+BGHpA(str.)" is still another shuttle vector which is the modified vector that contains the CMV promoter (no intronA) and the bGHpA fragments. The expression unit containing the hCMV promoter (no intron A) and the bovine growth hormone polyadenylation signal has been inserted into the shuttle vector such that insertion of the gene of choice at a unique BgIII site will ensure the direction of transcription of the transgene will be Ad5 E1 parallel when inserted into the MRKpAd5(E1/E3+)Cla1 pre-plasmid. This shuttle vector, as shown in Figures 22 and 23, was used to insert the respective IApol and G2A,LLAA nef genes directly into.

"MRKpdelE1-CMV(no intron)-FLgag-bGHpA" is a shuttle comprising Ad5 sequences from basepairs 1-450 and 3511-5798, with an expression cassette containing human CMV without intron A, the full-length human codon-optimized HTV gag gene and bovine growth hormone polyadenylation signal. This plasmid is also referred to as "MRKpdelE1 shuttle +hCMV-FL-gag-BGHpA"

"MRKpAdHVE3+CMV(no intron)-FLgag-bGHpA" is an adenoviral vector comprising all Ad5 sequences except those nucleotides encompassing the E1 region (from 451-3510), a human CMV promoter without intron A, a full-length human codon-optimized HIV gag gene, and a bovine growth hormone polyadenylation signal. This vector is also referred to as "MRKpAdHVE3 + hCMV-FL-gag-BGHpA", "MRKpAd5HIV-1gag", "MRKpAd5gag", "pMRKAd5gag" or "pAd5gag2".

"pV1Jns-HIV-pol inact(opt)" or "pV1Jns-HIV IA pol (opt) is the inactivated Pol gene (contained within SEQ ID NO:3) cloned into the BgIII site of V1Jns (Figure 17A-C). As noted herein, various derivatives of HIV-1 pol may be cloned into a plasmid expression vector such as V1Jns or V1Jns-tPA, thus serving directly as DNA vaccine candidates or as a source for subcloning into an appropriate adenoviral vector.

"MRKpdel+hCMVmin+FL-pol+bGHpA(s)" is the "MRKpdelE1(Pac/pIX/pack450)+CMVmin+BGHpA(str.)" shuttle mentioned above which contains the IA pol gene is the proper orientation. This shuttle vector is used in a bacterial recombination with MRKpAd(E1-/E3+)Cla1.

"MRKpAd+hCMVmin+FL-pol+bGHpA(S)E3+", also referred to herein as "pMRKAd5pol", is the pre-adenovirus plasmid which comprises a CMV-pol inact(opt)-pGHpA construct. The construction of this pre-adenovirus plasmid is shown in Figure 22.

"pV1Jns/nef (G2A,LLAA)" or "V1Jns/opt nef (G2A,LLAA)" comprises codon optimized HIV-1 Nef wherein the open reading frame codes for modifications at the amino terminal myristylation site (Gly-2 to Ala-2) and substitution of the Leu-174-Leu-175 dileucine motif to Ala-174-Ala-175 (SEQ ID NO:13; which comprises an initiating methionine residue at nucleotides 12-14 and a "TAA" stop codon from nucleotides 660-662). This fragment is subcloned into the Bgl II site of V1Jns and/orV1Jns-tPA (Figures 16A-B). As noted above for HIV-1 pol, HIV-1 nef constructs may be cloned into a plasmid expression vector such as V1Jns or V1Jns-tPA, thus serving directly as DNA vaccine candidates or as a source for subcloning into an appropriate adenoviral vector.

"MRKpdelE1hCMVminFL-nefBGHpA(s)", also referred to herein as "pMRKAd5nef", is the pre-adenovirus plasmid which comprises a CMV-nef (G2A,LLAA) codon optimized sequence. The construction of this pre-adenovirus plasmid is shown in Figure 23.

#### BRIEF DESCRIPTION OF THE FIGURES

5

10

15

20

25

30

35

Figure 1 shows the original HIV-1 gag adenovector (Ad5HIV-1gag). This vector is disclosed in PCT International Application No. PCT/US00/18332 (WO 01/02607) filed July 3, 2000, claiming priority to U.S. Provisional Application Serial No. 60/142,631, filed July 6, 1999 and U.S. Application Serial No. 60/148,981, filed August 13, 1999, all three applications which are hereby incorporated by reference.

Figure 2 shows the nucleic acid sequence (SEQ ID NO: 29) of the optimized human HIV-1 gag open reading frame.

Figure 3 shows diagrammatically the new transgene constructs in comparison with the original gag transgene.

Figure 4 shows the modifications made to the original adenovector backbone in the generation of the novel vectors of the instant invention.

Figure 5 shows the virus mixing experiments that were carried out to determine the effects of the addition made to the packaging signal region (Expt. #1) and the E3 gene on viral growth (Expt. #2). The bars denote the region of modifications made to the E1 deletion.

Figure 6 shows an autoradiograph of viral DNA analysis following the viral mixing experiments described in Examples 6 and 7.

5

10

15

20

25

30

35

Figures 7A, 7B and 7C are as follows: Figure 7A shows the hCMV-Flgag-bGHpA adenovectors constructed within the MRKpAdHVE3 and MRKpAdHVO adenovector backbones. Both E1 parallel and E1 antiparallel transgene orientation are represented. Figure 7B shows the hCMV-Flgag-SPA adenovectors constructed within the MRKpAdHVE3 and MRKpAdHVO adenovector backbones. Again, both E1 parallel and E1 antiparallel transgene orientation are represented. Figure 7C shows the mCMV-Flgag-bGHpA adenovectors constructed within the MRKpAdHVE3 and MRKpAdHVO adenovector backbones. Once again, both E1 parallel and E1 antiparallel transgene orientation are represented.

Figure 8A shows the experiment designed to test the effect of transgene orientation.

Figure 8B shows the experiments designed to test the effect of polyadenylation signal.

Figure 9 shows viral DNA from the four adenoviral vectors tested (Example 12) at P5, following *Bst*E11 digestion.

Figure 10 shows viral DNA analysis of passages 11 and 12 of MRKpAdHVE3, MRKAd5HIV-1gag, and MRKAd5HIV-1gagE3-.

Figure 11 shows viral DNA analysis (*Hind*III digestion) of passage 6 MRKpAdHVE3 and MRKAd5HIV-1gag used to initiate the viral competition study. The last two lanes are passage 11 analysis of duplicate passages of the competition study (each virus at MOI of 280 viral particles).

Figure 12 shows viral DNA analysis by *Hind* III digestion on high passage numbers for MRKAd5HIV-1gag in serum-containing media with collections made at specified times. The first lane shows the 1kb DNA size marker. The other lanes represent pre-plasmid control (digested with Pac1 and *Hind*III), MRKAd5HIV-1gag at P16, P19, and P21.

Figure 13 shows serum anti-p24 levels at 3 wks post i.m. immunization of balb/c mice (n=10) with varying doses of several Adgag constructs: (A) MRK Ad5 HIV-1 gag (through passage 5); (B) MRKAd5 hCMV-FLgag-bGHpA (E3-); (C) MRKAd5 hCMV-FLgag-SPA (E3+); (D) MRKAd5 mCMV-FLgag-bGHpA (E3+);

(E) research lot (293 cell-derived) of Ad5HIV-1 gag; and (F) clinical lot (Ad5gagFN0001) of Ad5HIV-1 gag. Reported are the geometric mean titers (GMT) for each cohort along with the standard error bars.

Figure 14 shows a restriction map of the pMRKAd5HIV-1gag vector.

5

10

15

20

25

30

35

Figures 15A-X illustrates the nucleotide sequence of the pMRKAd5HIV-1gag vector (SEQ ID NO:27.[coding] and SEQ ID NO:28 [non-coding]).

Figures 16A-B shows a schematic representation of DNA vaccine expression vectors V1Jns (A) and V1Jns-tPA (B), which are utilized for HIV-1 gag, pol and nef constructs in various DNA/viral vector combined modality regimens as disclosed herein.

Figures 17A-C shows the nucleotide (SEQ ID NO:3) and amino acid sequence (SEQ ID NO:4) of IA-Pol. Underlined codons and amino acids denote mutations, as listed in Table 1.

Figure 18 shows codon optimized nucleotide and amino acid sequences through the fusion junction of tPA-pol inact(opt) (contained within SEQ ID NOs: 7 and 8, respectively). The underlined portion represents the NH<sub>2</sub>-terminal region of IA-Pol.

Figures 19A-B show a nucleotide sequence comparison between wild type nef(jrfl) and codon optimized nef. The wild type nef gene from the jrfl isolate consists of 648 nucleotides capable of encoding a 216 amino acid polypeptide. WT, wild type sequence (SEQ ID NO:19); opt, codon-optimized sequence (contained within SEQ ID NO:1). The Nef amino acid sequence is shown in one-letter code (SEQ ID NO:2).

Figures 20A-C show nucleotide sequences at junctions between nef coding sequence and plasmid backbone of nef expression vectors V1Jns/nef (Figure 20A), V1Jns/nef(G2A,LLAA) (Figure 20B), V1Jns/tpanef (Figure 20C) and V1Jns/tpanef(LLAA) (Figure 20C, also). 5' and 3' flanking sequences of codon optimized nef or codon optimized nef mutant genes are indicated by bold/italic letters; nef and nef mutant coding sequences are indicated by plain letters. Also indicated (as underlined) are the restriction endonuclease sites involved in construction of respective nef expression vectors. V1Jns/tpanef and V1Jns/tpanef(LLAA) have identical sequences at the junctions.

Figure 21 shows a schematic presentation of nef and nef derivatives. Amino acid residues involved in Nef derivatives are presented. Glycine 2 and Leucine 174 and 175 are the sites involved in myristylation and dileucine motif, respectively. For both versions of the tpanef fusion genes, the putative leader peptide cleavage sites are

indicated with "\*", and a exogenous serine residue introduced during the construction of the mutants is underlined.

Figure 22 shows diagrammatically the construction of the pre-adenovirus plasmid construct, MRKAd5Pol.

Figure 23 shows diagrammatically the construction of the pre-adenovirus plasmid construct, MRKAd5Nef.

5

10

15

20

25

30

35

Figure 24 shows a comparison of clade B vs. clade C anti-gag T cell responses in clade B HIV-infected subjects.

Figure 25 shows a comparison of clade B vs. clade C anti-nef T cell responses in clade B HIV-infected subjects.

Figures 26A-AO illustrates the nucleotide sequence of the pMRKAd5HIV-1pol adenoviral vector (SEQ ID NO:32 [coding] and SEQ ID NO:33 [non-coding]), comprising the coding region of the inactivated pol gene (SEQ ID NO3).

Figures 27A-AM illustrates the nucleotide sequence of the pMRKAd5HIV-1 nef adenoviral vector (SEQ ID NO:34 [coding] and SEQ ID NO:35 [non-coding]), comprising the coding region of the inactivated pol gene (SEQ ID NO13).

Figure 28 shows the stability of MRKAd5 vectors comprising various promoter fragments (hCMV or mCMV) and terminations signals (bGH or SPA) in E3(+) or E3(-) backbones.

Figures 29A and B shows the anion-exchange HPLC viral particle concentrations of the freeze-thaw recovered cell associated virus at the 24, 36, 48, and 60 hpi time points (Figure 29A) and the timcourse QPA supernatant titers (Figure 29B) for MRKAd5gag, MRKAd5pol and MRKAd5nef.

Figure 30 shows the nucleotide sequence (SEQ ID NO:36) and amino acid sequence (SEQ ID NO:37) comprising the open reading frame of a representative tPA-gag fusion for use in the DNA and/or adenoviral vaccine disclosed herein.

Figure 31 shows the intracellular γIFN staining of PBMCs collected at week 10 (post DNA prime) and week 30 (post Ad boost). The cells were stimulated overnight in the presence or absence of the gag peptide pool. They were subsequently stained using fluorescence-tagged anti-CD3, anti-CD8, anti-CD4, and anti-γIFN monoclonal antibodies. Each plot shows all CD3+ T cells which were segregated in terms of positive staining for surface CD8 and γIFN production. The numbers in the upper right and lower right quadrants of each plot are the percentages of CD3<sup>+</sup> cells that were CD8<sup>+</sup>γIFN<sup>+</sup> and CD4<sup>+</sup>γIFN<sup>+</sup>, respectively.

Figure 32 shows a comparison of single-modality adenovirus immunization with DNA + adjuvant prime/adenovirus boost immunization.

Figures 33A-B show the nucleotide sequence (SEQ ID NO: 38) of the open reading frame for the gag-IApol fusion of Example 29.

Figures 34A-B show the protein sequence (SEQ ID NO:39) of the gag-IApol fustion frame.

5

10

15

20

25

30

35

#### DETAILED DESCRIPTION OF THE INVENTION

A novel replication-defective, or "first generation," adenoviral vector suitable for use in gene therapy or nucleotide-based vaccine vectors is described. This vector is at least partially deleted in E1 and comprises a wildtype adenovirus cis-acting packaging region from about base pair 1 to between about base pair 342 (more preferably, 400) to about 458 (preferably, 1-450) and, preferably, 3511-3523 of a wild-type adenovirus sequence. It has been found that a vector of this description possesses enhanced growth characteristics, with approximately 5-10 fold greater amplification rates, and is more potent allowing lower doses of virus to be used to generate equivalent immunity. The vector, furthermore, generates a harvested recombinant adenovirus which shows greater cellular-mediated immune responses than replication-deficient vectors not comprising this region (basepairs 342-450). Adenoviral constructs derived from these vectors are, further, very stable genetically, particularly those comprising a transgene under the control of a hCMV promoter devoid of intron A. Viruses in accordance with this description were passaged continually and analyzed; see Example 12. Each virus analyzed maintained it correct genetic structure. Analysis was also carried out under propagation conditions similar to that performed in large scale production. Again, the vectors were found to possess enhanced genetic stability; see Figure 12. Following 21 passages, the viral DNA showed no evidence of rearrangement, and was highly reproducible from one production lot to the next. The outcome of all relevant tests indicate that the adenoviral vector is extremely well suited for large-scale production of recombinant, replication-deficient adenovirus, as shown herein with the data associated with Figure 28.

A preferred adenoviral vector in accordance with this description is a vector comprising basepairs 1-450, which is deleted in E3. This vector can accommodate up to approximately 7,500 base pairs of foreign DNA inserts (or exogenous genetic material). Another preferred vector is one retaining E3 which comprises basepairs 1-450. A preferred vector of this description is an E3+ vector comprising basepairs 1-450 and 3511-3523. This vector, when deleted of the region spanning basepairs 451-3510, can accommodate up to approximately, 4,850 base pairs of foreign DNA inserts

(or exogenous genetic material). The cloning capacities of the above vectors have been determined using 105% of the wildtype Ad5 sequence as the upper genome size limit.

Wildtype adenovirus serotype 5 is used as the basis for the specific basepair numbers provided throughout the specification. The wildtype adenovirus serotype 5 sequence is known and described in the art; see, Chroboczek et al., 1992 J. Virology 186:280, which is hereby incorporated by reference. Accordingly, a particular embodiment of the instant invention is a vector based on the adenovirus serotype 5 sequence. One of skill in the art can readily identify the above regions in other adenovirus serotypes (e.g., serotypes 2, 4, 6, 12, 16, 17, 24, 31, 33, and 42), regions defined by basepairs corresponding to the above basepair positions given for adenovirus serotype 5. Accordingly, the instant invention encompasses all adenoviral vectors partially deleted in E1 comprising basepairs corresponding to 1-450 (particularly, 342-450) and, preferably, 3511-3523 of a wild-type adenovirus serotype 5 (Ad5) nucleic acid sequence. Particularly preferred embodiments of the instant invention are those derived from adenoviruses like Ad5 which are classified in subgroup C (e.g., Ad2).

10

15

20

25

30

35

Vectors in accordance with the instant invention are at least partially deleted in E1. Preferably the E1 region is completely deleted or inactivated. Most preferably, the region deleted of E1 is within basepairs 451-3510. It is to be noted that the extended 5' and 3' regions of the disclosed vectors are believed to effectively reduce the size of the E1 deletion of previous constructs without overlapping any part of the E1A/E1B gene present in the cell line used, i.e., the PER.C6® cell line transefected with base pairs 459-3510. Overlap of adenoviral sequences is avoided because of the possibility of recombination. One of ordinary skill in the art can certainly appreciate that the instant invention can, therefore, be modified if a different cell line transfected with a different segment of adenovirus DNA is utilized. For purposes of exemplification, a 5' region of base pairs 1 to up to 449 is more appropriate if a cell line is transfected with adenoviral sequence from base pairs 450-3510. This holds true as well in the consideration of segments 3' to the E1 deletion.

Preferred embodiments of the instant invention possess an intact E3 region (i.e., an E3 gene capable of encoding a functional E3). Alternate embodiments have a partially deleted E3, an inactivated E3 region, or a sequence completely deleted of E3. Applicants have found, in accordance with the instant invention, that virus comprising the E3 gene were able to amplify more rapidly compared with virus not comprising an E3 gene; see Figure 6 wherein a diagnostic CsCl band corresponding to the E3+ virus

tested (5,665 bp) was present in greater amount compared with the diagnostic band of 3,010 bp corresponding to the E3- virus. These results were obtained following a virus competition study involving mixing equal MOI ratio (1:1) of adenovectors both comprising the E3 gene and not comprising the E3 gene. This increased amplification capacity of the E3+ adenovectors was subsequently confirmed with growth studies; see Table 4A, wherein the E3+ virus exhibit amplification ratios of 470, 420 and 320 as compared with the 115 and 40-50 of the E3- constructs.

5

10

15

20

25

30

35

As stated above, vectors in accordance with the instant invention can accommodate up to approximately 4,850 base pairs of exogenous genetic material for an E3+ vector and approximately 7,500 base pairs for an E3- vector. Preferably, the insert brings the adenoviral vector as close as possible to a wild-type genomic size (e.g., for Ad5, 35,935 basepairs). It is well known that adenovirus amplifies best when they are close to their wild-type genomic size.

The genetic material can be inserted in an E1-parallel or an E1 anti-parallel orientation, as such is illustrated in Figure 7A, 7B, 7C and Figure 8A. Particularly preferred embodiments of the instant invention, have the insert in an E1-parallel orientation. Applicants have found, via competition experiments with plasmids containing transgenes in differing orientation (Figure 8A), that vector constructs with the foreign DNA insert in an E1-parallel orientation amplify better and actually outcompete E1-antiparallel-oriented transgenes. Viral DNA analysis of the mixtures at passage 3 and certainly at passage 6, showed a greater ratio of the virus carrying the transgene in the E1 parallel orientation as compared with the E1 anti-parallel version. By passage 10, the only viral species observed was the adenovector with the transgene in the E1 parallel orientation for both transgenes tested.

Adenoviral vectors in accordance with the instant invention are particularly well suited to effectuate expression of desired proteins, one example of which is an HIV protein, particularly an HIV full length gag protein. Exogenous genetic material encoding a protein of interest can exist in the form of an expression cassette. A gene expression cassette preferably comprises (a) a nucleic acid encoding a protein of interest; (b) a heterologous promoter operatively linked to the nucleic acid encoding the protein; and (c) a transcription terminator.

The transcriptional promoter is preferably recognized by an eukaryotic RNA polymerase. In a preferred embodiment, the promoter is a "strong" or "efficient" promoter. An example of a strong promoter is the immediate early human cytomegalovirus promoter (Chapman et al, 1991 *Nucl. Acids Res*19:3979-3986, which is incorporated by reference), preferably without intronic sequences. Most preferred

for use within the instant adenoviral vector is a human CMV promoter without intronic sequences, like intron A. Applicants have found that intron A, a portion of the human cytomegalovirus promoter (hCMV), constitutes a region of instability for adenoviral vectors. CMV without intron A has been found to effectuate (Examples 1-3) comparable expression capabilities in vitro when driving HIV gag expression and, furthermore, behaved equivalently to intron A-containing constructs in Balb/c mice in vivo with respect to their antibody and T-cell responses at both dosages of plasmid DNA tested (20 µg and 200 µg). Those skilled in the art will appreciate that any of a number of other known promoters, such as the strong immunoglobulin, or other eukaryotic gene promoters may also be used, including the EF1 alpha promoter, the murine CMV promoter, Rous sarcoma virus (RSV) promoter, SV40 early/late promoters and the beta-actin promoter.

5

10

15

20

25

30

35

In preferred embodiments, the promoter may also comprise a regulatable sequence such as the Tet operator sequence. This would be extremely useful, for example, in cases where the gene products are effecting a result other than that desired and repression is sought.

The combination of the CMV promoter (devoid of the intron A region) with the BGH terminator is particularly preferred although other promoter/terminator combinations in the context of FG adenovirus may also be used.

Other embodiments incorporate a leader or signal peptide into the transgene. A preferred leader is that from the tissue-specific plasminogen activator protein, tPA. Examples include but are not limited to the various tPA-gag, tPA-pol and tPA-nef adenovirus-based vaccines disclosed throughout this specification.

In view of the improved adenovirus vectors described herein, an essential portion of the present invention are adenoviral-based HIV vaccines comprising said adenovirus backbones which may be administered to a mammalian host, preferably a human host, in either a prophylactic or therapeutic setting. The HIV vaccines of the present invention, whether administered alone or in combination regimens with other viral- or non-viral-based DNA vaccines, should elicit potent and broad cellular immune responses against HIV that will either lessen the likelihood of persistent virus infection and/or lead to the establishment of a clinically significant lowered virus load

subject to HIV infection or in combination with HAART therapy, mitigate the effects of previously established HIV infection (antiviral immunotherapy(ARI)). While any HIV antigen (e.g., gag, pol, nef, gp160, gp41, gp120, tat, rev, etc.) may be utilized in the herein described recombinant adenoviral vectors, preferred embodiments include the codon optimized p55 gag antigen (herein exemplified as MRKAd5gag), pol and nef. Sequences based on different Clades of HIV-1 are suitable for use in the instant invention, most preferred of which are Clade B and Clade C. Particularly preferred embodiments are those sequences (especially, codon-optimized sequences) based on concensus Clade B sequences. Preferred versions of the MRKAd5pol and MRKAd5nef series of adenoviral vaccines will encode modified versions of pol or nef, as discussed herein. Preferred embodiments of the MRKAd5HIV-1 vectors carrying HIV envelope genes and modifications thereof comprise the HIV codon-optimized env sequences of PCT International Applications PCT/US97/02294 and PCT/US97/10517, published August 28, 1997 (WO 97/31115) and December 24, 1997, respectively; both documents of which are hereby incorporated by reference.

10

15

20

25

30

35

A most preferred aspect of the instant invention is the disclosed use of the adenoviral vector described above to effectuate expression of HIV gag. Sequences for many genes of many HIV strains are publicly available in GENBANK and primary, field isolates of HIV are available from the National Institute of Allergy and Infectious Diseases (NIAID) which has contracted with Quality Biological (Gaithersburg, MD) to make these strains available. Strains are also available from the World Health Organization (WHO), Geneva Switzerland. It is preferred that the gag gene be from an HIV-1 strain (CAM-1; Myers et al, eds. "Human Retroviruses and AIDS: 1995, IIA3-IIA19, which is hereby incorporated by reference). This gene closely resembles the consensus amino acid sequence for the clade B (North American/European) sequence. Therefore, it is within the purview of the skilled artisan to choose an appropriate nucleotide sequence which encodes a specific HIV gag antigen, or immunologically relevant portion thereof. As shown in Example 25, a clade B or clade C based p55 gag antigen will potentially be useful on a global scale. As noted herein, the transgene of choice for insertion in to a DNA or MRKAd-based adenoviral vector of the present invention is a codon optimized version of p55 gag. Such a MRKAd5gag adenoviral vector is documented in Example 11 and is at least referred to herein as MRKAd5HIV-1gag. Of course, additional versions are contemplated, including but not limited to modifications such as promoter (e.g., mCMV for hCMV) and/or pA-terminations signal (SPA for bGH) switching, as well as generating MRK Ad5 backbones with or without deletion of the Ad5 E3 gene.

The present invention also relates a series of MRKAd5pol-based adenoviral vaccines which are shown herein to generate cellular immune responses subsequent to administration in mice and non-human primate studies. Several of the MRKAd5pol series are exemplified herein. One such adenoviral vector is referred to as MRKAd5hCMV-inact opt pol(E3+), which comprises the MRKAd5 backbone, the 5 hCMV promoter (no intron A), an inactivated pol transgene, and contains the Ad5 E3 gene in the adenoviral backbone. A second exemplified pre-adenovirus plasmid and concomitant virus is referred to as MRKAd5hCMV-inact opt pol(E3-), which is identical to the former adenoviral vector except that the E3 is deleted. Both constructions contain a codon optimized, inactivated version of HIV-1 Pol, wherein at 10 least the entire coding region is disclosed herein as SEQ ID NO:3 and the expressed protein is shown as SEQ ID NO:4 (see also Figure 17A-C and Table 1, which show targeted deletion for inactivated pol. This and other preferred codon optimized versions of HIV Pol as disclosed herein are essentially as described in U.S. Application Serial No. 09/745,221, filed December 21, 2000 and PCT International 15 Application PCT/US00/34724, also filed December 21, 2000, both documents which are hereby incorporated by reference. As disclosed in the above-mentioned documents, the open reading frame for these codon-optimized HIV-1 Pol-based DNA vaccines are represented by codon optimized DNA molecules encoding codon optimized HIV-1 Pol (e.g. SEQ ID NO:2), codon optimized HIV-1 Pol fused to an 20 amino terminal localized leader sequence (e.g. SEQ ID NO:6), and especially preferable, and exemplified by the MRKAd5-Pol construct in e.g., Example 19, biologically inactivated pol ("inact opt Pol"; e.g., SEQ ID NO:4) which is devoid of significant PR, RT, RNase or IN activity associated with wild type Pol. In addition, a construct related to SEQ ID NO:4 is contemplated which contains a leader peptide at 25 the amino terminal region of the IA Pol protein. A specific construct is ligated within an appropriate DNA plasmid vector containing regulatory regions operatively linked to the respective HIV-1 Pol coding region, with or without a nucleotide sequence encoding a functional leader peptide. To this end, various HIV-1 Pol constructs disclosed herein relate to open reading frames for cloning to the enhanced first 30 generation Ad vectors of the present invention (such a series of MRKAd5pol adenoviral vaccine vectors), including but not limited to wild type Pol (comprising the DNA molecule encoding WT opt Pol, as set forth in SEQ ID NO:2), tPA-opt WTPol, (comprising the DNA molecule encoding tPA Pol, as set forth in SEQ ID NO:6), inact opt Pol (comprising the DNA molecule encoding IA Pol, as set forth in SEQ ID 35 NO:4), and tPA-inact opt Pol, (comprising the DNA molecule encoding tPA-inact opt

Pol, as set forth in SEQ ID NO:8). The pol-based versions of enhanced first generation adenovirus vaccines elicit CTL and Th cellular immune responses upon administration to the host, including primates and especially humans. As noted in the above, an effect of the cellular immune-directed vaccines of the present invention should be a lower transmission rate to previously uninfected individuals and/or reduction in the levels of the viral loads within an infected individual, so as to prolong the asymptomatic phase of HIV-1 infection.

5

The present invention further relates to a series of MRKAd5nef-based adenoviral vaccines which, similar to HIV gag and pol antigens, generate cellular immune responses subsequent to administration in mice and non-human primate 10 studies. The MRKAd5nef series are exemplified herein by utilizing the improved MRK adenoviral backbone in combination with modified versions of HIV nef. These exemplified MRKAd5nef vectors are as follows: (1) MRKAd5hCMVnef(G2A,LLAA) (E3+), which comprises the improved MRKAd5 backbone, a human CMV promoter an intact Ad5 E3 gene and a modified nef gene: (2) MRKAd5mCMV-15 nef(G2A,LLAA) (E3+), which is the same as (1) above but substituting a murine CMV promoter for a human CMV promoter; and (3) MRKAd5mCMV-tpanef(LLAA) (E3+), which is the same as (2) except that the nef transgene is tpanef(LLAA). Codon optimized versions of HIV-1 Nef and HIV-1 Nef modifications are essentially as described in U.S. Application Serial No. 09/738,782, filed December 15, 2000 and 20 PCT International Application PCT/US00/34162, also filed December 15, 2000, both documents which are hereby incorporated by reference. Particular embodiments of codon optimized Nef and Nef modifications relate to a DNA molecule encoding HIV-1 Nef from the HIV-1 jfrl isolate wherein the codons are optimized for expression in a mammalian system such as a human. The DNA molecule which encodes this protein 25 is disclosed herein as SEQ ID NO:9, while the expressed open reading frame is disclosed herein as SEQ ID NO:10. Another embodiment of Nef-based coding regions for use in the adenoviral vectors of the present invention comprise a codon optimized DNA molecule encoding a protein containing the human plasminogen activator (tpa) leader peptide fused with the NH2-terminus of the HIV-1 Nef 30 polypeptide. The DNA molecule which encodes this protein is disclosed herein as SEO ID NO:11, while the expressed open reading frame is disclosed herein as SEQ ID NO:12. Another modified Nef optimized coding region relates to a DNA molecule encoding optimized HIV-1 Nef wherein the open reading frame codes for modifications at the amino terminal myristylation site (Gly-2 to Ala-2) and 35 substitution of the Leu-174-Leu-175 dileucine motif to Ala-174-Ala-175, herein

described as opt nef (G2A, LLAA). The DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:13, while the expressed open reading frame is disclosed herein as SEQ ID NO:14. MRKAd5nef vectors (1) MRKAd5hCMV-nef(G2A,LLAA) (E3+) and (2) MRKAd5mCMV-nef(G2A,LLAA) (E3+) contain this transgene. An additional embodiment relates to a DNA molecule encoding optimized HIV-1 Nef wherein the amino terminal myristylation site and dileucine motif have been deleted, as well as comprising a tPA leader peptide. This DNA molecule, opt tpanef (LLAA), comprises an open reading frame which encodes a Nef protein containing a tPA leader sequence fused to amino acid residue 6-216 of HIV-1 Nef (jfrl), wherein Leu-174 and Leu-175 are substituted with Ala-174 and Ala-175, herein referred to as opt tpanef (LLAA) is disclosed herein as SEQ ID NO:15, while the expressed open reading frame is disclosed herein as SEQ ID NO:16. The MRKAd5nef vector "MRKAd5mCMV-tpanef(LLAA) (E3+)" contains this transgene.

5

10

15

20

25

30

35

Along with the improved MRKAd5gag adenovirus vaccine vector described herein, generation of a MRKAd5pol and MRKAd5nef adenovirus vector provide for enhanced HIV vaccine capabilities. Namely, the generation of this trio of adenoviral vaccine vectors, all shown to generate effective cellular immune responses subsequent to host administration, provide for the ability to administer these vaccine candidates not only alone, but preferably as part of a divalent (i.e., gag and nef, gag and pol, or pol and nef components) or a trivalent vaccine (i.e., gag, pol and nef components). Therefore, a preferred aspect of the present invention are vaccine formulations and associated methods of administration and concomitant generation of host cellular immune responses associated with formulating three separate series of MRKAd5based adenoviral vector vaccines. Of course, this MRKAd5 vaccine series based on distinct HIV antigens promotes expanded opportunities for formulation of a divalent or trivalent vaccine, or possibly administration of separate formulations of one or more monovalent or divalent formulations within a reasonable window of time. It is also within the scope of the present invention to embark on combined modality regimes which include multiple but distinct components from a specific antigen. An example, but certainly not a limitation, would be separate MRKAd5pol vectors, with one vaccine vector expressing wild type Pol (SEQ ID NO:2) and another MRKAd5pol vector expressing inactivated Pol (SEQ ID NO:6). Another example might be separate MRKAd5nef vectors, with one vaccine vector expressing the tPA/LLAA version of Nef (SEQ ID NO:16) and another MRKAd5nef vector expressing the G2A,LLAA modified version of Nef (SEQ ID NO:14). Therefore, the MRKAd5 adenoviral vectors of the present invention may be used in combination

PCT/US01/28861 WO 02/022080

with multiple, distinct HIV antigen classes. Each HIV antigen class is subject to sequence manipulation, thus providing for a multitude of potential vaccine combinations; and such combinations are within the scope of the present invention. The utilization of such combined modalities vaccine formulation and administration increase the probability of eliciting an even more potent cellular immune response when compared to inoculation with a single modality regimen.

5

10

15

20

25

30

35

The present invention also relates to application of a mono-, dual-, or trimodality administration regime of the MRKAd5gag, pol and nef adenoviral vaccine series in a prime/boost vaccination schedule. This prime/boost schedule may include any reasonable combination of the MRKAd5gag, pol and nef adenoviral vaccine series disclosed herein. In addition, a prime/boost regime may also involve other viral and/or non-viral DNA vaccines. A preferable addition to an adenoviral vaccine vector regime includes but is not limited to plasmid DNA vaccines, especially DNA plasmid vaccines that contain at least one of the codon optimized gag, pol and nef constructions, as disclosed herein.

Therefore, one aspect of this invention is the administration of the adenoviral vector containing the optimized gag gene in a prime/boost regiment in conjunction with a plasmid DNA encoding gag. To distinguish this plasmid from the adenoviralcontaining shuttle plasmids used in the construction of an adenovirus vector, this plasmid will be referred to as a "vaccine plasmid" or "DNA plasmid vaccine". Preferred vaccine plasmids for use in this administration protocol are disclosed in pending U.S. patent application 09/017,981, filed February 3, 1998 and WO98/34640, published August 13, 1998, both of which are hereby incorporated by reference. Briefly, the preferred vaccine plasmid is designated V1Jns-FLgag, which expresses the same codon-optimized gag gene as the adenoviral vectors of this invention (see Figure 2 for the nucleotide sequence of the exemplified optimized codon version of full length p55 gag). The vaccine plasmid backbone, designated V1Ins contains the CMV immediate-early (IE) promoter and intron A, a bovine growth hormone-derived polyadenylation and transcription termination sequence as the gene expression regulatory elements, and a minimal pUC backbone; see Montgomery et al., 1993, DNA Cell Biol. 12:777-783. The pUC sequence permits high levels of plasmid production in E. coli and has a neomycin resistance gene in place of an ampicillin resistance gene to provide selected growth in the presence of kanamycin. Alternatively, a vaccine plasmid which has the CMV promoter deleted of intron A can

vectors may be easily substituted for these specific constructs, and this invention specifically envisions use of such alternative plasmid DNA vaccine vectors.

5

10

15

20

25

30

35

Another aspect of the present invention is a prime/boost regimen which includes a vaccine plasmid which encodes an HIV pol antigen, preferably a codon optimized form of pol and also preferably a vaccine plasmid which comprises a nucleotide sequence which encodes a Pol antigen selected from the group of Pol antigens as shown in SEQ ID NOs: 2, 4, 6 and 8. The variety of potential DNA plasmid vaccines which encode various biologically active forms of HIV-1 Pol, wherein administration, intracellular delivery and expression of the HIV-1 Pol gene of interest elicits a host CTL and Th response. The preferred synthetic DNA molecules of the present invention encode codon optimized wild type Pol (without Pro activity) and various codon optimized inactivated HIV-1 Pol proteins. The HIV-1 pol open reading disclosed herein are especially preferred for pharmaceutical uses, especially for human administration as delivered via a recombinant adenoviral vaccine, especially an enhanced first generation recombinant adenoviral vaccine as described herein. Several embodiments of this portion of the invention are provided in detail below, namely DNA molecules which comprise a HIV-1 pol open reading frame, whether encoding full length pol or a modification or fusion as described herein, wherein the codon usage has been optimized for expression in a mammal, especially a human. Again, these DNA sequences are positioned appropriately within a recombinant adenoviral vector, such as the exemplified recombinant adenoviral vector described herein, so as to promote expression of the respective HIV-1 Pol gene of interest, and subsequent to administration, elicit a host CTL and Th response. Again, these preferred, but in no way limiting, pol genes are as disclosed herein and essentially as described in U.S. Application Serial No. 09/745,221, filed December 21, 2000 and PCT International Application PCT/US00/34724, also filed December 21, 2000, both documents which are hereby incorporated by reference.

A third series of vaccine plasmids which are useful in a combined modality and/or prime/boost regimen are vaccine plasmids which encode an HIV nef antigen or biologically and/or immunologically relevant modification thereof. As noted elsewhere, preferred vaccine plasmids contain a codon optimized form of nef and also preferably comprise a nucleotide sequence which encodes a Nef antigen selected from the group of Nef antigens as shown in SEQ ID NOs: 10, 12, 14 and 16. These preferred nef coding regions are disclosed herein, as well as being described in U.S. Application Serial No. 09/738,782, filed December 15, 2000 and PCT International

Application PCT/US00/34162, also filed December 15, 2000, both documents which are hereby incorporated by reference.

5

10

15

20

25

30

35

Therefore, the adenoviral vaccines and plasmid DNA vaccines of this invention may be administered alone, or may be part of a prime and boost administration regimen. A mixed modality priming and booster inoculation scheme will result in an enhanced immune response, particularly is pre-existing anti-vector immune responses are present. This one aspect of this invention is a method of priming a subject with the plasmid vaccine by administering the plasmid vaccine at least one time, allowing a predetermined length of time to pass, and then boosting by administering the adenoviral vaccine. Multiple primings typically, 1-4, are usually employed, although more may be used. The length of time between priming and boost may typically vary from about four months to a year, but other time frames may be used. In experiments with rhesus monkeys, the animals were primed four times with plasmid vaccines, then were boosted 4 months later with the adenoviral vaccine. Their cellular immune response was notably higher than that of animals which had only received adenoviral vaccine. The use of a priming regimen may be particularly preferred in situations where a person has a pre-existing anti-adenovirus immune response.

Furthermore and in the alternative, multiple HIV-1 viral antigens, such as the MRKAd5 adenoviral vaccines disclosed herein, may be ligated into a proper shuttle plasmid for generation of a pre-adenoviral plasmid comprising multiple open reading frames. For example a trivalent vector may comprise a gag-pol-nef fusion, in either a E3(-) or E3(+) background, preferably a E3 deleted backbone, or possible a "2+1" divalent vaccine, such as a gag-pol fusion (i.e., codon optimized p55 gag and inactivated optimized pol; Example 29 and Table 25) within the same MRKAd5 backbone, with each open reading frame being operatively linked to a distinct promoter and transcription termination sequence. Alternatively, the two open reading frames may be operatively linked to a single promoter, with the open reading frames operatively linked by an internal ribosome entry sequence (IRES), as disclosed in International Publication No. WO 95/24485, which is hereby incorporated by reference. Figure 9 shows that the use of multiple promoters and termination sequences provide for similar growth properties, while Figure 28 shows that these MRKAd5gag-based vectors are also stable at least through passage 21. In the absence of the use of IRES-based technology, it is preferred that a distinct promoter be used to support each respective open reading frame, so as to best preserve vector stability. As examples, and certainly not as limitations, potential multiple transgene vaccines may

include a three transgene vector such as hCMV-gagpol-bGHpA + mCMV-nef-SPA in an E3 deleted backbone or hCMV-gagpol-bGHpA + mCMV-nef-SPA(E3+). Potential "2+1" divalent vaccines of the present invention might be a hCMV-gagbGHpA + mCMV-nef-SPA in an E3+ backbone (vector #1) in combination with hCMV-pol-bGHpA in an E3+ backbone (vector #2), with all transgenes in the E1 parallel orientation. Fusion constructs other than the gag-pol fusion described above are also suitable for use in various divalent vaccine strategies and can be composed of any two HIV antigens fused to one another (e.g.,, nef-pol and gag-nef). These adenoviral compositions are, as above, preferably delivered along with an adenoviral composition comprising an additional HIV antigen in order to diversify the immune response generated upon administration. Therefore, a multivalent vaccine delivered in a single, or possible second, adenoviral vector is certainly contemplated as part of the present invention. Again, this mode of administration is another example of whereby an efficaceous adenovirus-based HIV-1 vaccine may be administered via a combined modality regime. It is important to note, however, that in terms of deciding on an insert for the disclosed adenoviral vectors, due consideration must be dedicated to the effective packaging limitations of the adenovirus vehicle. Adenovirus has been shown to exhibit an upper cloning capacity limit of approximately 105% of the wildtype Ad5 sequence.

10

15

20

25

30

35

Regardless of the gene chosen for expression, it is preferred that the sequence be "optimized" for expression in a human cellular environment. A "triplet" codon of four possible nucleotide bases can exist in 64 variant forms. That these forms provide the message for only 20 different amino acids (as well as transcription initiation and termination) means that some amino acids can be coded for by more than one codon. Indeed, some amino acids have as many as six "redundant", alternative codons while some others have a single, required codon. For reasons not completely understood, alternative codons are not at all uniformly present in the endogenous DNA of differing types of cells and there appears to exist variable natural hierarchy or "preference" for certain codons in certain types of cells. As one example, the amino acid leucine is specified by any of six DNA codons including CTA, CTC, CTG, CTT, TTA, and TTG (which correspond, respectively, to the mRNA codons, CUA, CUC, CUG, CUU, UUA and UUG). Exhaustive analysis of genome codon frequencies for microorganisms has revealed endogenous DNA of E. coli most commonly contains the CTG leucine-specifying codon, while the DNA of yeasts and slime molds most commonly includes a TTA leucine-specifying codon. In view of this hierarchy, it is generally held that the likelihood of obtaining high levels of expression of a leucine-

rich polypeptide by an *E. coli* host will depend to some extent on the frequency of codon use. For example, a gene rich in TTA codons will in all probability be poorly expressed in *E. coli*, whereas a CTG rich gene will probably highly express the polypeptide. Similarly, when yeast cells are the projected transformation host cells for expression of a leucine-rich polypeptide, a preferred codon for use in an inserted DNA would be TTA.

5

10

15

20

25

30

35

The implications of codon preference phenomena on recombinant DNA techniques are manifest, and the phenomenon may serve to explain many prior failures to achieve high expression levels of exogenous genes in successfully transformed host organisms—a less "preferred" codon may be repeatedly present in the inserted gene and the host cell machinery for expression may not operate as efficiently. This phenomenon suggests that synthetic genes which have been designed to include a projected host cell's preferred codons provide a preferred form of foreign genetic material for practice of recombinant DNA techniques. Thus, one aspect of this invention is an adenovirus vector or adenovirus vector in some combination with a vaccine plasmid where both specifically include a gene which is codon optimized for expression in a human cellular environment. As noted herein, a preferred gene for use in the instant invention is a codon-optimized HIV gene and, particularly, HIV gag, pol or nef.

Adenoviral vectors in accordance with the instant invention can be constructed using known techniques, such as those reviewed in Hitt et al, 1997 "Human Adenovirus Vectors for Gene Transfer into Mammalian Cells" Advances in Pharmacology 40:137-206, which is hereby incorporated by reference.

In constructing the adenoviral vectors of this invention, it is often convenient to insert them into a plasmid or shuttle vector. These techniques are known and described in Hitt et al., *supra*. This invention specifically includes both the adenovirus and the adenovirus when inserted into a shuttle plasmid.

Preferred shuttle vectors contain an adenoviral portion and a plasmid portion. The adenoviral portion is essentially the same as the adenovirus vector discussed supra, containing adenoviral sequences (with non-functional or deleted E1 and E3 regions) and the gene expression cassette, flanked by convenient restriction sites. The plasmid portion of the shuttle vector often contains an antibiotic resistance marker under transcriptional control of a prokaryotic promoter so that expression of the antibiotic does not occur in eukaryotic cells. Ampicillin resistance genes, neomycin resistance genes and other pharmaceutically acceptable antibiotic resistance markers may be used. To aid in the high level production of the polynucleotide by

fermentation in prokaryotic organisms, it is advantageous for the shuttle vector to contain a prokaryotic origin of replication and be of high copy number. A number of commercially available prokaryotic cloning vectors provide these benefits. It is desirable to remove non-essential DNA sequences. It is also desirable that the vectors not be able to replicate in eukaryotic cells. This minimizes the risk of integration of polynucleotide vaccine sequences into the recipients' genome. Tissue-specific promoters or enhancers may be used whenever it is desirable to limit expression of the polynucleotide to a particular tissue type.

In one embodiment of this invention, the pre-plasmids (e.g., pMRKAd5pol, pMRKAd5nef and pMRKAd5gag were generated by homologous recombination using the MRKHVE3 (and MRKHVO for the E3- version) backbones and the appropriate shuttle vector, as shown for pMRKAd5pol in Figure 22 and for pMRKAd5nef in Figure 23. The plasmid in linear form is capable of replication after entering the PER.C6<sup>®</sup> cells and virus is produced. The infected cells and media were harvested after viral replication was complete.

Viral vectors can be propagated in various E1 complementing cell lines, including the known cell lines 293 and PER.C6<sup>®</sup>. Both these cell lines express the adenoviral E1 gene product. PER.C6<sup>®</sup> is described in WO 97/00326 (published January 3, 1997) and issued U.S. Patent No. 6,033,908, both of which are hereby incorporated by reference. It is a primary human retinoblast cell line transduced with an E1 gene segment that complements the production of replication deficient (FG) adenovirus, but is designed to prevent generation of replication competent adenovirus by homologous recombination. Cells of particular interest have been stably transformed with a transgene that encodes the AD5E1A and E1B gene, like PER.C6<sup>®</sup>, from 459 bp to 3510 bp inclusive. 293 cells are described in Graham et al., 1977 J. Gen. Virol 36:59-72, which is hereby incorporated by reference. As stated above, consideration must be given to the adenoviral sequences present in the complementing cell line used. It is important that the sequences not overlap with that present in the vector if the possibility of recombination is to be minimized.

It has been found that vectors generated in accordance with the above description are more effective in inducing an immune response and, thus, constitute very promising vaccine candidates. More particularly, it has been found that first generation adenoviral vectors in accordance with the above description carrying a codon-optimized HIV gag gene, regulated with a strong heterologous promoter can be used as human anti-HIV vaccines, and are capable of inducing immune responses.

Standard techniques of molecular biology for preparing and purifying DNA constructs enable the preparation of the DNA immunogens of this invention.

A vaccine composition comprising an adenoviral vector in accordance with the instant invention may contain physiologically acceptable components, such as buffer, normal saline or phosphate buffered saline, sucrose, other salts and polysorbate. One preferred formulation has: 2.5-10 mM TRIS buffer, preferably about 5 mM TRIS buffer; 25-100 mM NaCl, preferably about 75 mM NaCl; 2.5-10% sucrose, preferably about 5% sucrose; 0.01 -2 mM MgCl<sub>2</sub>; and 0.001%-0.01% polysorbate 80 (plant derived). The pH should range from about 7.0-9.0, preferably about 8.0. One skilled in the art will appreciate that other conventional vaccine excipients may also be used it make the formulation. The preferred formulation contains 5mM TRIS, 75 mM NaCl, 5% sucrose, 1mM MgCl<sub>2</sub>, 0.005% polysorbate 80 at pH 8.0 This has a pH and divalent cation composition which is near the optimum for Ad5 stability and minimizes the potential for adsorption of virus to a glass surface. It does not cause tissue irritation upon intramuscular injection. It is preferably frozen until use.

The amount of adenoviral particles in the vaccine composition to be introduced into a vaccine recipient will depend on the strength of the transcriptional and translational promoters used and on the immunogenicity of the expressed gene product. In general, an immunologically or prophylactically effective dose of  $1 \times 10^7$  to  $1 \times 10^{12}$  particles and preferably about  $1 \times 10^{10}$  to  $1 \times 10^{11}$  particles is administered directly into muscle tissue. Subcutaneous injection, intradermal introduction, impression through the skin, and other modes of administration such as intraperitoneal, intravenous, or inhalation delivery are also contemplated. It is also contemplated that booster vaccinations are to be provided. Following vaccination with HIV adenoviral vector, boosting with a subsequent HIV adenoviral vector and/or plasmid may be desirable. Parenteral administration, such as intravenous, intramuscular, subcutaneous or other means of administration of interleukin-12 protein, concurrently with or subsequent to parenteral introduction of the vaccine compositions of this invention is also advantageous.

The adenoviral vector and/or vaccine plasmids of this invention polynucleotide may be unassociated with any proteins, adjuvants or other agents which impact on the recipients' immune system. In this case, it is desirable for the vector to be in a physiologically acceptable solution, such as, but not limited to, sterile saline or sterile buffered saline. Alternatively, the vector may be associated with an adjuvant known in the art to boost immune responses (i.e., a "biologically effective"

adjuvant), such as a protein or other carrier. Vaccine plasmids of this invention may, for instance, be delivered in saline (e.g., PBS) with or without an adjuvant. Preferred adjuvants are Alum or CRL1005 Block Copolymer. Agents which assist in the cellular uptake of DNA, such as, but not limited to, calcium ions, may also be used to advantage. These agents are generally referred to herein as transfection facilitating reagents and pharmaceutically acceptable carriers. Techniques for coating microprojectiles coated with polynucleotide are known in the art and are also useful in connection with this invention.

5

10

15

20

25

30

35

This invention also includes a prime and boost regimen wherein a first adenoviral vector is administered, then a booster dose is given. The booster dose may be repeated at selected time intervals. Alternatively, a preferred inoculation scheme comprises priming with a first adenovirus serotype and then boosting with a second adenovirus serotype. More preferably, the inoculation scheme comprises priming with a first adenovirus serotype and then boosting with a second adenovirus serotype, wherein the first and second adenovirus serotypes are classified within separate subgroups of adenoviruses. The above prime/boost schemes are particularly preferred in those situations where a preexisting immunity is identified to the adenoviral vector of choice. In this type of scheme, the individual or population of individuals is primed with an adenovirus of a serotype other than that to which the preexisting immunity is identified. This enables the first adenovirus to effectuate sufficient expression of the transgene while evading existing immunity to the second adenovirus (the boosting adenovirus) and, further, allows for the subsequent delivery of the transgene via the boosting adenovirus to be more effective. Adenovirus serotype 5 is one example of a virus to which such a scheme might be desirable. In accordance with this invention, therefore, one might decide to prime with a non-group C adenovirus (e.g., Ad12, a group A adenovirus, Ad24, a group D adenovirus, or Ad35, a group B adenovirus) to evade anti-Ad5 immunity and then boost with Ad5, a group C adenovirus. Another preferred embodiment involves administration of a different adenovirus (including non-human adenovirus) vaccine followed by administration of the adenoviral vaccines disclosed. In the alternative, a viral antigen of interest can be first delivered via a viral vaccine other than an adenovirus-based vaccine, and then followed with the adenoviral vaccine disclosed. Alternative viral vaccines include but are not limited to pox virus and venezuelan equine encephilitis virus.

A large body of human and animal data supports the importance of cellular immune responses, especially CTL in controlling (or eliminating) HIV infection. In humans, very high levels of CTL develop following primary infection and correlate

with the control of viremia. Several small groups of individuals have been described who are repeatedly exposed to HIV by remain uninfected; CTL has been noted in several of these cohorts. In the SIV model of HIV infection, CTL similarly develops following primary infection, and it has been demonstrated that addition of anti-CD8 monoclonal antibody abrogated this control of infection and leads to disease progression. This invention uses adenoviral vaccines alone or in combination with plasmid vaccines to induce CTL.

The following non-limiting Examples are presented to better illustrate the invention.

10

15

20

25

30

35

5

#### EXAMPLE 1

Removal of the Intron A Portion of the hCMV Promoter GMP grade pVIInsHIV gag was used as the starting material to amplify the hCMV promoter. PVIInsHIVgag is a plasmid comprising the CMV immediate-early (IE) promoter and intron A, a full-length codon-optimized HIV gag gene, a bovine growth hormone-derived polyadenylation and transcriptional termination sequence, and a minimal pUC backbone; see Montgomery et al., supra for a description of the plasmid backbone. The amplification was performed with primers suitably positioned to flank the hCMV promoter. A 5' primer was placed upstream of the Msc1 site of the hCMV promoter and a 3' primer (designed to contain the BgIII recognition sequence) was placed 3' of the hCMV promoter. The resulting PCR product (using high fidelity Taq polymerase) which encompassed the entire hCMV promoter (minus intron A) was cloned into TOPO PCR blunt vector and then removed by double digestion with Msc1 and BgIII. This fragment was then cloned back into the original GMP grade pV1JnsHIVgag plasmid from which the original promoter, intron A, and the gag gene were removed following Msc1 and BgIII digestion. This ligation reaction resulted in the construction of a hCMV promoter (minus intron A) + bGHpA expression cassette within the original pV1JnsHIVgag vector backbone. This vector is designated pVIJnsCMV(no intron).

The FLgag gene was excised from pV1JnsHIVgag using BgIII digestion and the 1,526 bp gene was gel purified and cloned into pV1JnsCMV(no intron) at the BgIII site. Colonies were screened using Sma1 restriction enzymes to identify clones that carried the Flgag gene in the correct orientation. This plasmid, designated pV1JnsCMV(no intron)-FLgag-bGHpA, was fully sequenced to confirm sequence integrity.

The plasmid, pV1Jns-mCMV-FLgag-bGHpA, is identical to the pV1JnsCMV(no intron)-FLgag-bGHpA except that the hCMV promoter has been removed and replaced with the murine CMV (mCMV) promoter.

Figure 3 diagrammatically shows the new transgene constructs in comparison with the original transgene.

15 EXAMPLE 2

10

20

25

Gag Expression Assay for Modified Gag Transgenes
Gag Elisa was performed on culture supernatants obtained from transient tissue culture transfection experiments in which the two new hCMV-containing plasmid constructs, pV1JnsCMV(no intron)-FLgag-bGHpA and pV1JnsCMV(no intron)-FLgag-SPA, both devoid of intron A, were compared to pV1JnsHIVgag which, as noted above possesses the intron A as part of the hCMV promoter. Table 2 below shows the *in vitro* gag expression data of the new gag plasmids compared with the GMP grade original plasmid. The results displayed in Table 2 show that both of the new hCMV gag plasmid constructs have expression capacities comparable to the original plasmid construct which contains the intron A portion of the hCMV promoter.

Table 2: In vitro DNA transfection of original and new plasmid HIV-1 gag constructs.

Plasmid	μg gag/10e6 COS cells/5μg DNA/48 hr
HIVFL-gagPR9901 <sup>a</sup>	10.8
PVIIns-hCMV-FLgag-bGHpAb	16.6
pV1Jns-hCMV-FLgag-SPA <sup>b,c</sup>	12.0

<sup>&</sup>lt;sup>a</sup> GMP grade pV1Ins-hCMVintronA-FLgag-bGHpA.

10

15

20

#### **EXAMPLE 3**

Rodent (Balb/c) Study for Modified gag Transgenes
A rodent study was performed on the two new plasmid constructs
described above — pV1JnsCMV(no intron)-FLgag-bGHpA and pV1JnsCMV(no
intron)-FLgag-SPA - in order to compare them with the construct described above
possessing the intron A portion of the CMV promoter, pV1JnsHIVgag. Gag antibody
and Elispot responses (described in PCT International Application No.
PCT/US00/18332 (WO 01/02607) filed July 3, 2000, claiming priority to U.S.
Provisional Application Serial No. 60/142,631, filed July 6, 1999 and U.S.
Application Serial No. 60/148,981, filed August 13, 1999, all three applications which
are hereby incorporated by reference) were measured. The results displayed in Table
3 below, show that the new plasmid constructs behaved equivalently to the original
construct in Balb/c mice with respect to their antibody and T-cell responses at both
dosages of plasmid DNA tested, 20 μg and 200 μg.

<sup>5</sup> b New plasmid constructions that have the intron A portion removed from the hCMV promoter.

<sup>&</sup>lt;sup>c</sup> In this construct the bGH terminator has been replaced with the short synthetic polyadenylation signal (SPA)

**EXAMPLE 4** 

Table 3: HIV191: Immunogenicity of V1Jns-gag under different promoter and termination control elements.

DNA*	Dose, ug <sup>b</sup>		Anti-p24 Titers (3 Wk PD1) <sup>c</sup>		SFC/10^6 Cells (4 Wk PD1) <sup>d</sup>			
Promoter/terminator		GMT	+SE	-SE	Media	gag197-205	p24	
HIVFL-gagPR9901	200	12800	4652	3412	2(2)	129(19)	30(11)	
(GMP grade)	20	5572	1574	1227	0	56(9)	25(6)	
pV1Jns-hCMV-	200	11143	2831	2257	0	98(5)	12(6)	
FL-gag-bGHpA	20	7352	2808	2032	0	73(9)	11(6)	
pV1Jns-hCMV-	200	16890	5815	4326	1(1)	94(4)	26(7)	
FL-gag-SPA	20	5971	5361	2825	0	85(17)	38(10)	
Naīve	0	123	. 50	36	0	0	0	

in PBS

15

20

Construction of the Modified Shuttle Vector - "MRKpdelE1 Shuttle"

The modifications to the original Ad5 shuttle vector (pdelE1sp1A; a vector comprising Ad5 sequences from basepairs 1-341 and 3524-5798, with a multiple cloning region between nucleotides 341 and 3524 of Ad5, included the following three manipulations carried out in sequential cloning steps as follows:

- (1) The left ITR region was extended to include the *Pac1* site at the junction between the vector backbone and the adenovirus left ITR sequences. This allow for easier manipulations using the bacterial homologous recombination system.
- 10 (2) The packaging region was extended to include sequences of the wild-type (WT) adenovirus from 342 bp to 450 bp inclusive.
  - (3) The area downstream of pIX was extended 13 nucleotides (i.e., nucleotides 3511-3523 inclusive).

These modifications (Figure 4) effectively reduced the size of the E1 deletion without overlapping with any part of the E1A/E1B gene present in the transformed PER.C6<sup>®</sup> cell line. All manipulations were performed by modifying the Ad shuttle vector pdelE1sp1A.

Once the modifications were made to the shuttle vector, the changes were incorporated into the original Ad5 adenovector backbones (pAdHVO and pAdHVE3) by bacterial homologous recombination using *E. coli* BJ5183 chemically competent cells.

bi.m. Injections into both quads, 50 μL per quad

cn=10;GMT, geometric mean titer, SE, standard. error

dn=5, pooled spleens; mean of triplicate wells and standard, deviation, in parentheses;

#### EXAMPLE 5

# Construction of Modified Adenovector Backbones (E3+ and E3-)

The original adenovectors pAdHVO (comprising all Ad5 sequences except those nucleotides encompassing the E1 and E3 regions) and pADHVE3 (comprising all Ad5 sequences except those nucleotides encompassing the E1 region), were each 5 reconstructed so that they contained the modifications to the E1 region. This was accomplished by digesting the newly modified shuttle vector (MRKpdelE1 shuttle) with Pac1 and BstZ1101 and isolating the 2,734 bp fragment which corresponds to the adenovirus sequence. This fragment was co-transformed with DNA from either Cla1 linearized pAdHVO (E3- adenovector) or Cla1 linearized pAdHVE3 10 (E3+adenovector) into E. coli BJ5183 competent cells. At least two colonies from each transformation were selected and grown in Terrific™ broth for 6-8 hours until turbidity was reached. DNA was extracted from each cell pellet and then transformed into E. coli XL1 competent cells. One colony from each transformation was selected and grown for plasmid DNA purification. The plasmid was analyzed by restriction 15 digestions to identify correct clones. The modified adenovectors were designated MRKpAdHVO (E3- plasmid) and MRKpAdHVE3 (E3+ plasmid). Virus from these new adenovectors (MRKHVO and MRKHVE3, respectively) as well as the old version of the adenovectors were generated in the PER.C6® cell lines to accommodate the following series of viral competition experiments. In addition, the multiple 20 cloning site of the original shuttle vector contained ClaI, BarnHI, Xho I, EcoRV, HindIII, Sal I, and Bgl II sites. This MCS was replaced with a new MCS containing Not I, Cla I, EcoRV and Asc I sites. This new MCS has been transferred to the MRKpAdHVO and MRKpAdHVE3 pre-plasmids along with the modification made to the packaging region and pIX gene. 25

#### **EXAMPLE 6**

#### Analysis of the Effect of the Packaging Signal Extension

To study the effects of the modifications made to the E1 deletion region, the viruses obtained from the original backbone (pAdHVE3) and the new backbone (MRKpAdHVE3) were mixed together in equal MOI ratios (1:1 and 5:5) and passaged through several rounds; see Figure 5, Expt.#1. Both of the viruses in the experiment contained the E3 gene intact and did not contain a transgene. The only difference between the two viruses was within the region of the E1 deletion. Following the coinfection of the viruses at P1 (passage 1), the mixtures were propagated through an additional 4 passages at which time the cells were harvested

30

35

and the virus extracted and purified by CsCl banding. The viral DNA was extracted and digested with *Hind*III and the digestion products were then radioactively labeled. For the controls, the respective pre-plasmids (pAdHVE3 ("OLD E3+"); MRKpAdHVE3 ("NEW E3+")) were also digested with *Hind*III (and *Pac1* to remove the vector backbone) and subsequently labeled with [<sup>33</sup>P]dATP. The radioactively labeled digestion products were subjected to gel electrophoresis and the gel was dried down onto Whatman paper before being exposed to autoradiographic film. Figure 6 clearly shows that the new adenovirus which has the addition made to the packaging signal region has a growth advantage compared with the original adenovirus. In the experiments performed (at either ratio tested), only the digestion bands pertaining to the newly modified virus were present. The diagnostic band of size 3,206 (from the new virus) was clearly present. However, there was no evidence of the diagnostic band of size 2,737 bp expected from the original virus.

15

20

25

30

35

10

5

#### **EXAMPLE 7**

#### Analysis of the Effect of the E3 Gene

The second set of the virus competition study involved mixing equal MOI ratio (1:1) of the newly modified viruses, that obtained from MRKpAdHVO and MRKpAdHVE3 (Figure 5, Expt. #2). In this set, both viruses had the new modifications made to the E1 deletion. The first virus (that from MRKpAdHVO) does not contain an E3 gene. The second virus (that from MRKpAdHVE3) does contain the E3 gene. Neither of the viruses contain a transgene. Following coinfection of the viruses, the mixtures were propagated through an additional 4 passages at which time the cells were harvested and the total virus extracted and purified by CsCl banding. The viral DNA was extracted and digested with HindIII and the digestion products were then radioactively labeled. For the controls, the respective pre-plasmids MRKpAdHVO ("NEW E3-"); MRKpAdHVE3 ("NEW E3+") were also digested with HindIII (and Pac1 to remove the vector backbone) and then labeled with [33P]dATP. The radioactively labeled digestion products were subjected to gel electrophoresis and the gel was dried down onto Whatman paper before being exposed to autoradiographic film. Figure 6 shows the results of the viral DNA analysis of the E3+ virus and E3- virus mixing experiment. The diagnostic band corresponding to the E3+ virus (5,665 bp) was present in greater amount compared with the diagnostic band of 3,010 bp corresponding to the E3- virus. This indicates that the virus that contains the E3 gene is able to amplify more rapidly

compared with the virus that does not contain an E3 gene. This increased amplification capacity has been confirmed by growth studies; see Table 4 below.

#### **EXAMPLE 8**

# Construction of the new shuttle vector containing modified gag transgene – "MRKpdelE1-CMV(no intron)-FLgag-bGHpA"

The modified plasmid pV1JnsCMV(no intron)-FLgag-bGHpA was digested with Msc1 overnight and then digested with Sfi1 for 2 hours at 50°C. The DNA was then treated with Mungbean nuclease for 30 mins at 30°C. The DNA mixture was desalted using the Qiaex II kit and then Klenow treated for 30 mins at 37°C to fully blunt the ends of the transgene fragment. The 2,559 bp transgene fragment was then gel purified. The modified shuttle vector (MRKpdelE1 shuttle) was linearized by digestion with EcoRV, treated with calf intestinal phosphatase and the resulting 6,479 bp fragment was then gel purified. The two purified fragments were then ligated together and several dozen clones were screened to check for insertion of the transgene within the shuttle vector. Diagnostic restriction digestion was performed to identify those clones carrying the transgene in the E1 parallel and E1 anti-parallel orientation. This strategy was followed to clone in the other gag transgenes in the MRKpdelE1 shuttle vector.

20

25

30

35

5

10

15

#### **EXAMPLE 9**

#### Construction of the MRK FG Adenovectors

The shuttle vector containing the HIV-1 gag transgene in the E1 parallel orientation, MRKpdelE1-CMV(no intron)-FLgag-bGHpA, was digested with Pac1. The reaction mixture was digested with BsfZ171. The 5,291 bp fragment was purified by gel extraction. The MRKpAdHVE3 plasmid was digested with Cla1 overnight at 37°C and gel purified. About 100 ng of the 5,290 bp shuttle +transgene fragment and ~100 ng of linearized MRKpAdHVE3 DNA were co-transformed into E. coli BJ5183 chemically competent cells. Several clones were selected and grown in 2 ml Terrific™ broth for 6-8 hours, until turbidity was reached. The total DNA from the cell pellet was purified using Qiagen alkaline lysis and phenol chloroform method. The DNA was precipitated with isopropanol and resuspended in 20 μl dH<sub>2</sub>0. A 2 μl aliquot of this DNA was transformed into E. coli XL-1 competent cells. A single colony from each separate transformation was selected and grown overnight in 3 ml LB +100 μg/ml ampicillin. The DNA was isolated using Qiagen columns. A positive clone was identified by digestion with the restriction enzyme BstEII which cleaves

within the gag gene as well as the plasmid backbone. The pre-plasmid clone is designated MRKpAdHVE3+CMV(no intron)-FLgag-bGHpA and is 37,498 bp in size. This strategy was followed to generate E3- and E3+ versions of each of the other gag transgene constructions in both E1 parallel and E1 anti-parallel versions. Figures 7A, 7B and 7C show the various combinations of adenovectors constructed.

#### **EXAMPLE 10**

# Plasmid Competition Studies

A series of plasmid competition studies was carried out. Briefly, the screening of the various combinations of new constructs was performed by mixing equal amounts of each of two competing plasmids. In the experiment shown in Figure 8A, plasmids containing the same transgene but in different orientations were mixed together to create a "competition" between the two plasmids. The aim was to look at the effects of transgene orientation. In the experiment shown in Figure 8B, plasmids containing different polyadenylation signals (but in the same orientation) were mixed together in equal amounts. The aim was to assess effects of polyA signals. Following the initial transfection, the virus was passaged through ten rounds and the viral DNA analyzed by radioactive restriction analysis.

Analysis of the viral species from the plasmid mixing experiment (Figure 8A) showed that adenovectors which had the transgene inserted in the E1 parallel orientation amplified better and were able to out-compete the adenovirus which had the transgene inserted in the E1 anti-parallel orientation. Viral DNA analysis of the mixtures at passage 3 and certainly at passage 6, showed a greater ratio of the virus carrying the transgene in the E1 parallel orientation compared with the E1 antiparallel version. By passage 10, the only viral species observed was the adenovector with the transgene in the E1 parallel orientation for both transgenes tested (hCMV(no intron)-FLgag-bGHpA and hCMV(no intron)-FLgag-SPA).

Analysis of the viral species from the plasmid mixing experiment #2 (Figure 8B) at passages 3 and 6 showed that the polyadenylation signals tested (bGHpA and SPA) did not have an effect on the growth of the virus. Even at passage 10 the two viral species in the mixture were still present in equal amounts.

5

10

15

20

25

30

#### EXAMPLE 11

Virus generation of an enhanced adenoviral construct - "MRK Ad5 HIV-1gag"

The results obtained from the competition study allowed us to make the following conclusions: (1) The packaging signal extension is beneficial; (2) Presence of E3 does enhance viral growth; (3) E1 parallel orientation is recommended; and (4) PolyA signals have no effect on the growth of the adenovirus.

MRK Ad5 HIV-1 gag exhibited the most desirable results. This construct contains the hCMV(no intron)-FLgag-bGHpA transgene inserted into the new E3+adenovector backbone, MRKpAdHVE3, in the E1 parallel orientation. We have designated this adenovector MRK Ad5 HIV-1 gag. This construct was prepared as outlined below:

The pre-plasmid MRKpAdHVE3+CMV(no intron)-FLgag-bGHpA was digested was Pac1 to release the vector backbone and 3.3 µg was transfected by calcium phosphate method (Amersham Pharmacia Biotech.) in a 6 cm dish containing PER.C6<sup>®</sup> cells at ~60% confluence. Once CPE was reached (7-10 days), the culture was freeze/thawed three times and the cell debris pelleted. 1 ml of this cell lysate was used to infect into a 6 cm dish containing PER.C6® cells at 80-90% confluence. Once CPE was reached, the culture was freeze/thawed three times and the cell debris pelleted. The cell lysate was then used to infect a 15 cm dish containing PER.C6<sup>®</sup> cells at 80-90% confluence. This infection procedure was continued and expanded at passage 6. The virus was then extracted from the cell pellet by CsCl method. Two bandings were performed (3-gradient CsCl followed by a continuous CsCl gradient). Following the second banding, the virus was dialyzed in A105 buffer. Viral DNA was extracted using pronase treatment followed by phenol chloroform. The viral DNA was then digested with *Hind*III and radioactively labeled with [33P]dATP. Following gel electrophoresis to separate the digestion products the gel was dried down on Whatman paper and then subjected to autoradiography. The digestion products were compared with the digestion products from the pre-plasmid (that had been digested with Pac1/HindIII prior to labeling). The expected sizes were observed, indicating that the virus had been successfully rescued. This strategy was used to rescue virus from each of the various adenovector plasmid constructs prepared.

30

5

10

15

20

25

#### **EXAMPLE 12**

# Stability Analyses

5

10

15

20

25

30

35

To determine whether the various adenovector constructs (e.g., MRK Ad5 HIV-1 gag) show genetic stability, the viruses were each passaged continually. The viral DNA was analyzed at passages 3, 6 and 10. Each virus maintained its correct genetic structure. In addition, the stability of the MRK Ad5 HIV-1 gag was analyzed under propagation conditions similar to that performed in large scale production. For this analysis, the transfections of MRK Ad5 HIV-1 gag as well as three other adenoviral vectors were repeated and the virus was purified at P3. The three other adenovectors were as follows: (1) that comprising hCMV(no intron)-Flgag with a bGHpA terminator in an E3- adenovector backbone; (2) that comprising hCMV(no intron)-Flgag with a SPA termination signal in an E3+ adenovector backbone, and that comprising a mCMV-Flgag with a bGHpA terminator in an E3+ adenovector backbone. All of the vectors have the transgene inserted in the E1 parallel orientation. Viral DNA was analyzed by radioactive restriction analysis to confirm that it was correct before being delivered to fermentation cell culture for continued passaging in serum-free media. At P5 each of the four viruses were purified and the viral DNA extracted for analysis by the restriction digestion and radiolabeling procedure. This virus has subsequently been used in a series of studies (in vitro gag expression in COS cells, rodent study and rhesus monkey study) as will be described below. The viruses from P5 are shown in Figure 9.

The passaging under serum-free conditions was continued for the MRKHVE3 (transgene-less, obtained from MRKpAdHVE3 pre-plasmid) and the MRKAd5HIV-1gag (obtained from MRKpAdHVE3+CMV(no intron)-FLgag-bGHpA pre-plasmid) viruses. Figure 10 shows viral DNA analysis by radioactive restriction digestion at passage 11 for MRKHVE3, MRKAd5HIV-1gagE3-, and passage 11 and 12 for MRKAd5HIV-1gag. Aside from the first lane which is the DNA marker lane, the next three lanes are virus from the pre-plasmid controls (controls based on the original virus) - MRKpAdHVE3 (also referred to as "pMRKHVE3"), MRKpAdHVE3+CMV(no intron)-FLgag-bGHpA, and pMRKAd5gag(E3-), respectively. As seen in Figure 10, each of the viral DNA samples show the expected bands with no extraneous bands showing. This signifies that there are no major variant adenovirus species present that can be detected by autoradiography.

Figure 11 shows the results of viral competition study between MRKHVE3 and MRKAd5HIV-1gag. These viruses were mixed together at equal MOI (140 viral

particles each; 280 vp total) at passage 6 and continued to be passaged until P11. Aside from the first lane which is the DNA marker lane, the next two lanes are the pre-plasmid controls obtained from MRKpAdHVE3 and MRKpAdHVE3+CMV(no intron)-FLgag-bGHpA. The next two lanes are the viral DNA from the starting viral material at passage six. The last two lanes are the competition studies performed in duplicate. The data in Figure 11 shows the effect the gag transgene in culture. Growth of a MRKAd5gag virus was compared with growth of a "transgene-less" MRKHVE3. These two viruses were infected at the same MOI (i.e. 140 vp each) at passage 6 and then passaged through to passage 11 and the viral pool was analyzed by radioactive restriction analysis. The data shows that one virus did not out compete the other. Therefore, the gag transgene did not show obvious signs of toxicity to the adenovirus.

5

10

15

20

25

30

Analysis by *Hind*III digestion shows that each virus specie is present in approximately equal amounts. As above, there does not appear to be signs of any extraneous bands. Figure 12 shows higher passage numbers for MRKAd5HIV-1gag grown under serum-containing conditions. The genome integrity again has been maintained and there is no evidence of rearrangements, even at the highest passage level (P21).

Each of the four vectors shown in Figure 9 were analyzed for amplification capacity. Table 4 below shows the QPA analysis used in the estimation of viral amplification ratios at P4. The determination of the amplification ratio for the original HIV-1 gag construct is based on the clinical lot at P12. It has been shown that amplification rates increases with higher passage number for the original virus. The reason for this observation is due to the emergence of variants which exhibit increased growth rates compared to the intact adenovector. With continued passaging of the original Ad gag vector, the level of variants increases and hence amplification rates increase also.

The MRK Ad5 HIV-1 gag virus has also been continually passaged under process conditions (i.e., serum-free media). Viral DNA extracted from passages 11 and 12 show no evidence of rearrangement.

Table 4:
Amplification Ratios Based on AEX and QPA Analysis of
Virus Amplification from Passage 3 to Passage 4.

Ad gag construct	Amplification Ratio
MRKAd5gag	470
HCMV-Flgag-bGHpA [E3-]	115
HCMV-Flgag-SPA [E3+]	320
mCMV-FLgag-bGHpA [E3+]	420
Original construct *	40 - 50

5

#### EXAMPLE 13

10

15

Analytical Evaluation of the enhanced Ad5 Constructs

To study the effects of the transgene and the E3 gene on virus amplification, the enhanced adenoviral vector, MRK Ad5 HIV-1 gag, along with its transgene-less version (MRKpAdHVE3) and its E3- version (MRK Ad5 HIV-1 gag E3-), was studied for several passages under serum-free conditions. Table 5A shows the amplification ratios determined for passages P3 to P8 for MRK Ad5 HIV-1 gag. Within a certain MOI range, it has been determined that the virus output is directly proportional to the virus input. Therefore, the greater the number of virus particles per cell at infection, the greater the virus amount produced. Viral amplification ratios, on the other hand, are inversely proportional to the virus input. The lower the virus input, the greater the amplification ratio.

20

25

Table 5B shows the amplification rates of the new E3+ vector backbone MRKpAdHVE3. It has a significantly lower rate of amplification compared with the gag transgene containing version. This may be contributed to the larger size MRK Ad5 HIV-1 gag since it contains the transgene. This inclusion of the transgene brings the size of the adenovirus closer to the size of a wild type Ad5 virus. It is well known that adenoviruses amplify best when they are at close to their wild type genomic size.

<sup>\*</sup> This estimation is based on the clinical lot growth characteristics at Passage 12.

Wild type Ad5 is 35,935 bp. The MRKpAdHVE3 is 32, 905 bp in length. The enhanced adenovector MRK Ad5 HIV-1 gag is 35,453bp (See Figure 14 for vector map; see also Figure 15A-X show the complete pre-adenoviral vector sequence, which includes an additional 2,021 bp of the vector backbone).

5

10

Table 5C shows the amplification rates of the new E3- gag containing virus MRK Ad5 HIV-1 gag E3-. Once again, this virus shows lower growth rate than the enhanced adenoviral vector. This may be attributed to the decreased sized of this virus (due to the E3 gene deletion) compared with wild type Ad5. The MRK Ad5 HIV-1 gag E3- virus is 32,810 bp in length. This can be compared with the wild type Ad5 which is 35,935 bp and MRK Ad5 HIV-1 gag which is 35,453 bp in length.

**Table 5A:** Amplification ratios determined by AEX and QPA for MRKAd5gag over several continuous passaging in serum free media. Following P5, two replicate samples were taken (rep-1 and rep-2) and analyzed.

# MRKAd5gag rep1

	Xv (10° ce0s/tr	I), Viability (%)	Harvest Time	Cell Passage	Titor	TRer	OPA	Ratio	Ampilication	AEX
	Infaction	Harvest	hpl	Number	10" vp/ml culture	10° vp/call	10° TCID <sub>er</sub> /ml	AEX:OPA	Ratio	Internal Control
P4	1,48, 81%	0.58, 50%	44	46	8.7	5.9	1.72	50	470 (MOI = 125)	
P5	1,38, 93%	0.66, 47%	48	49	6.7	4.9	1.38	49	170	
P6	1.04, 94%	0.68, 77%	47	48	5.8	5.6	1.42	41	200	
P7	1.50, 84%	0.86, 61%	49.5	50	3.9	1.4	0.97	40	50	
P7	1.09, 97%	0.76, 59%	50	52	5.2	4.7	1.70	81	170	
P8	1.03, 94%	0.85, 64%	47.5	54	9.0	6.7	1.10	82	310	
P9	0.89, 95%	0.99, 73%	47.5	56	4,4	4.9	1.03	43	175	3.12 2.84
P10	1,09, 91%	1.06, 86%	47.5	58	8.0	2.8	1.16	26	100	2.70 2.60
P11	1.19, 88%	0.88, 65%	47	60	3.6	3.0	1.15	31	110	2.70 2.70
P12	0.88, 91%	0.85, 63%	47.5	47	5.4	5.5	1.20	45	200	2.86 2.60
P13	1.00, 88%	0.70, 67%	49	49	5.8	5.8	1.11	52	210	3.18 3.18
P14	1,94, 92%	0.88, 67%	46	53	8.6	4.4		1	160	3.28 3.27
P15	0.97, 96%	0.64, 66%	47	47	6.9	7.1	<b>†</b>		250	3.12 2.91

**Table 5B:** Amplification ratios determined by AEX and QPA for MRKHVE3 over several continuous passaging in serum free media. MRKHVE3 is the new vector backbone which does NOT carry a transgene.

# MRKHVE3

	Xy (10° cells/n	il), Viability (%)	Harvest Time	Celt Passage	Titer	Titer	QPA .	Ratio	Amplification	AEX
	Infection	Harvest	h,p.l.	Number	10 <sup>to</sup> vp/ml custure	10° vp/ceti	10° TCID <sub>to</sub> /ml	AEX:QPA	Ratio	Internal Control
P4	1.10, 97%	1.28, 79%	49	54	4.1	3.8	1.70	25	300 (MO) = 125)	
P5	0.82, 89%	1.18, 77%	47	. 48	4.3	4.7	1.24	35	170	
P6	1,55, 88%	1.26, 76%	49.5	50	1.2	0.8	0.58	21	30	
P6	1.09, 97%	1.11, 81%	49	52	4.0	3.6	1.18	34	130	1
P7	1.17, 91%	1.22, 91%	47.5	54	3.7	3.2	0.50	74	110	1
P8	0.98, 88%	1,41, 83%	48	56	2.1	2.1	0,47	45	75	3.12 2.84
P9	1.20, 89%	1.25, 81%	47.5	58	0.8	0.7	0.29	28	25	2.70 2.60
P10	0.99, 82%	1.55, 86%	47	60	2.3	2.3	0.43	53	80	2.70 2.70
P11	1.07, 96%	1,25, 83%	48	47	2.7	2.5	0.41	66	90	2.86 2.60
P12	0.80, 91%	1.14, 80%	49.5	49	5.9	7.4	0.48	123	250	3.18 3.18
P13	1.96, 95%	1.14, 85%	45.5	53	5.8	3.0			110	3.28 3.27
P14	0.97, 96%	1.03, 98%	48.5	47	9.4	8.7			350	3.12 2.91
P15	0.87, 99%	0.97, 59%	49.5	49	5.3	6.1	†		218	2.78 2.52

Table 5C. Amplification ratios determined by AEX and QPA for MRKAd5gag(E3-) over several continuous passaging in serum free media. This construct is identical to the MRKAd5gag construct except that this version is DELETED of the E3 gene.

5

10

15

# MRKAd5gag(E3-)

	Xv (10° calls/n	nl), Viability (%)	Harvest Time	Cell Passage	Titer	Titer	QPA	Ratio	Amplification	AEX
	Infection	Harvest	h.p.l.	Number	10°° vp/mi culture	10° vp/cell	10° TCID <sub>EP</sub> /mi	AEX:QPA	Ratio	Internal Control
P4	1.62, 77%	1.12, 62%	47.5	46	2.0	1.2	0.92	20	100	
P5	1.16, 92%	0.62, 43%	49	49	8.3	2.9	0.99	34	(MOI=125) 100	
P6	1.71, 86%	0.20, 10%	49	50	4.7	2.7	1.70	28	100	
P6	1.09, 97%	0.63, 54%	49.5	52	5.4	5.0	1.76	31	180	
P7	1.17, 91%	0.98, 72%	47.50	54	7.1	6.1	0.57	106	220	
P8	0.98, 88%	0.77, 48%	48	56	3.1	3.2	0.66	47	115	3.12 2.84
P9	1.20, 89%	1.03, 72%	48	58	1.8	1.5	0.57	32	55	2.70 2.60
P10	0.99, 82%	0.80, 62%	46.5	60	3.2	3.2	83.0	47	115	2.70 2.70
P11	1.07, 96%	0.88, 70%	48.5	47	5.9	5.5	0.68	87	200	2.88 2.60
P12	0.80, 91%	0.67, 59%	50	49	5.1	6.4	0.72	71	230	3.18 3.18
P13	1.96, 95%	0.91, 59%	45.5	53	7.4	3.8			135	3.28 3.27
P14	0.97, 96%	0.81, 74%	48	47	6.8	7.0			250	3.12 2.91
P15	0.87, 99%	0.84, 56%	49	49	4.8	5.5		1	196	2.78 2.52

#### **EXAMPLE 14**

### Gag Expression Analysis of the Novel Constructs

In vitro gag analysis of the MRK Ad5 HIV-1 gag and the original HIV-gag vectors (research and clinical lot) show comparable gag expression. The clinical lot shows only a slightly reduced gag expression level. The most noticeable difference is with the mCMV vector. This vector shows roughly 3 fold lower expression levels compared with the other vectors tested (which all contain hCMV promoters). The mCMV-FLgag with bGHpA assay was performed three times using different propagation and purification lots and it consistently exhibited weaker gag expression.

#### **EXAMPLE 15**

# Evaluation of MRK Ad5 HIV-1 gag and Other gag-Containing Adenovectors in Balb/c Mice

Cohorts of 10 balb/c mice were vaccinated intramuscularly with escalating doses of MRK Ad5 HIV-1 gag, and the research and clinical lots of original Ad5HIV-1gag. Serum samples were collected 3 weeks post dose 1 and analyzed by anti-p24 sandwich ELISA.

Anti-p24 titers in mice that received MRK Ad5 HIV-1 gag (107 and 109 vp(viral particle) doses) were comparable (Figure 13) to those of the research lot of Ad5HIV-1 gag, for which much of the early rhesus data were generated on. These titers were also comparable when E3 is deleted (MRKAd5hCMVgagbGHpA(E3-)) or SPA is substituted for bGHpA terminator (MRKAd5 hCMV-gag-SPA (E3+)) or murine CMV promoter is used in place of hCMV (MRKAd5 mCMV-gag-bGHpA (E3+)) in the MRKAd5 backbone.

The results shown in Table 7 indicate that the three other vectors (in addition to the preferred vector, MRK Ad5 HIV-1 gag, are also capable of inducing strong anti-gag antibody responses in mice. Interestingly enough, while the mCMV-FLgag construct containing bGHpA and E3+ in an E1 parallel orientation showed lowest gag expression in the COS cell *in vitro* infection (Table 6) in comparison with the other vectors tested, it generated the greatest anti-gag antibody response this *in vivo* Balb/c study. Table 7 also shows a dose response in anti-gag antibody production in both the research and the clinical lot. As expected, the clinical lot shows reduced anti-gag antibody induction at each dosage level compared to the same dosage used for the research lot.

Table 6: In vitro analysis for gag expression in COS cells by Elisa assay.

20

15

5

10

Viral Vectors <sup>a</sup>	μg gag/4.8x10e5 COS/10e8 parts/48hr
MRKAd5gag <sup>b</sup>	1.40
Clinical lot Ad5gag <sup>c</sup>	1.28
Research lot Ad5gag <sup>d</sup>	1.32
MCMVFL-gagbGHpA <sup>e</sup>	0.42

<sup>&</sup>lt;sup>a</sup> A<sub>260am</sub> absorbance readings taken for viral particle determinations.

<sup>&</sup>lt;sup>b</sup> MRKAd5gag was produced in serum free conditions and purified at P5.

Clinical lot# Ad5gagFN0001

<sup>25</sup> d Research Ad5FLgag lot# 6399

<sup>&</sup>lt;sup>e</sup> mCMVFL-gagbGHpA was produced in serum free conditions and purified at P5.

Table 7: mHIV020 Anti-p24 Ab Titers in Balb/c mice (n=10) vaccinated with various Adgag constructs and lots (3 week post dose1).

Group	Vaccine	Dose (vp)	GMT	SE upper	SE lower
1 1	<sup>a</sup> MRKAd5gag	10^7	25600	5877	4780
2	n n	10/9	409600	94028	76473
-		100	403000	34020	75475
3	hCMV FL-gag bGHpA [E3-] →	10^7	7352	2077	1620
4	HOMA LE-Bad portiby [Eg.]>	10^9	235253	59767	47659
4		10 3	200200	39707	7/000
5	hCMV FL-gag SPA [E3+] →	10^7	12800	9905	236
6	HOWATE-gag of A [Lot]>	10^9	310419	99181	75165
0		10 3	010415	33.5.	70.03
7	<sup>b</sup> mCMV FL-gag bGHpA [E3+] →	10^7	44572	23504	15389
8	IIIOWY FE-gag baripA [ES+] ->	10/9	941014	239068	190636
8		10.9	341014	239000	1 150000
9	<sup>c</sup> hCMV FL-gag bGHpA [ <b>E3-</b> ] ←	10^7	3676	934	745
	TICIVIV ( L-gag buttp/ [Lo-] (	10^9	117627	17491	15227
10		10.3	117027	17431	IJEE
11	research lot hCMV intronA FL-gag bGHpA [E3-] <-	10^6	528	262	175
12	resentation for from the order of a gag benefit [== ]	10^7	14703	5274	3882
13	a a	10/8	58813	14942	11915
14		10^9	204800	53232	42250
'"					'
15	clinical lot hCMVintronA FL-gag bGHpA [E3-] <-	10^6	230	82	61
16	a gag sanprigar j	10^7	4222	3405	1138
17	•	10^8	19401	3939	3274
18	i	10^9	89144	25187	19639
'0	1				
19	Naïve	none	93	7	6

\*2x50 µL i.m. (quad) injections/animal

P.I.s: Youil, Chen, Casimiro Vaccination: T. Toner, Q. Su

Assay: M. Chen

5

10

<sup>a</sup>The structure of MRKAd5gag is: hCMVFL-gagbGHpA [E3+]  $\rightarrow$  The <u>same lot</u> of MRKAd5gag used in this rodent study was used in the Rhesus monkey study (Tables 7 and 8).

#### **EXAMPLE 16**

Comparison of Humoral and Cellular Responses Towards the Original Ad-gag Construct with the New MRK Ad5 HIV-1 gag in Rhesus Monkeys

Cohorts of 3 rhesus monkeys were vaccinated intramuscularly with MRK Ad5 HIV-1 gag or the clinical Ad5gag bulk at two doses,  $10^{11}$  vp and  $10^9$  vp. Immunizations were conducted at week 0, 4, and 25. Serum and PBMC samples were collected at selected time points. The serum sample were assayed for anti-p24 Ab titers (using competitive based assay) and the PBMCs for antigen-specific IFN-gamma secretion following overnight stimulation with gag 20-mer peptide pool (via ELISpot assay).

The results shown in Table 8 indicate comparable responses with respect to the generation of anti-gag antibodies. The frequencies of gag-specific T cells in

<sup>&</sup>lt;sup>b</sup>The same lot of mCMVFL-gagbGHpA[E3+] used in the in vitro study (Table 6) ws used here.

This construct was designed by Volker Sandig. It contains a shorter version of the hCMV promoter than that used in the MRK constructs. The adenovector backbone is identical to the original backbone used in the original Adgag vector. Expression at 10e7 dose from this vector is 7 fold lower then the same dose of the MRKAd5gag and 4 fold lower than the research lot.

peripheral blood assummarized in Table 9 demonstrate a strong cellular immune response generated after a single dose with the new construct MRK Ad5 HIV-1 gag. The responses are also boostable with second dose of the same vector. The vector is also able to induce CD8+ T cell responses (as evident by remaining spot counts after CD4+ depletion of PBMCs) which are responsible for cytotoxic activity.

Table 8 Anti-p24 antibody titers (in mMU/mL) in rhesus macaques immunized with

gag-expressing adenovectors (Protocol HIV203).

Vaccine	Pre	Wk4	Wk 8	Wk 12	Wk 16	Wk 20	Wk 25	Wk 28
MR K.Ad5gag <sup>o</sup> , 10^11 vp								
97N010	<10	118	5528	11523	7062	21997	ND	51593
97N116	<10	62	772	1447	1562	2174	ND	20029
98X007	<10	66∙	3353	6156	6845	3719	ND_	24031
MRK Ad5gag, 10^9 vp								
97N120	<10	51	204	318	366	482	ND	6550
97N144	<10	18	118_	274	706	888	ND	7136
98X008	<10	15	444	386	996_	1072	ND_	12851
Ad5gag <sup>b</sup> , Clinical Lat, 10^11 vp								
97X001	<10	87	2579	4718	7174	7250	ND_	69226
97N146	<10	72	3604_	7380	7526	18906	ND	60283
98X009	<10	78	4183	3946	3124	6956_	ND_	26226
Ad5gag, Clinical Lot, 10^9 vp			<u> </u>	<u> </u>				
97N020	<10	<10	143_	371	390	1821	ND	17177
97X003	<10	<10	39	93	156	596_	ND_	2053
98X012	<10	81	342	717	956	1558_	ND	11861
MRKAdagag (hCMV, bGHpA, E3+		1	<u> </u>	<u> </u>	<b>\</b>		<u> </u>	
bariginal Actigag vector (hCMV/Intro	on A bGHp	A, E3-), lot	#FN0001_	<u> </u>		<u> </u>	<b></b>	
ND, not determined		1						1

5

Table 9. Number of gag-specific T cells per million peripheral blood mononuclear cells (PBMCs) in rhesus monkeys immunized with gag-expressing adenovectors. Also included are those frequencies in PBMCs depleted of CD4<sup>+</sup> T cells.

Grp #	Vaccination	Monkey ID	1=4	Wk	T=6	Wk	1=1	Wk	1=16	5 Wk	T #2	Wk	1=28	Wk
	1=0,4,25 wks	•	Media	Gog Hb	Media	Gog H	Media	Gog H	Media	Gog H	Media	Gog H	Media	Gog H
1	MRKAd6gog	97N010	6	89 38	0	395	0	1058 993	0	1174	3 0	775 76	40	1074 594
1	10^1 I VD	97N010(CD4-) 97N116	4	398	1	609	ő	534	4	395	lĭ	261	lŏ	408
į.			l ii	676	' '	•••	ŏ	593	7	373	ò	184	ŏ	666
}		97N116(CD4)	10	579	0	1304	3	2193	ı	2118	3	1588	ŏ	2113
1		98X007	20	965	١٠١	,,,,,	ŏ	2675	\ '	2110	ŏ	1656	اةا	1278
İ		98X007(CD4-)	20	905		l '	ľ	20/5	l		ľ	1000	ľ	12/0
2	MRKAd5ccc	97N120	5	275	1	249	4	141	4	119	9	206	4	219
1 -	10/9 vp	97N120(CD4-)	111	170	1		0	85		į	0	75	1	219
i		97N144	3	235	6	438	1	318	3	256	1	98	5	373
		97N144(CD4-)	6	148	1		0	285	l	l	ND	NO	0	625
		98X008	4	368	1	1090	3	891	4	673	3	473	5	735
<b>\</b>		98X008(CD4-)	14	696	1	t .	0	1175	1	1	0	391	4	848
<b>!</b>			1	↓			ļ.,				<b>!</b>		-	l
3	AdSgoog clinical tot	97X001	0	261	1	485	0	817	0	12205	1 1	894	0	1858
1	10^11 vp	97X001(CD4-)	10	283	1 .	١	3	996	١.		0	1010	0	1123
ì		97N146	3	150	1	465	0	339	וו	1272	3	1238	3	1785
		97N146(CD4-)	6	133	١.		0	370	1 -	١ ۔	0	654	0	971
4		98X <b>009</b>	0	93	3	339	3	559	0	896	1	384	0	1748
1		98X009(CD4-)	0	73	1	ļ	0	333	i .	1	٥	225	0	644
<b>├</b>	Accordinated lat	97N020	3	30	1	101	10	66	1 0	36	0	26	0	41
I 4	10/9 vp	97N020(CD4-)	10	29	i '	1	۱ŏ	1 15	1		Ιŏ	l ī	lŏ	16
l	10 7 40	97X003	4	68	5	134	ìò	18	1	38	4	38	6	81
1		97X003(CD4-)	اوا	40	1		Ιō	6	1		0	4	0	19
1		98XD12	1 5	95	3	54	Ιī	34	1 0	18	lo	20	l i	121
		98X012(CD4-)	l ii	70	1		Ó	ii	1		Ō	В	0	41
<u></u>		0/0043	<del>  -</del>	B	+	+	10	0	10	10	<u> </u>	-	+	0
5	Nave	96R041 053F	14	1 18	l s	16	ا ع	1 14	1 19	1 15	10	15	24	0
i		VO3F	1					⊥ '	1			<u></u>	<u> </u>	

Based on either 4x10/6 or 2x10/5 cells per well (depending on spot density)

ND, not determined

5

10

15

"mock or no peolide control

The adenovectors described herein and, particularly, MRK Ad5 HIV-1 gag, represent very promising HIV-gag adenovectors with respect to their enhanced growth characteristics in both serum and, more importantly, in serum-free media conditions. In comparison with the current HIV-1 gag adenovector construct, MRK Ad5 HIV-1 gag shows a 5-10 fold increased amplification rate. We have shown that it is genetically stable at passage 21. This construct is able to generate significant cellular immune responses in vivo even at a relatively low dose of 10^9 vp. The potency of the MRKAd5gag construct is comparable to, if not better than the original HIV-1gag vector as shown in this rhesus monkey study.

# EXAMPLE 17 CODON OPTIMIZED HIV-1 POL AND CODON OPTIMZED HIV-1 POL MODIFICATIONS

The open reading frames for the various synthetic *pol* genes disclosed herein comprise coding sequences for the reverse transcriptase (or RT which consists of a polymerase and RNase H activity) and integrase (IN). The protein sequence is based

Pad of 20-co peptides overlapping by 10 accord encompassing the passequence

5

10

15

20

30

35

on that of Hxb2r, a clonal isolate of IIIB; this sequence has been shown to be closest to the consensus clade B sequence with only 16 nonidentical residues out of 848 (Korber, et al., 1998, Human retroviruses and AIDS, Los Alamos National Laboratory, Los Alamos, New Mexico). The skilled artisan will understand after review of this specification that any available HIV-1 or HIV-2 strain provides a potential template for the generation of HIV pol DNA vaccine constructs disclosed herein. It is further noted that the protease gene is excluded from the DNA vaccine constructs of the present invention to insure safety from any residual protease activity in spite of mutational inactivation. The design of the gene sequences for both wildtype (wt-pol) and inactivated pol (IA-pol) incorporates the use of human preferred ("humanized") codons for each amino acid residue in the sequence in order to maximize in vivo mammalian expression (Lathe, 1985, J. Mol. Biol. 183:1-12). As can be discerned by inspecting the codon usage in SEQ ID NOs: 1, 3, 5 and 7, the following codon usage for mammalian optimization is preferred: Met (ATG), Gly (GGC), Lys (AAG), Trp (TGG), Ser (TCC), Arg (AGG), Val (GTG), Pro (CCC), Thr (ACC), Glu (GAG); Leu (CTG), His (CAC), Ile (ATC), Asn (AAC), Cys (TGC), Ala (GCC), Gln (CAG), Phe (TTC) and Tyr (TAC). For an additional discussion relating to mammalian (human) codon optimization, see WO 97/31115 (PCT/US97/02294), which, as noted elsewhere in this specification, is hereby incorporated by reference. It is intended that the skilled artisan may use alternative versions of codon optimization or may omit this step when generating HIV pol vaccine constructs within the scope of the present invention. Therefore, the present invention also relates to non-codon optimized versions of DNA molecules and associated recombinant adenoviral HIV vaccines which encode the various wild type and modified forms of the HIV Pol protein disclosed herein. However, codon optimization of these constructs is a 25 preferred embodiment of this invention.

A particular embodiment of this portion of the invention comprisies codon optimized nucleotide sequences which encode wt-pol DNA constructs (herein, "wtpol" or "wt-pol (codon optimized))" wherein DNA sequences encoding the protease (PR) activity are deleted, leaving codon optimized "wild type" sequences which encode RT (reverse transcriptase and RNase H activity) and IN integrase activity. A DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:1, the open reading frame being contained from an initiating Met residue at nucleotides 10-12 to a termination codon from nucleotides 2560-2562. SEQ ID NO:1 is as follows: AGATCTACCA TGGCCCCCAT CTCCCCCATT GAGACTGTGC CTGTGAAGCT GAAGCCTGGC ATGGATGGCC CCAAGGTGAA GCAGTGGCCC CTGACTGAGG AGAAGATCAA GGCCCTGGTG

	GAAATCTGCA	CTGAGATGGA	GAAGGAGGC	AAAATCTCCA	AGATTGGCCC	CGAGAACCCC
	TACAACACCC	CTGTGTTTGC	CATCAAGAAG	AAGGACTCCA	CCAAGTGGAG	GAAGCTGGTG
	GACTTCAGGG	AGCTGAACAA	GAGGACCCAG	GACTTCTGGG	AGGTGCAGCT	GGGCATCCCC
	CACCCCGCTG	GCCTGAAGAA	GAAGAAGTCT	GTGACTGTGC	TGGATGTGGG	GGATGCCTAC
5	TTCTCTGTGC	CCCTGGATGA	GGACTTCAGG	AAGTACACTG	CCTTCACCAT	CCCCTCCATC
	AACAATGAGA	CCCCTGGCAT	CAGGTACCAG	TACAATGTGC	TGCCCCAGGG	CTGGAAGGGC
	TCCCCTGCCA	TCTTCCAGTC	CTCCATGACC	AAGATCCTGG	AGCCCTTCAG	GAAGCAGAAC
	CCTGACATTG	TGATCTACCA	GTACATGGAT	GACCTGTATG	TGGGCTCTGA	CCTGGAGATT
	GGGCAGCACA	GGACCAAGAT	TGAGGAGCTG	AGGCAGCACC	TGCTGAGGTG	GGGCCTGACC
10	ACCCCTGACA	AGAAGCACCA	GAAGGAGCCC	CCCTTCCTGT	GGATGGGCTA	TGAGCTGCAC
	CCCGACAAGT	GGACTGTGCA	GCCCATTGTG	CTGCCTGAGA	AGGACTCCTG	GACTGTGAAT
	GACATCCAGA	AGCTGGTGGG	CAAGCTGAAC	TGGGCCTCCC	AAATCTACCC	TGGCATCAAG
	GTGAGGCAGC	TGTGCAAGCT	GCTGAGGGGC	ACCAAGGCCC	TGACTGAGGT	GATCCCCCTG
	ACTGAGGAGG	CTGAGCTGGA	GCTGGCTGAG	AACAGGGAGA	TCCTGAAGGA	GCCTGTGCAT
15	GGGGTGTACT	ATGACCCCTC	CAAGGACCTG	ATTGCTGAGA	TCCAGAAGCA	GGGCCAGGGC
	CAGTGGACCT	ACCAAATCTA	CCAGGAGCCC	TTCAAGAACC	TGAAGACTGG	CAAGTATGCC
	AGGATGAGGG	GGGCCCACAC	CAATGATGTG	AAGCAGCTGA	CTGAGGCTGT	GCAGAAGATC
	ACCACTGAGT	CCATTGTGAT	CTGGGGCAAG	ACCCCCAAGT	TCAAGCTGCC	CATCCAGAAG
	GAGACCTGGG	AGACCTGGTG	GACTGAGTAC	TGGCAGGCCA	CCTGGATCCC	TGAGTGGGAG
20	TTTGTGAACA	CCCCCCCT	GGTGAAGCTG	TGGTACCAGC	TGGAGAAGGA	GCCCATTGTG
	GGGGCTGAGA	CCTTCTATGT	GGATGGGGCT	GCCAACAGGG	AGACCAAGCT	GGGCAAGGCT
	GGCTATGTGA	CCAACAGGGG	CAGGCAGAAG	GTGGTGACCC	TGACTGACAC	CACCAACCAG
	AAGACTGAGC	TCCAGGCCAT	CTACCTGGCC	CTCCAGGACT	CTGGCCTGGA	GGTGAACATT
	GTGACTGACT	CCCAGTATGC	CCTGGGCATC	ATCCAGGCCC	AGCCTGATCA	GTCTGAGTCT
25	GAGCTGGTGA	ACCAGATCAT	TGAGCAGCTG	ATCAAGAAGG	AGAAGGTGTA	CCTGGCCTGG
	GTGCCTGCCC	ACAAGGGCAT	TGGGGGCAAT	GAGCAGGTGG	ACAAGCTGGT	GTCTGCTGGC
	ATCAGGAAGG	TGCTGTTCCT	GGATGGCATT	GACAAGGCCC	AGGATGAGCA	TGAGAAGTAC
	CACTCCAACT	GGAGGGCTAT	GGCCTCTGAC	TTCAACCTGC	CCCCTGTGGT	GGCTAAGGAG
	ATTGTGGCCT	CCTGTGACAA	GTGCCAGCTG	AAGGGGGAGG	CCATGCATGG	GCAGGTGGAC
30	TGCTCCCCTG	GCATCTGGCA	GCTGGACTG	ACCCACCTGG	AGGGCAAGGT	GATCCTGGTG
	· GCTGTGCATG	TGGCCTCCGG	CTACATTGAC	GCTGAGGTG	TCCCTGCTGA	GACAGGCCAG
	GAGACTGCCT	ACTTCCTGCT	GAAGCTGGC	r GGCAGGTGG(	CTGTGAAGAC	CATCCACACT
	GACAATGGCT	CCAACTTCAC	TGGGGCCAC	A GTGAGGGCT	CCTGCTGGTG	GGCTGGCATC
						GTCCATGAAC
35	AAGGAGCTG	AGAAGATCAT	TGGGCAGGT	G AGGGACCAG	G CTGAGCACCI	C GAAGACAGCT
	GTGCAGATG	CTGTGTTCAT	CCACAACTT	C AAGAGGAAG	GGGGCATCG	GGGCTACTCC

GCTGGGGAGA GGATTGTGGA CATCATTGCC ACAGACATCC AGACCAAGGA GCTCCAGAAG
CAGATCACCA AGATCCAGAA CTTCAGGGTG TACTACAGGG ACTCCAGGAA CCCCCTGTGG
AAGGGCCCTG CCAAGCTGCT GTGGAAGGGG GAGGGGGCTG TGGTGATCCA GGACAACTCT
GACATCAAGG TGGTGCCCAG GAGGAAGGCC AAGATCATCA GGGACTATGG CAAGCAGATG
GCTGGGGATG ACTGTGTGGC CTCCAGGCAG GATGAGGACT AAAGCCCGGG CAGATCT (SEQ
ID NO:1).

5

The open reading frame of the wild type pol construct disclosed as SEQ ID NO:1 contains 850 amino acids, disclosed herein as SEQ ID NO:2, as follows: Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro 10 Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile 15 Pro His Pro Ala Gly Leu Lys Lys Lys Ser Val Thr Val Leu Asp Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Asp Asp Leu Tyr Val Gly 20 Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val 25 Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln 30 Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp 35 Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Asp Gly Ala Ala

Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Glu Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Asp Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile 5 Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys Tvr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys 10 Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Asp Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Asp Asn Gly Ser Asn Phe Thr Gly Ala Thr Val 15 Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly Val Val Glu Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly 20 Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Trp Lys Gly Glu Gly Ala Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp 25 Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp (SEQ ID NO:2).

The present invention especially relates to an adenoviral vector vaccine which comprises a codon optimized HIV-1 DNA pol construct wherein, in addition to deletion of the portion of the wild type sequence encoding the protease activity, a combination of active site residue mutations are introduced which are deleterious to HIV-1 pol (RT-RH-IN) activity of the expressed protein. Therefore, the present invention preferably relates to an adenoviral HIV-1 DNA pol-based vaccine wherein the construct is devoid of DNA sequences encoding any PR activity, as well as containing a mutation(s) which at least partially, and preferably substantially, abolishes RT, RNase and/or IN activity. One type of HIV-1 pol mutant which is part and parcel of an adenoviral vector vaccine may include but is not limited to a mutated

30

35

5

10

15

20

25

DNA molecule comprising at least one nucleotide substitution which results in a point mutation which effectively alters an active site within the RT, RNase and/or IN regions of the expressed protein, resulting in at least substantially decreased enzymatic activity for the RT, RNase H and/or IN functions of HIV-1 Pol. In a preferred embodiment of this portion of the invention, a HIV-1 DNA pol construct contains a mutation or mutations within the Pol coding region which effectively abolishes RT, RNase H and IN activity. An especially preferable HIV-1 DNA pol construct in a DNA molecule which contains at least one point mutation which alters the active site of the RT, RNase H and IN domains of Pol, such that each activity is at least substantially abolished. Such a HIV-1 Pol mutant will most likely comprise at least one point mutation in or around each catalytic domain responsible for RT, RNase H and IN activity, respectfully. To this end, an especially preferred HIV-1 DNA pol construct is exemplified herein and contains nine codon substitution mutations which results in an inactivated Pol protein (IA Pol: SEQ ID NO:4, Figure 17A-C) which has no PR, RT, RNase or IN activity, wherein three such point mutations reside within each of the RT, RNase and IN catalytic domains. Therefore, an especially preferred exemplification is an adenoviral vaccine which comprises, in an appropriate fashion, a DNA molecule which encodes IA-pol, which contains all nine mutations as shown below in Table 1. An additional preferred amino acid residue for substitution is Asp551, localized within the RNase domain of Pol. Any combination of the mutations disclosed herein may suitable and therefore may be utilized as an IA-Pol-based vaccine of the present invention. While addition and deletion mutations are contemplated and within the scope of the invention, the preferred mutation is a point mutation resulting in a substitution of the wild type amino acid with an alternative amino acid residue.

Ta	ble	: 1

	wt aa	aa residue	mutant aa	enzyme function
	Asp	112	Ala	RT
	Asp	187	Ala	RT
30	Asp	188	Ala	RT
	Asp .	445	. <b>Ala</b>	. RNase H
	Glu	480	Ala	RNase H
	Asp	500	Ala	RNase H
	Asp	626	Ala	IN
35	Asp	678	Ala	IN
	Glu	714	Ala	IN

It is preferred that point mutations be incorporated into the IApol mutant adenoviral vaccines of the present invention so as to lessen the possibility of altering epitopes in and around the active site(s) of HIV-1 Pol.

To this end, SEQ ID NO:3 discloses the nucleotide sequence which codes for a codon optimized pol in addition to the nine mutations shown in Table 1, disclosed as follows, and referred to herein as "IApol":

5

AGATCTACCA TGGCCCCCAT CTCCCCCATT GAGACTGTGC CTGTGAAGCT GAAGCCTGGC ATGGATGGCC CCAAGGTGAA GCAGTGGCCC CTGACTGAGG AGAAGATCAA GGCCCTGGTG GAAATCTGCA CTGAGATGGA GAAGGAGGGC AAAATCTCCA AGATTGGCCC CGAGAACCCC TACAACACCC CTGTGTTTGC CATCAAGAAG AAGGACTCCA CCAAGTGGAG GAAGCTGGTG 10 GACTTCAGGG AGCTGAACAA GAGGACCCAG GACTTCTGGG AGGTGCAGCT GGGCATCCCC CACCCCGCTG GCCTGAAGAA GAAGAAGTCT GTGACTGTGC TGGCTGTGGG GGATGCCTAC TTCTCTGTGC CCCTGGATGA GGACTTCAGG AAGTACACTG CCTTCACCAT CCCCTCCATC AACAATGAGA CCCCTGGCAT CAGGTACCAG TACAATGTGC TGCCCCAGGG CTGGAAGGGC 15 TCCCCTGCCA TCTTCCAGTC CTCCATGACC AAGATCCTGG AGCCCTTCAG GAAGCAGAAC CCTGACATTG TGATCTACCA GTACATGGCT GCCCTGTATG TGGGCTCTGA CCTGGAGATT GGGCAGCACA GGACCAAGAT TGAGGAGCTG AGGCAGCACC TGCTGAGGTG GGGCCTGACC ACCCCTGACA AGAAGCACCA GAAGGAGCCC CCCTTCCTGT GGATGGGCTA TGAGCTGCAC CCCGACAAGT GGACTGTGCA GCCCATTGTG CTGCCTGAGA AGGACTCCTG GACTGTGAAT GACATCCAGA AGCTGGTGGG CAAGCTGAAC TGGGCCTCCC AAATCTACCC TGGCATCAAG 20 GTGAGGCAGC TGTGCAAGCT GCTGAGGGGC ACCAAGGCCC TGACTGAGGT GATCCCCCTG ACTGAGGAGG CTGAGCTGGA GCTGGCTGAG AACAGGGAGA TCCTGAAGGA GCCTGTGCAT GGGGTGTACT ATGACCCCTC CAAGGACCTG ATTGCTGAGA TCCAGAAGCA GGGCCAGGGC CAGTGGACCT ACCAAATCTA CCAGGAGCCC TTCAAGAACC TGAAGACTGG CAAGTATGCC AGGATGAGGG GGGCCCACAC CAATGATGTG AAGCAGCTGA CTGAGGCTGT GCAGAAGATC 25 ACCACTGAGT CCATTGTGAT CTGGGGCAAG ACCCCCAAGT TCAAGCTGCC CATCCAGAAG GAGACCTGGG AGACCTGGTG GACTGAGTAC TGGCAGGCCA CCTGGATCCC TGAGTGGGAG TTTGTGAACA CCCCCCCCT GGTGAAGCTG TGGTACCAGC TGGAGAAGGA GCCCATTGTG GGGGCTGAGA CCTTCTATGT GGCTGGGGCT GCCAACAGGG AGACCAAGCT GGGCAAGGCT GGCTATGTGA CCAACAGGGG CAGGCAGAAG GTGGTGACCC TGACTGACAC CACCAACCAG 30 AAGACTGCCC TCCAGGCCAT CTACCTGGCC CTCCAGGACT CTGGCCTGGA GGTGAACATT GTGACTGCCT CCCAGTATGC CCTGGGCATC ATCCAGGCCC AGCCTGATCA GTCTGAGTCT GTGCCTGCCC ACAAGGGCAT TGGGGGCAAT GAGCAGGTGG ACAAGCTGGT GTCTGCTGGC 35 ATCAGGAAGG TGCTGTTCCT GGATGGCATT GACAAGGCCC AGGATGAGCA TGAGAAGTAC CACTCCAACT GGAGGGCTAT GGCCTCTGAC TTCAACCTGC CCCCTGTGGT GGCTAAGGAG

ATTGTGGCCT CCTGTGACAA GTGCCAGCTG AAGGGGGAGG CCATGCATGG GCAGGTGGAC
TGCTCCCCTG GCATCTGGCA GCTGGCCTGC ACCCACCTGG AGGGCAAGGT GATCCTGGTG
GCTGTGCATG TGGCCTCCGG CTACATTGAG GCTGAGGTGA TCCCTGCTGA GACAGGCCAG
GAGACTGCCT ACTTCCTGCT GAAGCTGGCT GGCAGGTGGC CTGTGAAGAC CATCCACACT
GCCAATGGCT CCAACTTCAC TGGGGCCACA GTGAGGGCTG CCTGCTGGTG GGCTGGCATC
AAGCAGGAGT TTGGCATCCC CTACAACCCC CAGTCCCAGG GGGTGGTGGC CTCCATGAAC
AAGGAGCTGA AGAAGATCAT TGGGCAGGTG AGGGACCAGG CTGAGCACCT GAAGACAGCT
GTGCAGATGG CTGTGTTCAT CCACAACTTC AAGAGGAAGG GGGGCATCGG GGGCTACTCC
GCTGGGGAGA GGATTGTGGA CATCATTGCC ACAGACATCC AGACCAACGA GCTCCAGAAG
CAGATCACCA AGATCCAGAA CTTCAGGGTG TACTACAGGG ACTCCAGGAA CCCCCTGTGG
AAGGGCCCTG CCAAGCTGCT GTGGAAGGGG GAGGGGCTG TGGTGATCCA GGACAACTCT
GACATCAAGG TGGTGCCCAG GAGGAAGGCC AAGATCATCA GGGACTATGG CAAGCAGATG
GCTGGGGATG ACTGTGTGGC CTCCAGGCAG GATGAGGACT AAAGCCCGGG CAGATCT (SEQ ID
NO:3).

10

35

In order to produce the IA-pol-based adenoviral vaccines of the present 15 invention, inactivation of the enzymatic functions was achieved by replacing a total of nine active site residues from the enzyme subunits with alanine side-chains. As shown in Table 1, all residues that comprise the catalytic triad of the polymerase, namely Asp112, Asp187, and Asp188, were substituted with alanine (Ala) residues (Larder, et al., Nature 1987, 327: 716-717; Larder, et al., 1989, Proc. Natl. Acad. Sci. 20 1989, 86: 4803-4807). Three additional mutations were introduced at Asp445, Glu480 and Asp500 to abolish RNase H activity (Asp551 was left unchanged in this IA Pol construct), with each residue being substituted for an Ala residue, respectively (Davies, et al., 1991, Science 252:, 88-95; Schatz, et al., 1989, FEBS Lett. 257: 311-314; Mizrahi, et al., 1990, Nucl. Acids. Res. 18: pp. 5359-5353). HIV pol integrase 25 function was abolished through three mutations at Asp626, Asp678 and Glu714. Again, each of these residues has been substituted with an Ala residue (Wiskerchen, et al., 1995, J. Virol. 69: 376-386; Leavitt, et al., 1993, J. Biol. Chem. 268: 2113-2119). Amino acid residue Pro3 of SEQ ID NO:4 marks the start of the RT gene. The complete amino acid sequence of IA-Pol is disclosed herein as SEQ ID NO:4 and 30 Figure 17A-C, as follows:

Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg

Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys Lys Lys Ser Val Thr Val Leu Ala Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Ala Ala Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys 10 Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr 15 Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp 20 Glu Thr Trp Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Ala Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Ala 25 Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Ala Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys 30 Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Ala Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His 35 Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly

Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Ala Asn Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly Val Val Ala Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp (SEQ ID NO:4).

As noted above, it will be understood that any combination of the mutations disclosed above may be suitable and therefore be utilized as an IA-pol-based adenoviral HIV vaccine of the present invention, either when administered alone or in a combined modality regime and/or a prime-boost regimen. For example, it may be possible to mutate only 2 of the 3 residues within the respective reverse transcriptase, RNase-H, and integrase coding regions while still abolishing these enzymatic activities. However, the IA-pol construct described above and disclosed as SEQ ID NO:3, as well as the expressed protein (SEQ ID NO:4;) is preferred. It is also preferred that at least one mutation be present in each of the three catalytic domains.

Another aspect of this portion of the invention are codon optimized HIV-1 Pol-based vaccine constructions which comprise a eukaryotic trafficking signal peptide such as from tPA (tissue-type plasminogen activator) or by a leader peptide such as is found in highly expressed mammalian proteins such as immunoglobulin leader peptides. Any functional leader peptide may be tested for efficacy. However, a preferred embodiment of the present invention, as with HIV-1 Nef constructs shown herein, is to provide for a HIV-1 Pol mutant adenoviral vaccine construction wherein the pol coding region or a portion thereof is operatively linked to a leader peptide, preferably a leader peptide from human tPA. In other words, a codon optimized HIV-1 Pol mutant such as IA-Pol (SEQ ID NO:4) may also comprise a leader peptide at the amino terminal portion of the protein, which may effect cellular trafficking and hence, immunogenicity of the expressed protein within the host cell. As noted in Figure 16A-B, a DNA vector which may be utilized to practice the present invention may be modified by known recombinant DNA methodology to contain a leader signal

peptide of interest, such that downstream cloning of the modified HIV-1 protein of interest results in a nucleotide sequence which encodes a modified HIV-1 tPA/Pol protein. In the alternative, as noted above, insertion of a nucleotide sequence which encodes a leader peptide may be inserted into a DNA vector housing the open reading frame for the Pol protein of interest. Regardless of the cloning strategy, the end result is a polynucleotide vaccine which comprises vector components for effective gene expression in conjunction with nucleotide sequences which encode a modified HIV-1 Pol protein of interest, including but not limited to a HIV-1 Pol protein which contains a leader peptide. The amino acid sequence of the human tPA leader utilized herein is as follows: MDAMKRGLCCVLLLCGAVFVSPSEISS (SEQ ID NO:17). Therefore, another aspect of the present invention is to generate HIV-1 Pol-based vaccine constructions which comprise a eukaryotic trafficking signal peptide such as from tPA. To this end, the present invention relates to a DNA molecule which encodes a codon optimized wt-pol DNA construct wherein the protease (PR) activity is deleted and a human tPA leader sequence is fused to the 5' end of the coding region. A DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:5, the open reading frame disclosed herein as SEQ ID NO:6.

5

10

15

20

25

30

35

To this end, the present invention relates to a DNA molecule which encodes a codon optimized wt-pol DNA construct wherein the protease (PR) activity is deleted and a human tPA leader sequence is fused to the 5' end of the coding region (herein, "tPA-wt-pol"). A DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:5, the open reading frame being contained from an initiating Met residue at nucleotides 8-10 to a termination codon from nucleotides 2633-2635. SEQ ID NO:5 is as follows:

GATCACCATG GATGCAATGA AGAGAGGCT CTGCTGTGT CTGCTGCTGT GTGGAGCAGT
CTTCGTTTCG CCCAGCGAGA TCTCCGCCC CATCTCCCC ATTGAGACTG TGCCTGTGAA
GCTGAAGCCT GGCATGGATG GCCCCAAGGT GAAGCAGTGG CCCCTGACTG AGGAGAAGAT
CAAGGCCCTG GTGGAAATCT GCACTGAGAT GGAGAAGGAG GGCAAAATCT CCAAGATTGG
CCCCGAGAAC CCCTACAACA CCCCTGTGTT TGCCATCAAG AAGAAGGACT CCACCAAGTG
GAGGAAGCTG GTGGACTTCA GGGAGCTGAA CAAGAGGACC CAGGACTTCT GGGAGGTGCA
GCTGGGCATC CCCCACCCCG CTGGCCTGAA GAAGAAGAAG TCTGTGACTG TGCTGGATGT
GGGGGATGCC TACTTCTCTG TGCCCCTGGA TGAGGACTTC AGGAAGTACA CTGCCTTCAC
CATCCCCTCC ATCAACAATG AGACCCCTGG CATCAGGTAC CAGTACAATG TGCTGCCCCA
GGGCTGGAAG GGCTCCCCTG CCATCTTCCA GTCCTCCATG ACCAAGATCC TGGAGCCCTT
CAGGAAGCAG AACCCTGACA TTGTGATCTA CCAGTACATG GATGACCTGT ATGTGGGCTC
TGACCTGGAG ATTGGGCAGC ACAGGACCAA GATTGAGGAG CTGAGGCAGC ACCTGCTGAG

GTGGGGCCTG ACCACCCCTG ACAAGAAGCA CCAGAAGGAG CCCCCCTTCC TGTGGATGGG CTATGAGCTG CACCCCGACA AGTGGACTGT GCAGCCCATT GTGCTGCCTG AGAAGGACTC CTGGACTGTG AATGACATCC AGAAGCTGGT GGGCAAGCTG AACTGGGCCT CCCAAATCTA CCCTGGCATC AAGGTGAGGC AGCTGTGCAA GCTGCTGAGG GGCACCAAGG CCCTGACTGA GGTGATCCCC CTGACTGAGG AGGCTGAGCT GGAGCTGGCT GAGAACAGGG AGATCCTGAA GGAGCCTGTG CATGGGGTGT ACTATGACCC CTCCAAGGAC CTGATTGCTG AGATCCAGAA GCAGGGCCAG GGCCAGTGGA CCTACCAAAT CTACCAGGAG CCCTTCAAGA ACCTGAAGAC TGGCAAGTAT GCCAGGATGA GGGGGGCCCA CACCAATGAT GTGAAGCAGC TGACTGAGGC TGTGCAGAAG ATCACCACTG AGTCCATTGT GATCTGGGGC AAGACCCCCA AGTTCAAGCT GCCCATCCAG AAGGAGACCT GGGAGACCTG GTGGACTGAG TACTGGCAGG CCACCTGGAT 10 CCCTGAGTGG GAGTTTGTGA ACACCCCCC CCTGGTGAAG CTGTGGTACC AGCTGGAGAA GGAGCCCATT GTGGGGGCTG AGACCTTCTA TGTGGATGGG GCTGCCAACA GGGAGACCAA GCTGGGCAAG GCTGGCTATG TGACCAACAG GGGCAGGCAG AAGGTGGTGA CCCTGACTGA CACCACCAAC CAGAAGACTG AGCTCCAGGC CATCTACCTG GCCCTCCAGG ACTCTGGCCT GGAGGTGAAC ATTGTGACTG ACTCCCAGTA TGCCCTGGGC ATCATCCAGG CCCAGCCTGA 15 TCAGTCTGAG TCTGAGCTGG TGAACCAGAT CATTGAGCAG CTGATCAAGA AGGAGAAGGT GTACCTGGCC TGGGTGCCTG CCCACAAGGG CATTGGGGGC AATGAGCAGG TGGACAAGCT GGTGTCTGCT GGCATCAGGA AGGTGCTGTT CCTGGATGGC ATTGACAAGG CCCAGGATGA GCATGAGAAG TACCACTCCA ACTGGAGGGC TATGGCCTCT GACTTCAACC TGCCCCCTGT GGTGGCTAAG GAGATTGTGG CCTCCTGTGA CAAGTGCCAG CTGAAGGGGG AGGCCATGCA 20 TGGGCAGGTG GACTGCTCCC CTGGCATCTG GCAGCTGGAC TGCACCCACC TGGAGGGCAA GGTGATCCTG GTGGCTGTGC ATGTGGCCTC CGGCTACATT GAGGCTGAGG TGATCCCTGC TGAGACAGGC CAGGAGACTG CCTACTTCCT GCTGAAGCTG GCTGGCAGGT GGCCTGTGAA GACCATCCAC ACTGACAATG GCTCCAACTT CACTGGGGCC ACAGTGAGGG CTGCCTGCTG GTGGGCTGGC ATCAAGCAGG AGTTTGGCAT CCCCTACAAC CCCCAGTCCC AGGGGGTGGT 25 GGAGTCCATG AACAAGGAGC TGAAGAAGAT CATTGGGCAG GTGAGGGACC AGGCTGAGCA CCTGAAGACA GCTGTGCAGA TGGCTGTGTT CATCCACAAC TTCAAGAGGA AGGGGGGCAT CGGGGGCTAC TCCGCTGGGG AGAGGATTGT GGACATCATT GCCACAGACA TCCAGACCAA GGAGCTCCAG AAGCAGATCA CCAAGATCCA GAACTTCAGG GTGTACTACA GGGACTCCAG GAACCCCCTG TGGAAGGGCC CTGCCAAGCT GCTGTGGAAG GGGGAGGGGG CTGTGGTGAT 30 CCAGGACAAC TCTGACATCA AGGTGGTGCC CAGGAGGAAG GCCAAGATCA TCAGGGACTA TGGCAAGCAG ATGGCTGGGG ATGACTGTGT GGCCTCCAGG CAGGATGAGG ACTAAAGCCC GGGCAGATCT (SEQ ID NO:5).

The open reading frame of the wild type tPA-pol construct disclosed as SEQ ID NO:5 contains 875 amino acids, disclosed herein as SEQ ID NO:6, as follows:

Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Cys Gly

Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp Ser Thr 5 Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys Lys Lys Lys Ser Val Thr Val Leu Asp Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu 10 Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Asp Asp Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp 15 Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile 20 Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe 25 Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Asp Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu 30 Thr Asp Thr Thr Asn Gln Lys Thr.Glu Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Asp Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp 35 Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile

Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Asp Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Asp Asn Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly 10 Val Val Glu Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp 15 Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp (SEQ ID NO:6).

20

25

30

35

The present invention also relates to a codon optimized HIV-1 Pol mutant contained within a recombinant adenoviral vector such as IA-Pol (SEQ ID NO:4) which comprises a leader peptide at the amino terminal portion of the protein, which may effect cellular trafficking and hence, immunogenicity of the expressed protein within the host cell. Any such adenoviral-based HIV-1 DNA pol mutant disclosed in the above paragraphs is suitable for fusion downstream of a leader peptide, such as a leader peptide including but not limited to the human tPA leader sequence. Therefore, any such leader peptide-based HIV-1 pol mutant construct may include but is not limited to a mutated DNA molecule which effectively alters the catalytic activity of the RT, RNase and/or IN region of the expressed protein, resulting in at least substantially decreased enzymatic activity one or more of the RT, RNase H and/or IN functions of HIV-1 Pol. In a preferred embodiment of this portion of the invention, a leader peptide/HIV-1 DNA pol construct contains a mutation or mutations within the Pol coding region which effectively abolishes RT, RNase H and IN activity. An especially preferable HIV-1 DNA pol construct is a DNA molecule which contains at least one point mutation which alters the active site and catalytic activity within the RT, RNase H and IN domains of Pol, such that each activity is at least substantially abolished, and preferably totally abolished. Such a HIV-1 Pol mutant will most likely

comprise at least one point mutation in or around each catalytic domain responsible for RT, RNase H and IN activity, respectfully. An especially preferred embodiment of this portion of the invention relates to a human tPA leader fused to the IA-Pol protein comprising the nine mutations shown in Table 1. The DNA molecule is disclosed 5 herein as SEQ ID NO:7 and the expressed tPA-IA Pol protein comprises a fusion junction as shown in Figure 18. The complete amino acid sequence of the expressed protein is set forth in SEQ ID NO:8. To this end, SEQ ID NO:7 discloses the nucleotide sequence which codes for a human tPA leader fused to the IA Pol protein comprising the nine mutations shown in Table 1 (herein, "tPA-opt-IApol"). The open reading frame begins with the initiating Met (nucleotides 8-10) and terminates with a 10 "TAA" codon at nucleotides 2633-2635. The nucleotide sequence encoding tPA-IAPol is also disclosed as follows: GATCACCATG GATGCAATGA AGAGAGGGCT CTGCTGTGTG CTGCTGCTGT GTGGAGCAGT CTTCGTTTCG CCCAGCGAGA TCTCCGCCCC CATCTCCCCC ATTGAGACTG TGCCTGTGAA 15 GCTGAAGCCT GGCATGGATG GCCCCAAGGT GAAGCAGTGG CCCCTGACTG AGGAGAAGAT CAAGGCCCTG GTGGAAATCT GCACTGAGAT GGAGAAGGAG GGCAAAATCT CCAAGATTGG CCCCGAGAC CCCTACAACA CCCCTGTGTT TGCCATCAAG AAGAAGGACT CCACCAAGTG GAGGAAGCTG GTGGACTTCA GGGAGCTGAA CAAGAGGACC CAGGACTTCT GGGAGGTGCA GCTGGGCATC CCCCACCCG CTGGCCTGAA GAAGAAGAAG TCTGTGACTG TGCTGGCTGT 20 GGGGGATGCC TACTTCTCTG TGCCCCTGGA TGAGGACTTC AGGAAGTACA CTGCCTTCAC CATCCCCTCC ATCAACAATG AGACCCCTGG CATCAGGTAC CAGTACAATG TGCTGCCCCA GGGCTGGAAG GGCTCCCCTG CCATCTTCCA GTCCTCCATG ACCAAGATCC TGGAGCCCTT CAGGAAGCAG AACCCTGACA TTGTGATCTA CCAGTACATG GCTGCCCTGT ATGTGGGCTC TGACCTGGAG ATTGGGCAGC ACAGGACCAA GATTGAGGAG CTGAGGCAGC ACCTGCTGAG 25 GTGGGGCCTG ACCACCCCTG ACAAGAAGCA CCAGAAGGAG CCCCCCTTCC TGTGGATGGG CTATGAGCTG CACCCCGACA AGTGGACTGT GCAGCCCATT GTGCTGCCTG AGAAGGACTC CTGGACTGTG AATGACATCC AGAAGCTGGT GGGCAAGCTG AACTGGGCCT CCCAAATCTA CCCTGGCATC AAGGTGAGGC AGCTGTGCAA GCTGCTGAGG GGCACCAAGG CCCTGACTGA GGTGATCCCC CTGACTGAGG AGGCTGAGCT GGAGCTGGCT GAGAACAGGG AGATCCTGAA 30 GGAGCCTGTG CATGGGGTGT ACTATGACCC CTCCAAGGAC CTGATTGCTG AGATCCAGAA GCAGGGCCAG GGCCAGTGGA CCTACCAAAT CTACCAGGAG CCCTTCAAGA ACCTGAAGAC TGGCAAGTAT GCCAGGATGA GGGGGGCCCA CACCAATGAT GTGAAGCAGC TGACTGAGGC TGTGCAGAAG ATCACCACTG AGTCCATTGT GATCTGGGGC AAGACCCCCA AGTTCAAGCT GCCCATCCAG AAGGAGACCT GGGAGACCTG GTGGACTGAG TACTGGCAGG CCACCTGGAT 35 CCCTGAGTGG GAGTTTGTGA ACACCCCCC CCTGGTGAAG CTGTGGTACC AGCTGGAGAA GGAGCCCATT GTGGGGGCTG AGACCTTCTA TGTGGCTGGG GCTGCCAACA GGGAGACCAA

GCTGGGCAAG GCTGGCTATG TGACCAACAG GGGCAGGCAG AAGGTGGTGA CCCTGACTGA CACCACCAAC CAGAAGACTG CCCTCCAGGC CATCTACCTG GCCCTCCAGG ACTCTGGCCT GGAGGTGAAC ATTGTGACTG CCTCCCAGTA TGCCCTGGGC ATCATCCAGG CCCAGCCTGA TCAGTCTGAG TCTGAGCTGG TGAACCAGAT CATTGAGCAG CTGATCAAGA AGGAGAAGGT GTACCTGGCC TGGGTGCCTG CCCACAAGGG CATTGGGGGC AATGAGCAGG TGGACAAGCT GGTGTCTGCT GGCATCAGGA AGGTGCTGTT CCTGGATGGC ATTGACAAGG CCCAGGATGA GCATGAGAAG TACCACTCCA ACTGGAGGGC TATGGCCTCT GACTTCAACC TGCCCCCTGT GGTGGCTAAG GAGATTGTGG CCTCCTGTGA CAAGTGCCAG CTGAAGGGGG AGGCCATGCA TGGGCAGGTG GACTGCTCCC CTGGCATCTG GCAGCTGGCC TGCACCCACC TGGAGGGCAA GGTGATCCTG GTGGCTGTGC ATGTGGCCTC CGGCTACATT GAGGCTGAGG TGATCCCTGC 10 TGAGACAGGC CAGGAGACTG CCTACTTCCT GCTGAAGCTG GCTGGCAGGT GGCCTGTGAA GACCATCCAC ACTGCCAATG GCTCCAACTT CACTGGGGCC ACAGTGAGGG CTGCCTGCTG GTGGGCTGGC ATCAAGCAGG AGTTTGGCAT CCCCTACAAC CCCCAGTCCC AGGGGGTGGT GGCCTCCATG AACAAGGAGC TGAAGAAGAT CATTGGGCAG GTGAGGGACC AGGCTGAGCA CCTGAAGACA GCTGTGCAGA TGGCTGTGTT CATCCACAAC TTCAAGAGGA AGGGGGGCAT 15 CGGGGGCTAC TCCGCTGGGG AGAGGATTGT GGACATCATT GCCACAGACA TCCAGACCAA GGAGCTCCAG AAGCAGATCA CCAAGATCCA GAACTTCAGG GTGTACTACA GGGACTCCAG GAACCCCCTG TGGAAGGGCC CTGCCAAGCT GCTGTGGAAG GGGGAGGGGG CTGTGGTGAT CCAGGACAAC TCTGACATCA AGGTGGTGCC CAGGAGGAAG GCCAAGATCA TCAGGGACTA TGGCAAGCAG ATGGCTGGGG ATGACTGTGT GGCCTCCAGG CAGGATGAGG ACTAAAGCCC 20 GGGCAGATCT (SEQ ID NO:7).

The open reading frame of the tPA-IA-pol construct disclosed as SEQ ID NO:7 contains 875 amino acids, disclosed herein as tPA-IA-Pol and SEQ ID NO:8, as follows:

Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu Cys Gly Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys Lys Lys Lys Ser Val Thr Val Leu Ala Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr

Lvs Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Ala Ala Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro Asp Lys Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu 10 Ile Ala Glu Ile Gln Lys Gln Gly Gln Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr 15 Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Ala Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Ala Leu Gln Ala Ile Tyr Leu Ala 20 Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Ala Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile 25 Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Ala Cys Thr His Leu Glu 30 Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Ala Asn Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly Val Val Ala Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val 35 Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe

Ile His Asn Phe Lys Arg Lys Gly Gly Ile Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp (SEQ ID NO:8).

5

10

15

20

## **EXAMPLE 18**

# CODON OPTIMIZED HIV-1 NEF AND CODON OPTIMIZED **HIV-1 NEF MODIFICATIONS**

Codon optimized version of HIV-1 Nef and HIV-1 Nef modifications are essentially as described in U.S. Application Serial No. 09/738,782, filed December 15, 2000 and PCT International Application PCT/US00/34162, also filed December 15, 2000, both documents which are hereby incorporated by reference. As disclosed within the above-mentioned documents, particular embodiments of codon optimized Nef and Nef modifications relate to a DNA molecule encoding HIV-1 Nef from the HIV-1 jfrl isolate wherein the codons are optimized for expression in a mammalian system such as a human. The DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:9, while the expressed open reading frame is disclosed herein as SEQ ID NO:10. Another embodiment of Nef-based coding regions for use in the adenoviral vectors of the present invention comprise a codon optimized DNA molecule encoding a protein containing the human plasminogen activator (tpa) leader peptide fused with the NH2-terminus of the HIV-1 Nef polypeptide. The DNA molecule which encodes this protein is disclosed herein as 25 SEQ ID NO:11, while the expressed open reading frame is disclosed herein as SEQ ID NO:12. Another modified Nef optimized coding region relates to a DNA molecule encoding optimized HIV-1 Nef wherein the open reading frame codes for modifications at the amino terminal myristylation site (Gly-2 to Ala-2) and 30 substitution of the Leu-174-Leu-175 dileucine motif to Ala-174-Ala-175, herein described as opt nef (G2A, LLAA). The DNA molecule which encodes this protein is disclosed herein as SEQ ID NO:13, while the expressed open reading frame is disclosed herein as SEQ ID NO:14. An additional embodiment relates to a DNA molecule encoding optimized HTV-1 Nef wherein the amino terminal myristylation site and dileucine motif have been deleted, as well as comprising a tPA leader peptide. 35 This DNA molecule, opt tpanef (LLAA), comprises an open reading frame which

encodes a Nef protein containing a tPA leader sequence fused to amino acid residue 6-216 of HIV-1 Nef (ifrl), wherein Leu-174 and Leu-175 are substituted with Ala-174 and Ala-175, herein referred to as opt tpanef (LLAA) is disclosed herein as SEQ ID NO:15, while the expressed open reading frame is disclosed herein as SEQ ID NO:16.

As disclosed in the above-identified documents (U.S. Application Serial No. 09/738,782 and PCT International Application PCT/US00/34162) and reiterated herein, the following nef-based nucleotide and amino acid sequences which comprise the respective open reading frame are as follows:

5

10

15

20

25

30

The nucleotide sequence of the codon optimized version of HIV-1 jrfl nef gene is disclosed herein as SEQ ID NO:9, as shown herein: GATCTGCCAC CATGGGCGGC AAGTGGTCCA AGAGGTCCGT GCCCGGCTGG TCCACCGTGA GGGAGAGGAT GAGGAGGGCC GAGCCCGCCG CCGACAGGGT GAGGAGGACC GAGCCCGCCG CCGTGGGCGT GGGCGCCGTG TCCAGGGACC TGGAGAAGCA CGGCGCCATC ACCTCCTCCA ACACCGCCGC CACCAACGCC GACTGCGCCT GGCTGGAGGC CCAGGAGGAC GAGGAGGTGG GCTTCCCCGT GAGGCCCCAG GTGCCCCTGA GGCCCATGAC CTACAAGGGC GCCGTGGACC TGTCCCACTT CCTGAAGGAG AAGGGCGGCC TGGAGGGCCT GATCCACTCC CAGAAGAGGC AGGACATCCT GGACCTGTGG GTGTACCACA CCCAGGGCTA CTTCCCCGAC TGGCAGAACT ACACCCCGG CCCCGGCATC AGGTTCCCCC TGACCTTCGG CTGGTGCTTC AAGCTGGTGC CCGTGGAGCC CGAGAAGGTG GAGGAGGCCA ACGAGGGCGA GAACAACTGC CTGCTGCACC CCATGTCCCA GCACGGCATC GAGGACCCCG AGAAGGAGGT GCTGGAGTGG AGGTTCGACT CCAAGCTGGC CTTCCACCAC GTGGCCAGGG AGCTGCACCC CGAGTACTAC AAGGACTGCT AAAGCCCGGG C (SEQ ID NO:9).

Preferred codon usage is as follows: Met (ATG), Gly (GGC), Lys (AAG), Trp (TGG), Ser (TCC), Arg (AGG), Val (GTG), Pro (CCC), Thr (ACC), Glu (GAG); Leu (CTG), His (CAC), Ile (ATC), Asn (AAC), Cys (TGC), Ala (GCC), Gln (CAG), Phe (TTC) and Tyr (TAC). For an additional discussion relating to mammalian (human) codon optimization, see WO 97/31115 (PCT/US97/02294), which is hereby incorporated by reference. See also Figure 19A-B for a comparion of wild type vs. codon optimized nucleotides comprising the open reading frame of HIV-Nef.

The open reading frame for SEQ ID NO:9 above comprises an initiating methionine residue at nucleotides 12-14 and a "TAA" stop codon from nucleotides 660-662. The open reading frame of SEQ ID NO:9 provides for a 216 amino acid HTV-1 Nef protein expressed through utilization of a codon optimized DNA vaccine vector. The 216 amino acid HIV-1 Nef (jfrl) protein is disclosed herein as SEQ ID 35 NO:10, and as follows:

Met Gly Gly Lys Trp Ser Lys Arg Ser Val Pro Gly Trp Ser Thr Val

Arg Glu Arg Met Arg Arg Ala Glu Pro Ala Ala Asp Arg Val Arg Arg Thr Glu Pro Ala Ala Val Gly Val Gly Ala Val Ser Arg Asp Leu Glu Lys His Gly Ala Ile Thr Ser Ser Asn Thr Ala Ala Thr Asn Ala Asp Cys Ala Trp Leu Glu Ala Gln Glu Asp Glu Glu Val Gly Phe Pro Val Arg Pro Gln Val Pro Leu Arg Pro Met Thr Tyr Lys Gly Ala Val Asp Leu Ser His Phe Leu Lys Glu Lys Gly Gly Leu Glu Gly Leu Ile His Ser Gln Lys Arg Gln Asp Ile Leu Asp Leu Trp Val Tyr His Thr Gln Gly Tyr Phe Pro Asp Trp Gln Asn Tyr Thr Pro Gly Pro Gly Ile Arg Phe Pro Leu Thr Phe Gly Trp Cys Phe Lys Leu Val Pro Val Glu Pro Glu Lys Val Glu Glu Ala Asn Glu Gly Glu Asn Asn Cys Leu Leu His Pro Met Ser Gln His Gly Ile Glu Asp Pro Glu Lys Glu Val Leu Glu His Pro Glu Tyr Tyr Lys Asp Cys (SEQ ID NO:10).

10

HIV-1 Nef is a 216 amino acid cytosolic protein which associates with the inner surface of the host cell plasma membrane through myristylation of Gly-2 15 (Franchini et al., 1986, Virology 155: 593-599). While not all possible Nef functions have been elucidated, it has become clear that correct trafficking of Nef to the inner plasma membrane promotes viral replication by altering the host intracellular environment to facilitate the early phase of the HIV-1 life cycle and by increasing the infectivity of progeny viral particles. In one aspect of the invention regarding 20 codon-optimized, protein-modified polypeptides, the nef-encoding region of the adenovirus vector of the present invention is modified to contain a nucleotide sequence which encodes a heterologous leader peptide such that the amino terminal region of the expressed protein will contain the leader peptide. The diversity of function that typifies eukaryotic cells depends upon the structural differentiation of 25 their membrane boundaries. To generate and maintain these structures, proteins must be transported from their site of synthesis in the endoplasmic reticulum to predetermined destinations throughout the cell. This requires that the trafficking proteins display sorting signals that are recognized by the molecular machinery responsible for route selection located at the access points to the main trafficking 30 pathways. Sorting decisions for most proteins need to be made only once as they traverse their biosynthetic pathways since their final destination, the cellular location at which they perform their function, becomes their permanent residence. Maintenance of intracellular integrity depends in part on the selective sorting and accurate transport of proteins to their correct destinations. Defined sequence motifs 35 exist in proteins which can act as 'address labels'. A number of sorting signals have

been found associated with the cytoplasmic domains of membrane proteins. An effective induction of CTL responses often required sustained, high level endogenous expression of an antigen. As membrane-association via myristylation is an essential requirement for most of Nef's function, mutants lacking myristylation, by glycine-to-alanine change, change of the dileucine motif and/or by substitution with a tpa leader sequence as described herein, will be functionally defective, and therefore will have improved safety profile compared to wild-type Nef for use as an HIV-1 vaccine component.

In another embodiment of this portion of the invention, either the DNA vector or the HIV-1 nef nucleotide sequence is modified to include the human tissue-specific plasminogen activator (tPA) leader. As shown in Figure 16A-B, a DNA vector may be modified by known recombinant DNA methodology to contain a leader signal peptide of interest, such that downstream cloning of the modified HIV-1 protein of interest results in a nucleotide sequence which encodes a modified HIV-1 tPA/Nef protein. In the alternative, as noted above, insertion of a nucleotide sequence which encodes a leader peptide may be inserted into a DNA vector housing the open reading frame for the Nef protein of interest. Regardless of the cloning strategy, the end result is a polynucleotide vaccine which comprises vector components for effective gene expression in conjunction with nucleotide sequences which encode a modified HIV-1 Nef protein of interest, including but not limited to a HIV-1 Nef protein which contains a leader peptide. The amino acid sequence of the human tPA leader utilized herein is as follows: MDAMKRGLCCVLLLCGAVFVSPSEISS (SEQ ID NO:17).

It has been shown that myristylation of Gly-2 in conjunction with a dileucine motif in the carboxy region of the protein is essential for Nef-induced down regulation of CD4 (Aiken et al., 1994, Cell 76: 853-864) via endocytosis. It has also been shown that Nef expression promotes down regulation of MHCI (Schwartz et al., 1996, Nature Medicine 2(3): 338-342) via endocytosis. The present invention relates in part to DNA vaccines which encode modified Nef proteins altered in trafficking and/or functional properties. The modifications introduced into the adenoviral vector HIV vaccines of the present invention include but are not limited to additions, deletions or substitutions to the nef open reading frame which results in the expression of a modified Nef protein which includes an amino terminal leader peptide, modification or deletion of the amino terminal myristylation site, and modification or deletion of the dileucine motif within the Nef protein and which alter function within the infected host cell. Therefore, a central theme of the DNA molecules and recombinant adenoviral HIV vaccines of the present invention is (1)

host administration and intracellular delivery of a codon optimized nef-based adenoviral HIV vaccine; (2) expression of a modified Nef protein which is immunogenic in terms of eliciting both CTL and Th responses; and, (3) inhibiting or at least altering known early viral functions of Nef which have been shown to promote HIV-1 replication and load within an infected host. Therefore, the nef coding region may be altered, resulting in a DNA vaccine which expresses a modified Nef protein wherein the amino terminal Gly-2 myristylation residue is either deleted or modified to express alternate amino acid residues. Also, the nef coding region may be altered so as to result in a DNA vaccine which expresses a modified Nef protein wherein the dileucine motif is either deleted or modified to express alternate amino acid residues. In addition, the adenoviral vector HIV vaccines of the present invention also relate to an isolated DNA molecule, regardless of codon usage, which expresses a wild type or modified Nef protein as described herein, including but not limited to modified Nef proteins which comprise a deletion or substitution of Gly 2, a deletion or substitution of Leu 174 and Leu 175 and/or inclusion of a leader sequence.

Therefore, specific Nef-based constructs further include the following, as exemplification's and not limitations. For example, the present invention relates to an adenoviral vector vaccine which encodes modified forms of HIV-1, an open reading frame which encodes a Nef protein which comprises a tPA leader sequence fused to amino acid residue 6-216 of HIV-1 Nef (jfrl) is referred to herein as opt tpanef. The nucleotide sequence comprising the open reading frame of opt tpanef is disclosed herein as SEQ ID NO:11, as shown below:

CATGGATGCA ATGAAGAGA GGCTCTGCTG TGTGCTGCTG CTGTGTGGAG CAGTCTTCGT
TTCGCCCAGC GAGATCTCCT CCAAGAGGTC CGTGCCCGGC TGGTCCACCG TGAGGGAGAG
GATGAGGAGG GCCGAGCCCG CCGCCGACAG GGTGAGGAGG ACCGAGCCCG CCGCCGTGGG
CGTGGGCGCC GTGTCCAGGG ACCTGGAGAA GCACGGCGCC ATCACCTCCT CCAACACCGC
CGCCACCAAC GCCGACTGCG CCTGGCTGGA GGCCCAGGAG GACGAGGAGG TGGGCTTCCC
CGTGAGGCCC CAGGTGCCCC TGAGGCCCAT GACCTACAAG GGCGCCGTGG ACCTGTCCCA
CTTCCTGAAG GAGAAGGGCG GCCTGGAGGG CCTGATCCAC TCCCAGAAGA GGCAGGACAT
CCTGGACCTG TGGGTGTACC ACACCCAGGG CTACTTCCCC GACTGGCAGA ACTACACCCC
CGGCCCCGGC ATCAGGTTCC CCCTGACCTT CGGCTGGTGC TTCAAGCTGG TGCCCGTGGA
GCCCGAGAAG GTGGAGGAGG CCAACGAGGG CGAGAACAAC TGCCTGCTGC ACCCCATGTC
CCAGCACGGC ATCGAGGACC CCGAGAAGGA GGTGCTGGAG TGGAGGTTCG ACCCCATGTC
GGCCTTCCAC CACGTGGCCA GGGAGCTGCA CCCCGAGTAC TACAAGGACT GCTAAAGCC
(SEO ID N0:11).

The open reading frame for SEQ ID NO:11 comprises an initiating methionine

residue at nucleotides 2-4 and a "TAA" stop codon from nucleotides 713-715. The open reading frame of SEQ ID NO:3 provides for a 237 amino acid HIV-1 Nef protein which comprises a tPA leader sequence fused to amino acids 6-216 of HIV-1 Nef, including the dileucine motif at amino acid residues 174 and 175. This 237 amino acid tPA/Nef (jfrl) fusion protein is disclosed herein as SEQ ID NO:12, and is shown as follows:

Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Cys Gly Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ser Lys Arg Ser Val Pro Gly Trp Ser Thr Val Arg Glu Arg Met Arg Arg Ala Glu Pro Ala Ala Asp Arg Val Arg Arg Thr Glu Pro Ala Ala Val Gly Val Gly Ala Val 10 Ser Arg Asp Leu Glu Lys His Gly Ala Ile Thr Ser Ser Asn Thr Ala Ala Thr Asn Ala Asp Cys Ala Trp Leu Glu Ala Gln Glu Asp Glu Glu Val Gly Phe Pro Val Arg Pro Gln Val Pro Leu Arg Pro Met Thr Tyr Lys Gly Ala Val Asp Leu Ser His Phe Leu Lys Glu Lys Gly Gly Leu Glu Gly Leu Ile His Ser Gln Lys Arg Gln Asp Ile Leu Asp Leu Trp 15 Val Tyr His Thr Gln Gly Tyr Phe Pro Asp Trp Gln Asn Tyr Thr Pro Gly Pro Gly Ile Arg Phe Pro Leu Thr Phe Gly Trp Cys Phe Lys Leu Val Pro Val Glu Pro Glu Lys Val Glu Glu Ala Asn Glu Gly Glu Asn Asn Cys Leu Leu His Pro Met Ser Gln His Gly Ile Glu Asp Pro Glu Lys Glu Val Leu Glu Trp Arg Phe Asp Ser Lys Leu Ala Phe His His 20 Val Ala Arg Glu Leu His Pro Glu Tyr Tyr Lys Asp Cys (SEQ ID NO:12). Therefore, this exemplified Nef protein, Opt tPA-Nef, contains both a tPA leader sequence as well as deleting the myristylation site of Gly-2A DNA molecule encoding HIV-1 Nef from the HIV-1 jfrl isolate wherein the codons are optimized for expression in a mammalian system such as a human. 25

In another specific embodiment of the present invention, a DNA molecule is disclosed which encodes optimized HIV-1 Nef wherein the open reading frame of a recombinant adenoviral HIV vaccine encodes for modifications at the amino terminal myristylation site (Gly-2 to Ala-2) and substitution of the Leu-174-Leu-175 dileucine motif to Ala-174-Ala-175. This open reading frame is herein described as opt nef (G2A,LLAA) and is disclosed as SEQ ID NO:13, which comprises an initiating methionine residue at nucleotides 12-14 and a "TAA" stop codon from nucleotides 660-662. The nucleotide sequence of this codon optimized version of HIV-1 jrfl nef gene with the above mentioned modifications is disclosed herein as SEQ ID NO:13, as follows:

30

5

10

30

35

The open reading frame of SEQ ID NO:13 encodes Nef (G2A,LLAA), disclosed herein as SEQ ID NO:14, as follows:

Met Ala Gly Lys Trp Ser Lys Arg Ser Val Pro Gly Trp Ser Thr Val 15 Arg Glu Arg Met Arg Arg Ala Glu Pro Ala Ala Asp Arg Val Arg Arg Thr Glu Pro Ala Ala Val Gly Val Gly Ala Val Ser Arg Asp Leu Glu Lys His Gly Ala Ile Thr Ser Ser Asn Thr Ala Ala Thr Asn Ala Asp Cys Ala Trp Leu Glu Ala Gln Glu Asp Glu Glu Val Gly Phe Pro Val Arg Pro Gln Val Pro Leu Arg Pro Met Thr Tyr Lys Gly Ala Val Asp 20 Leu Ser His Phe Leu Lys Glu Lys Gly Gly Leu Glu Gly Leu Ile His Ser Gln Lys Arg Gln Asp Ile Leu Asp Leu Trp Val Tyr His Thr Gln Gly Tyr Phe Pro Asp Trp Gln Asn Tyr Thr Pro Gly Pro Gly Ile Arg Phe Pro Leu Thr Phe Gly Trp Cys Phe Lys Leu Val Pro Val Glu Pro Glu Lys Val Glu Glu Ala Asn Glu Gly Glu Asn Asn Cys Ala Ala His 25 Pro Met Ser Gln His Gly Ile Glu Asp Pro Glu Lys Glu Val Leu Glu Trp Arg Phe Asp Ser Lys Leu Ala Phe His His Val Ala Arg Glu Leu His Pro Glu Tyr Tyr Lys Asp Cys Ser (SEQ ID NO:14).

An additional embodiment of the present invention relates to another DNA molecule encoding optimized HIV-1 Nef wherein the amino terminal myristylation site and dileucine motif have been deleted, as well as comprising a tPA leader peptide. This DNA molecule, opt tpanef (LLAA) comprises an open reading frame which encodes a Nef protein containing a tPA leader sequence fused to amino acid residue 6-216 of HIV-1 Nef (jfrl), wherein Leu-174 and Leu-175 are substituted with Ala-174 and Ala-175 (Ala-195 and Ala-196 in this tPA-based fusion protein). The nucleotide

sequence comprising the open reading frame of opt tpanef (LLAA) is disclosed herein as SEQ ID NO:15, as shown below:

CATGGATGCA ATGAAGAGA GGCTCTGCTG TGTGCTGCTG CTGTGTGGAG CAGTCTTCGT TTCGCCCAGC GAGATCTCCT CCAAGAGGTC CGTGCCCGGC TGGTCCACCG TGAGGGAGAG GATGAGGAGG GCCGAGCCCG CCGCCGACAG GGTGAGGAGG ACCGAGCCCG CCGCCGTGGG 5 CGTGGCCCC GTGTCCAGGG ACCTGGAGAA GCACGGCGCC ATCACCTCCT CCAACACCGC CGCCACCAAC GCCGACTGCG CCTGGCTGGA GGCCCAGGAG GACGAGGAGG TGGGCTTCCC CGTGAGGCCC CAGGTGCCCC TGAGGCCCAT GACCTACAAG GGCGCCGTGG ACCTGTCCCA CTTCCTGAAG GAGAAGGGCG GCCTGAGGGG CCTGATCCAC TCCCAGAAGA GGCAGGACAT 10 CCTGGACCTG TGGGTGTACC ACACCCAGGG CTACTTCCCC GACTGGCAGA ACTACACCCC CGGCCCGGC ATCAGGTTCC CCCTGACCTT CGGCTGGTGC TTCAAGCTGG TGCCCGTGGA GCCCGAGAAG GTGGAGGAGG CCAACGAGGG CGAGAACAAC TGCGCCGCCC ACCCCATGTC CCAGCACGC ATCGAGGACC CCGAGAAGGA GGTGCTGGAG TGGAGGTTCG ACTCCAAGCT GGCCTTCCAC CACGTGGCCA GGGAGCTGCA CCCCGAGTAC TACAAGGACT GCTAAAGCCC 15 (SEQ ID NO:15).

The open reading frame of SEQ ID NO:7 encoding tPA-Nef (LLAA), disclosed herein as SEQ ID NO:16, is as follows:

Met Asp Ala Met Lys Arg Gly Leu Cys Cys Val Leu Leu Leu Cys Gly Ala Val Phe Val Ser Pro Ser Glu Ile Ser Ser Lys Arg Ser Val Pro 20 Gly Trp Ser Thr Val Arg Glu Arg Met Arg Arg Ala Glu Pro Ala Ala Asp Arg Val Arg Arg Thr Glu Pro Ala Ala Val Gly Val Gly Ala Val Ser Arg Asp Leu Glu Lys His Gly Ala Ile Thr Ser Ser Asn Thr Ala Ala Thr Asn Ala Asp Cys Ala Trp Leu Glu Ala Gln Glu Asp Glu Glu Val Gly Phe Pro Val Arg Pro Gln Val Pro Leu Arg Pro Met Thr Tyr Lys Gly Ala Val Asp Leu Ser His Phe Leu Lys Glu Lys Gly Leu 25 Glu Gly Leu Ile His Ser Gln Lys Arg Gln Asp Ile Leu Asp Leu Trp Val Tyr His Thr Gln Gly Tyr Phe Pro Asp Trp Gln Asn Tyr Thr Pro Gly Pro Gly Ile Arg Phe Pro Leu Thr Phe Gly Trp Cys Phe Lys Leu Val Pro Val Glu Pro Glu Lys Val Glu Glu Ala Asn Glu Gly Glu Asn Asn Cys Ala Ala His Pro Met Ser Gln His Gly Ile Glu Asp Pro Glu 30 Lys Glu Val Leu Glu Trp Arg Phe Asp Ser Lys Leu Ala Phe His His Val Ala Arg Glu Leu His Pro Glu Tyr Tyr Lys Asp Cys (SEQ ID NO:16). An adenoviral vector of the present invention may comprise a DNA sequence, regardless of codon usage, which expresses a wild type or modified Nef protein as described herein, including but not limited to modified Nef proteins which comprise a 35 deletion or substitution of Gly 2, a deletion of substitution of Leu 174 and Leu 175

and/or inclusion of a leader sequence. Therefore, partial or fully codon optimized DNA vaccine expression vector constructs are preferred since such constructs should result in increased host expression. However, it is within the scope of the present invention to utilize "non-codon optimized" versions of the constructs disclosed herein, especially modified versions of HIV Nef which are shown to promote a substantial cellular immune response subsequent to host administration.

Figure 20A-C show nucleotide sequences at junctions between nef coding sequence and plasmid backbone of nef expression vectors V1Jns/nef (Figure 20A), V1Jns/nef(G2A,LLAA) (Figure 20B), V1Jns/tpanef (Figure 20C) and V1Jns/tpanef(LLAA) (Figure 20C, also). 5' and 3' flanking sequences of codon optimized nef or codon optimized nef mutant genes are indicated by bold/italic letters; nef and nef mutant coding sequences are indicated by plain letters. Also indicated (as underlined) are the restriction endonuclease sites involved in construction of respective nef expression vectors. V1Jns/tpanef and V1Jns/tpanef(LLAA) have identical sequences at the junctions.

Figure 21 shows a schematic presentation of nef and nef derivatives. Amino acid residues involved in Nef derivatives are presented. Glycine 2 and Leucine 174 and 175 are the sites involved in myristylation and dileucine motif, respectively.

20 EXAMPLE 19

10

15

25

30

35

## MRKAd5Pol Construction and Virus Rescue

construction of vector: shuttle plasmid and pre-adenovirus plasmid - Key steps performed in the construction of the vectors, including the pre-adenovirus plasmid denoted MRKAd5pol, is depicted in Figure 22. Briefly, the adenoviral shuttle vector for the full-length inactivated HIV-1 pol gene is as follows. The vector MRKpdelE1(Pac/pIX/pack450)+CMVmin+BGHpA(str.) is a derivative of the shuttle vector used in the construction of the MRKAd5gag adenoviral pre-plasmid. The vector contains an expression cassette with the hCMV promoter (no intronA) and the bovine growth hormone polyadenylation signal. The expression unit has been inserted into the shuttle vector such that insertion of the gene of choice at a unique Bg/II site will ensure the direction of transcription of the transgene will be Ad5 E1 parallel when inserted into the MRKpAd5(E1-/E3+)Cla1 (or MRKpAdHVE3) pre-plasmid. The vector, similar to the original shuttle vector contains the Pac1 site, extension to the packaging signal region, and extension to the pIX gene. The synthetic full-length codon-optimized HIV-1 pol gene was isolated directly from the plasmid pV1Jns-HIV-pol-inact(opt). Digestion of this plasmid with Bg/II releases the pol

gene intact (comprising a codon optimized IA pol sequence as disclosed in SEQ ID NO:3). The pol fragment was gel purified and ligated into the MRKpdelE1(Pac/pIX/pack450)+CMVmin+BGHpA(str.) shuttle vector at the BgIII site. The clones were checked for the correct orientation of the gene by using restriction enzymes DraIII/Not1. A positive clone was isolated and named MRKpdel+hCMVmin+FL-pol+bGHpA(s). The genetic structure of this plasmid was verified by PCR, restriction enzyme and DNA sequencing. The pre-adenovirus plasmid was constructed as follows. Shuttle plasmid MRKpdel+hCMVmin+FLpol+bGHpA(S) was digested with restriction enzymes Pac1 and Bst1107 I (or its isoschizomer, BstZ107 I) and then co-transformed into E. coli strain BJ5183 with linearized (Cla1 digested) adenoviral backbone plasmid, MRKpAd(E1-/E3+)Cla1. The resulting pre-plasmid originally named MRKpAd+hCMVmin+FLpol+bGHpA(S)E3+ is now referred to as "pMRKAd5pol". The genetic structure of the resulting pMRKAd5pol was verified by PCR, restriction enzyme and DNA sequence analysis. The vectors were transformed into competent E. coli XL-1 Blue for preparative production. The recovered plasmid was verified by restriction enzyme digestion and DNA sequence analysis, and by expression of the pol transgene in transient transfection cell culture. The complete nucleotide sequence of this pMRKAd5HIV-1pol adenoviral vector is shown in Figure 26 A-AO.

5

10

15

20

25

30

35

Generation of research-grade recombinant adenovirus - The pre-adenovirus plasmid, pMRKAd5pol, was rescued as infectious virions in PER.C6® adherent monolayer cell culture. To rescue infectious virus, 12  $\mu$ g of pMRKAd5pol was digested with restriction enzyme Pacl (New England Biolabs) and 3.3  $\mu$ g was transfected per 6 cm dish of PER.C6® cells using the calcium phosphate coprecipitation technique (Cell Phect Transfection Kit, Amersham Pharmacia Biotech Inc.). Pacl digestion releases the viral genome from plasmid sequences allowing viral replication to occur after entry into PER.C6® cells. Infected cells and media were harvested 6 -10 days post-transfection, after complete viral cytopathic effect (CPE) was observed. Infected cells and media were stored at  $\leq$  -60°C. This pol containing recombinant adenovirus is referred to herein as "MRKAd5pol". This recombinant adenovirus expresses an inactivated HIV-1 Pol protein as shown in SEQ ID NO:6.

## **EXAMPLE 20**

## MRKAd5Nef Construction and Virus Rescue

Construction of vector: shuttle plasmid and pre-adenovirus plasmid - Key steps performed in the construction of the vectors, including the pre-adenovirus

plasmid denoted MRKAd5nef, is depicted in Figure 23. Briefly, as shown in Example 19 above, the vector

5

10

15

20

25

30

35

MRKpdelE1(Pac/pIX/pack450)+CMVmin+BGHpA(str.) is the shuttle vector used in the construction of the MRKAd5gag adenoviral pre-plasmid. It has been modified to contain the *Pac*1 site, extension to the packaging signal region, and extension to the pIX gene. It contains an expression cassette with the hCMV promoter (no intronA) and the bovine growth hormone polyadenylation signal. The expression unit has been inserted into the shuttle vector such that insertion of the gene of choice at a unique *Bgl*11 site will ensure the direction of transcription of the transgene will be Ad5 E1 parallel when inserted into the MRKpAd5(E1-/E3+)Cla1 pre-plasmid. The synthetic full-length codon-optimized HIV-1 nef gene was isolated directly from the plasmid pV1Jns/nef (G2A,LLAA). Digestion of this plasmid with *Bgl*11 releases the pol gene intact, which comprises the nucleotide sequence as disclosed in SEQ ID NO:13. The nef fragment was gel purified and ligated into the

MRKpdelE1+CMVmin+BGHpA(str.) shuttle vector at the *Bgl*11 site. The clones were checked for correction orientation of the gene by using restriction enzyme *Sca*1. A positive clone was isolated and named MRKpdelE1hCMVminFL-nefBGHpA(s). The genetic structure of this plasmid was verified by PCR, restriction enzyme and DNA sequencing. The pre-adenovirus plasmid was constructed as follows. Shuttle plasmid MRKpdelE1hCMVminFL-nefBGHpA(s) was digested with restriction enzymes *Pac*1 and *Bst*1107 I (or its isoschizomer, *Bst*Z107 I) and then co-transformed into *E. coli* strain BJ5183 with linearized (*Cla*1 digested) adenoviral backbone plasmid, MRKpAd(E1/E3+)Cla1. The resulting pre-plasmid originally named MRKpdelE1hCMVminFL-nefBGHpA(s) is now referred to as "pMRKAd5nef". The genetic structure of the resulting pMRKAd5nef was verified by PCR, restriction enzyme and DNA sequence analysis. The vectors were transformed into competent *E. coli* XL-1 Blue for preparative production. The recovered plasmid was verified by restriction enzyme digestion and DNA sequence analysis, and by expression of the nef transgene in transient transfection cell culture. The complete nucleotide sequence

Generation of research-grade recombinant adenovirus - The pre-adenovirus plasmid, pMRKAd5nef, was rescued as infectious virions in PER.C6® adherent monolayer cell culture. To rescue infectious virus, 12  $\mu$ g of pMRKAdnef was digested with restriction enzyme Pac1 (New England Biolabs) and 3.3  $\mu$ g was transfected per 6 cm dish of PER.C6® cells using the calcium phosphate coprecipitation technique (Cell Phect Transfection Kit, Amersham Pharmacia Biotech

of this pMRKAd5HIV-1nef adenoviral vector is shown in Figure 27A-AM.

Inc.). Pac1 digestion releases the viral genome from plasmid sequences allowing viral replication to occur after entry into PER.C6<sup>®</sup> cells. Infected cells and media were harvested 6-10 days post-transfection, after complete viral cytopathic effect (CPE) was observed. Infected cells and media were stored at  $\leq$  -60°C. This nef containing recombinant adenovirus is now referred to as "MRKAd5nef".

### **EXAMPLE 21**

5

Construction of Murine CMV Promoter Containing Shuttle Vectors for Inactivated Pol and Nef/G2A,LLAA

The murine CMV (mCMV) was amplified from the plasmid pMH4 (supplied 10 by Frank Graham, McMaster University) using the primer set: mCMV (Not I) Forward: 5'-ATA AGA ATG CGG CCG CCA TAT ACT GAG TCA TTA GG-3' (SEQ ID NO: 20); mCMV (Bgl II)Reverse: 5'-AAG GAA GAT CTA CCG ACG CTG GTC GCG CCT C-3' (SEQ ID NO:21). The underlined nucleotides represent the Not I and the  $Bgl \Pi$  sites respectively for each primer. This PCR amplicon was 15 used for the construction of the mCMV shuttle vector containing the transgene in the El parallel orientation. The hCMV promoter was removed from the original shuttle vector (containing the hCMV-gag-bGHpA transgene in the E1 parallel orientation) by digestion with Not I and Bgl II. The mCMV promoter (Not I/Bgl II digested PCR product) was inserted into the shuttle vector in a directional manner. The shuttle 20 vector was then digested with  $Bgl \Pi$  and the gag reporter gene ( $Bgl \Pi$  fragment) was re-inserted back into the shuttle vector. Several clones were screened for correct orientation of the reporter gene. For the construction of the mCMV-gag in the E1 antiparallel orientation, the mCMV promoter was amplified from the plasmid pMH4 using the following primer set: mCMV (Asc I) Forward: 5'- ATA AGA ATG GCG 25 CGC CAT ATA CTG AGT CAT TAG G (SEQ ID NO:22); mCMV (Bgl II) Reverse: 5' AAG GAA GAT CTA CCG ACG CTG GTC GCG CCT C (SEQ ID NO:23). The underlined nucleotides represent the Asc I and Bgl II sites, respectively for each primer. The shuttle vector containing the hCMV-gag transgene in the E1 antiparallel orientation was digested with Asc1 and Bgl11 to remove the hCMV-gag portion of the 30 transgene. The mCMV promoter (Asc1/Bgl11 digested PCR product) was inserted into the shuttle vector in a directional manner. The vector was then digested with Bgl11 and the gag reporter gene (Bgl11 fragment) was re-inserted. Several clones were screened for correct orientation of the reporter gene. For each of the full length IA pol and full length nef/G2A,LLAA genes, cloning was performed using the unique 35

 $Bgl \ \Pi$  site within the mCMV-bGHpA shuttle vector. The pol and nef genes were excised from their respective pV1Ins plasmids by  $Bgl \ \Pi$  digestion.

### **EXAMPLE 22**

Construction of mCMV Full Length Inactivated Pol and Full Length nef/G2A.LLAA Adenovectors

5

10

15

35

Each of these transgenes of Example 21 were inserted into the modified shuttle vector in both the E1 parallel and E1 anti-parallel orientations. Pac1 and BstZ110I digestion of each shuttle vector was performed and each specific transgene fragment containing the flanking Ad5 sequences was isolated and co-transformed with Cla I digested MRKpAd5(E3+) or MRKpAd5(E3-) adenovector plasmids via bacterial homologous recombination in BJ5183 E. coli cells. Recombinant preplasmid adenovectors containing the various transgenes in both the E3- and E3+ versions (and in the E1 parallel and E1 antiparallel orientations) were subsequently prepared in large scale following transformation into XL-1 Blue E. coli cells and analyzed by restriction analysis and sequencing.

## **EXAMPLE 23**

Construction of hCMV-tpa-nef (LLAA) Adenovector

The tpa-nef gene was amplified out from GMP grade pV1Jns-tpanef (LLAA) vector using the primer sets: Tpanef (BamHI) F 5'-ATT GGA TCC ATG GAT GCA ATG AAG AGA GGG (SEQ ID 24); Tpanef (BamHI) R 5'-ATA GGA TCC TTA GCA GTC CTT GTA GTA CTC G (SEQ ID NO:25). The resulting PCR product was digested with BanHI, gel purified and cloned into the Bgl II site of MRKAd5CMV-bGHpA shuttle vector (Bgl II digested and calf intestinal phosphatase treated). Clones containing the tpanef (LLAA) gene (see SEQ ID NO:15 for complet coding region) in the correct orientation with respect to the hCMV promoter were selected following Sca I digestion. The resulting MRKAd5tpanef shuttle vector was digested with Pac I and Bst Z1101 and cloned into the E3+ MRKAd5 adenovector via bacterial homologous recombination techniques.

## **EXAMPLE 24**

Immunogenicity of MRKAd5pol and MRKAd5nef Vaccine

Materials and Methods - Rodent Immunization - Groups of N=10 BALB/c

mice were immunized i.m. with the following vectors: (1) MRKAd5hCMV-IApol

(E3+) at either 10^7 vp and 10^9 vp; and (2) MRKAd5hCMV-IApol (E3-) at either

10^7 vp and 10^9 vp. At 7 weeks post dose, 5 of the 10 mice per cohort were boosted with the same vector and dose they initially received. At 3 weeks post the second does, sera and spleens were collected from all the animals for RT ELISA and IFNg ELIspot analyses, respectively. For all rodent immunizations, the Ad5 vectors were diluted in 5 mM Tris, 5% sucrose, 75 mM NaCl, 1 mM MgCl2, 0.005% polysorbate 80, pH 8.0. The total dose was injected to both quadricep muscles in 50 µL aliquots using a 0.3-mL insulin syringe with 28-1/2G needles (Becton-Dickinson, Franklin Lakes, NJ).

Groups of N=10 C57/BL6 mice were immunized i.m. with the following vectors: (1) MRKAd5hCMV-nef(G2A,LLAA) (E3+) at either 10^7 vp and 10^9 vp; (2) MRKAd5mCMV-nef(G2A,LLAA) (E3+) at either 10^7 vp and 10^9 vp; and (3) MRKAd5mCMV-tpanef(LLAA) (E3+) at either 10^7 vp and 10^9 vp. At 7 weeks post dose, 5 of the 10 mice per cohort were boosted with the same vector and dose they initially received. At 3 weeks post the second does, sera and spleens were collected from all the animals for RT ELISA and IFNg ELIspot analyses, respectively.

10

15

20

25

30

35

Non-human Primate immunization - Cohorts of 3 rhesus macaques (2-3 kg) were vaccinated with the following Ad vectors: (1) MRKAd5hCMV-IApol (E3+) at either 10^9 vp and 10^11 vp dose; and (2) MRKAd5hCMV-IApol (E3-) at either 10^9 vp and 10^11 vp; (3) MRKAd5hCMV-nef(G2A,LLAA) (E3+) at either 10^9 vp and 10^11 vp; and (4) MRKAd5mCMV-nef(G2A,LLAA) (E3+) at either 10^9 vp and 10^11 vp. The vaccine was administered to chemically restrained monkeys (10 mg/kg ketamine) by needle injection of two 0.5 mL aliquots of the Ad vectors (in 5 mM Tris, 5% sucrose, 75 mM NaCl, 1 mM MgCl<sub>2</sub>, 0.005% polysorbate 80, pH 8.0) into both deltoid muscles. The animals were immunized twice at a 4 week interval (T=0, 4 weeks).

Murine anti-RT and anti-nef ELISA - Anti-RT titers were obtained following standard secondary antibody-based ELISA. Maxisorp plates (NUNC, Rochester; NY) were coated by overnight incubation with 100 μL of 1 μg/mL HIV-1 RT protein (Advanced Biotechnologies, Columbia, MD) in PBS. For anti-nef ELISA, 100 uL of 1 ug/mL HIV-1 nef (Advanced Biotechnologies, Columbia, MD) was used to coat the plates. The plates were washed with PBS/0.05% Tween 20 using Titertek MAP instrument (Hunstville, AL) and incubated for 2 h with 200 μL/well of blocking solution (PBS/0.05% tween/1% BSA). An initial serum dilution of 100-fold was performed followed by 4-fold serial dilution. 100-μL aliquots of serially diluted samples were added per well and incubated for 2 h at room temperature. The plates

were washed and 100 μL of 1/1000-diluted HRP-rabbit anti-mouse IgG (ZYMED, San Francisco, CA) were added with 1 h incubation. The plates were washed thoroughly and soaked with 100 μL 1,2-phenylenediamine dihydrochloride/hydrogen peroxide (DAKO, Norway) solution for 15 min. The reaction was quenched by adding 100 μL of 0.5M H<sub>2</sub>SO4 per well. OD<sub>492</sub> readings were recorded using Titertek Multiskan MCC/340 with S20 stacker. Endpoint titers were defined as the highest serum dilution that resulted in an absorbance value of greater than or equal to 0.1 OD<sub>492</sub> (2.5 times the background value).

Non-human primate and murine ELIspot assays - The enzyme-linked immuno-spot (ELISpot) assay was utilized to enumerate antigen-specific INFy-10 secreting cells from mouse spleens (Miyahira, et al.1995, J. Immunol. Methods 181:45-54) or macaque PBMCs. Mouse spleens were pooled from 5 mice/cohort and single cell suspensions were prepared at 5x10<sup>6</sup>/mL in complete RPMI media (RPMI1640, 10% FBS, 2mM L-glutamine, 100U/mL Penicillin, 100 u/mL streptomycin, 10 mM Hepes, 50 uM  $\beta$ -ME). Rhesus PBMCs were prepared from 8-15 15 mL of heparinized blood following standard Ficoll gradient separation (Coligan, et al, 1998, Current Protocols in Immunology. John Wiley & Sons, Inc.). Multiscreen opaque plates (Millipore, France) were coated with 100 μL/well of either 5 μg/mL purified rat anti-mouse IFN-y IgG1, clone R4-6A2 (Pharmingen, San Diego, CA), or 15 ug/mL mouse anti-human IFN-γ IgG<sub>2a</sub> (Cat. No. 1598-00, R&D Systems, 20 Minneapolis, MN) in PBS at 4°C overnight for murine or monkey assays, respectively. The plates were washed with PBS/penicillin/streptomycin and blocked with 200 μL/well of complete RPMI media for 37 °C for at least 2 h.

25

30

35

To each well, 50 μL of cell samples (4-5x10<sup>5</sup> cells per well) and 50 μL of the antigen solution were added. To the control well, 50 μL of the media containing DMSO were added; for specific responses, either selected peptides or peptide pools (4 ug/mL per peptide final concentration) were added. For BALB/c mice immunized with the pol constructs, stimulation was conducted using a pool of CD4<sup>+</sup>-epitope containing 20-mer peptides (aa21-40, aa411-430, aa641-660, aa731-750, aa771-790) or a pool of CD8<sup>+</sup>-epitope containing peptides (aa201-220, aa311-330, aa781-800). For C57/BL6 mice immunized with the nef construct, either aa51-70 (CD8<sup>+</sup> T cell epitope) or aa81-100 (CD4<sup>+</sup>) peptide derived from the nef sequence was added for specific stimulation. In monkeys, the responses against pol were evaluated using two pools (L and R) of 20-aa peptides that encompass the entire pol sequence and overlap by 10 amino acids. In monkeys vaccinated with the nef constructs, a single pool containing 20-mer peptides covering the entire HTV-1 nef sequence and overlapping

by 10 aa was used. Each sample/antigen mixture was performed in triplicate wells for murine samples or in duplicate wells for rhesus PBMCs. Plates were incubated at 37°C, 5% CO<sub>2</sub>, 90% humidity for 20-24 h. The plates were washed with PBS/0.05% Tween 20 and incubated with 100 μL/well of either 1.25 μg/mL biotin-conjugated rat anti-mouse IFN-γ mAb, clone XMG1.2 (Pharmingen) or of 0.1 ug/mL biotinylated anti-human IFN-gamma goat polyclonal antibody (R&D Systems) at 4°C overnight. The plates were washed and incubated with 100 μL/well 1/2500 dilution of strepavidin-alkaline phosphatase conjugate (Pharmingen) in PBS/0.005% Tween/5% FBS for 30 min at 37 °C. Spots were developed by incubating with 100 μL/well 1-step NBT/BCIP (Pierce Chemicals) for 6-10 min. The plates were washed with water and allowed to air dry. The number of spots in each well was determined using a dissecting microscope and the data normalized to 10<sup>6</sup> cell input.

Non-human Primate anti-RT ELISA - The pol-specific antibodies in the monkeys were measured in a competitive RT EIA assay, wherein sample activity is determined by the ability to block RT antigen from binding to coating antibody on the plate well. Briefly, Maxisorp plates were coated with saturating amounts of pol positive human serum (#97111234). 250 uL of each sample is incubated with 15 uL of 266 ng/mL RT recombinant protein (in RCM 563, 1% BSA, 0.1% tween, 0.1% NaN<sub>3</sub>) and 20 uL of lysis buffer (Coulter p24 antigen assay kit) for 15 min at room temperature. Similar mixtures are prepared using serially diluted samples of a standard and a negative control which defines maximum RT binding. 200 uL/well of each sample and standard were added to the washed plate and the plate incubated 16-24 h at room temperature. Bound RT is quantified following the procedures described in Coulter p24 assay kit and reported in milliMerck units per mL arbitrarily defined by the chosen standard.

Results - Rodent Studies - BALB/c mice (n=5 mice/cohort) were immunized once or twice with varying doses of MRKAd5hCMV-IApol(E3+) and MRKAd5hCMV-IApol(E3-). At 3 weeks after the second dose, Anti-pol IgG levels were determined by an ELISA assay using RT as a surrogate antigen. Cellular response were quantified via IFNγ ELISpot assay against pools of pol-epitope containing peptides. The results of these assays are summarized in Table 10. The results indicate that the mouse vaccinees exhibited detectable anti-RT IgGs with an adenovector dose as low as 10<sup>4</sup>7 vp. The humoral responses are highly dosedependent and are boostable with a second immunization. One or two doses of either pol vectors elicit high frequencies of antigen-specific CD4<sup>+</sup> and CD8<sup>+</sup> T cells; the responses are weakly dose-dependent but are boostable with a second immunization.

Table 10. Immunogenicity of MRKAd5pol Vectors in BALB/c mice.

	70.			An	I-RT InG Tite	rs"	S	FC/10^6 cell	s°
Group	Vaccine	Dose	No. of Doses	GMT	+SE	-SE	Medium	CD4+ peptide pool	CD8+ peptide pool
1	MRKAd5hCMVFLpol (E3+)	10^7 vp	2 1	310419 919	301785 372	153020 265	1(1) 1(1)	75(4) 72(9)	2313(67) 533(41)
2	MRKAd5hCMVFLpol (E3+)	10^9 vp	2	1638400 <sup>b</sup> 713155	0 528520	0 303555	2(2) 1(1)	114(9) 48(7)	2063(182) 733(89)
3	MRKAd5hCMVFLpol (E3-)	10^7 vp	2	310419 6400	386218 14013	172097 4393	0(0) 10(8)	223(7) 141(21)	2607(27) 409(28)
4	MRKAd5hCMVFLpol (E3-)	10^9 vp	2	1638400 <sup>b</sup> 1241675 <sup>b</sup>	0 396725	0 300661	1(1) 0(0)	160(13) 39(13)	2385(11) 833(83)
5	Naïve	none	none	57	9	7	9(2)	11(4)	10(1)

<sup>\*</sup>GMT, geometric mean titer of the cohort of 5 mice; SE, standard error of the gemetric mean

C57/BL6 mice were immunized once or twice with varying doses of MRKAd5hCMV-nef(G2A,LLAA) (E3+), MRKAd5mCMV-nef(G2A,LLAA) (E3+) at either 10^7 vp and(3) MRKAd5mCMV-tpanef(LLAA) (E3+) at either 10^7 vp and 10^9 vp. The immune response were analyzed using similar protocols and the results are listed in Table 11. While anti-nef IgG responses could not be detected in this model system with any of the constructs, there are strong indications of a cellular immunity generated against nef using the ELIspot assay.

Table 11 Immunogenicity of MRKAd5nef Vectors in C57/BL6 mice.

				Anti-nef lgG Titers			S	FC/10^6 cell	3
Group	Vaccine	Dose	No. of Doses	GMT	+SE	-SE	Medium	aa51-70 CD8+	aa81-100 CD4+
1	MRKAd5hCMVFLnef (E3+)	10^7 vp	2 1	174 132	70 42	50 32	1(1) 0(0)	23(1) 0(0)	1(1) 0(0)
2	MRKAd5hCMVFLnef (E3+)	10^9 vp	2	174 132	70 42	50 32	0(0) 1(1)	61(7) 62(7)	4(2) 3(1)
3	MRKAd5mCMVFLnef (E3+)	10^7 vp	2	132 115	42 46	32 33	3(1) 3(2)	15(5) 3(2)	5(2) 4(2)
4	MRKAd5mCMVFLnef (E3+)	10^9 vp	2 1	132 132	42 42	32 32	4(2) 2(1)	83(13) 29(2)	5(1) 4(0)
5	MRKAd5mCMVtpanef(E3+)	10^7 vp	2	132 100	42 0	32 0	3(2) 3(1)	14(2) 13(4)	5(1) 10(3)
6	MRKAd5mCMVtpanef(E3+)	10^9 vp	2	230 115	170 46	98 33	3(2) 7(1)	145(29) 151(14)	4(0) 10(0)
	Naïve	none	none	152	78	52 ·	21(2)	- 18(6)	28(3)

<sup>\*</sup>GMT, geometric mean titler of the cohort of 5 mice; SE, standard error of the gemetric mean

15

Monkey Studies - Cohorts of 3 rhesus macaques were immunized with 2 doses of MRKAd5hCMV-IApol(E3+) and MRKAd5hCMV-IApol(E3-). The number of antigen-specific T cells (per million PBMCs) were enumerated using one of two

Near or at the upper limit of the serial dilution; hence, could be greater than this value

<sup>\*</sup>No. of Spot-forming Cells per million splechoytes; mean values of triplicates are reported along with standard errors in parenthesis.

No. of spot-forming cells per million spiechoyles; mean values of triplicates are reported along with standard errors in parenthesis.

peptide pools (L and R) that cover the entire pol sequence; the results are listed in Table 12. Moderate-to-strong T cell responses were detected in the vaccinees using either constructs even at a low dose of 10^9 vp. Longitudinal analyses of the anti-RT antibody titers in the animals suggest that the pol transgene product is expressed efficiently to elicit a humoral response (Table 13). It would appear that generally higher immune responses were observed in animals that received the E3- construct compared to the E3+ virus.

Table 12. Pol-specific T Cell Responses in MRKAd5pol Immunized Rhesus

10 Macaques.

5

Vaccine (T=0,4 wks)	Monk #		Prebleed			T=4			T=7			T=16	
		Mock	Pol L	Pol R	Mock	Pol L	Pol R	Mock	PolL	Pol R	Mock	Pal L	Pol R
MRKACEHCMV-IApod(E3+)	99C100	1	0	0	1	38	31	0	52	146	0	49	715
1041 1 AD	99C215	Ιì	2	2	10	98	249	1	109	305	22	88	250
10-11 Ab	99D201	5	5	4	6	149	85	0	40	35	0	35	18
MRKACEHOMV-IApol(E3+)	99D212	0	2	0	4	331	114	0	58	14	0	6	6
10/9 VD	99D180	0	1 4	2	lo	19	192	4	38	158	5	38	108
	99C201	8	5	21	6	82	62	٥	18	32	١ '	14	65
MRKAd5hCMV-IApol(E3-)	99D239	5	2	2	20	82	172	1	68	114	9	21	40
10^11 VD	99C186	4	12	6	5	120	421	2	271	489	16	875	530
	99C084	1	8	8	8	84	484	0	14	238	١ ١	24	264
MRKAd5hCMV-IApol(E3-)	CC7C	10	10	8	12	724	745	4	322	376	4	188	176
10'9 VD	CDIG	2	0	1 1	5	474	468	0	232	212	0	101	121
10 7 9	CD11	6	6	12	10	98	110	5	60	80	8	25	34
Naive	083Q	nd	nd	nd	nd	nd	nd	4	2	2	2	1	2

nd, not determined Reported are SFC per million PBMCs; mean of duplicate wells.

Table 13. Anti-RT Ig Levels in MRKAd5pol Immunized macaques.

RT ANTIBODY ASSAY TITERS IN MMU	mL			
Vaccine/Monkey Tag	T=4	T=7	T=12	T=16
MRKAd5hCMV-IApol(E3+), 10^11 vp				
99C100	61	1999	5928	4768
99C215	81	1541	2356	2767
99D201	53	336	539	387
MRKAd5hCMV-IApol(E3+), 10^9 vp				
99D212	10	40	49	68
99D180	<10	36	79	93
99C201	<10	37	71	76
MRKAd5hCMV-IApol(E3-), 10^11 vp				
99D239	44	460	1234	1015
99C186	21	· 233 ·	480	345
990084	235	2637	2858	1626
MRK Ad5hCMV-IApol(E3-), 10^9 vp				
CC7C	32	175	306	235_
@16	20	140	273	419
<u>011</u>	15	112	149	237

When rhesus macaques were immunized i.m. with two doses of MRKAd5nef constructs, vigorous T cell responses ranging from 100 to as high as 1100 per million were observed in 8 of 12 vaccinees (Table 14). The efficacies of the mCMV- and hCMV- driven nef constructs are comparable on the basis of the data generated thus far.

Table 14. Nef-specific T cell Responses in MRKAd5nef Immunized Rhesus

Macaques.

5

10

15

20

25

Vaccine (T=0,4 wks)	Monk #	Pr	e	Te	4		7	T=	16
		Mock	Nef	Mock	Nef	Mock	Net	Mock	Nef
MRKAd5hCMV-nef(G2A,LLAA) (E3+)	CD2D	0	4	31	440	4	368	1	251
10^11 vp	CC7B	1 0 1	0	2	521	0	178	1	152
	CC61	2	9	31	112	0	108	11	100
MRKAd5hCMV-net(G2A,LLAA) (E3+)	CC2K	9	9	6	52	0	35	0	15
10/9 vp	CD15	5	4	30	998	2	586	0	43
15 6 14	CD16	6	1	6	1146	0	369	1	21:
MRKAd5mCMV-nef(G2A,LLAA) (E3+)	99D191	1	5	4	614	0	298	2	41
10^11 vp	99D144	4	6	5	434	0	1100	2	93
	99C193	1 1	2	1	58	1	22	0	64
MRKAd5mCMV-nef(G2A,LLAA) (E3+)	99D224	1	11	14	231	1	125	0	70
10/9 Vp	99D250	8	9	4	108	10	54	0	. 8
•	99C120	1	6	20	299	0	92	0	71
Naîve	083Q	nd	nd	18	22	4	5	2	1

## **EXAMPLE 25**

Comparison of Clade B vs. Clade C T Cell Responses in HIV-Infected Subjects
PBMC samples collected from two dozens of patients infected with HIV-1 in
US were tested in ELISPOT assays with peptide pools of 20-mer peptides overlapping
by 10 amino acids. Four different peptide pools were tested for cross-clade
recognition, and they were either derived from a clade B-based isolate (gag H-b; nefb) or a clade C-based isolate (gag H-c, nef-c). Data in Table 15 shows that T cells
from these patients presumably infected with clade B HIV-1 could recognize clade C
gag and nef antigens in ELISPOT assay. Correlation analysis further demonstrated
that these T cell responses against clade C gag peptide pool were about 60% of the
clade B counterpart (Figure 24), while the T cell responses against clade C nef were
about 85% of the clade B counterpart (Figure 25). These results suggest that cellular
immune responses generated in patients infected with clade B HIV-1 can recognize
gag and nef antigens derived from clade C HIV-1. These data show that a HIV
vaccine, such as a DNA or MRKAd5-based adenoviral vaccine expressing a clade B

gag and/or nef antigen will potentially have the ability to provide a prophylactic and/or therapetic advantage on a global scale.

Table 15
Responses Shown as the Number of gIFN-Secreting T Cells per Million PBMCs

subject	bleed date	gag epitope #	mock	gag H-b	gagH-c	nef-b	nef-c
		from mapping)					
#100	19-Jul-99	12	10	3950	1385	1295	1300
#101	25-Jul-99	3	15	3885	1280	na	1020
#102	25-Jul-99	4	15	1740	850	1255	1785
#104	7-Jun-99	2	5	1355	1185	na	1060
#107	11-Oct-99	2	25	3305	2795	670	870
#405	11-Jul-99	2	15	4575	3180	1700	1500
#501	19-Jul-99	2	15	1100	570	3365	3460
#505	18-Jul-99	5	10	2145	1725	1235	na
#506	28-Feb-99	2	25	150	45	400	610
#701	28-Mar-99	5	30	7620	4775	3320	2780
#709	17-May-99	3	15	2785	1945	1090	1630
#710	24-May-99	4	5	1055	1080	2210	2140

10

15

## EXAMPLE 26

# Characterization and Production of MRKAd5pol and MRKAd5nef Vectors in Roller Bottles

Expansion of nef and pol Adenovectors - Nef and pol CsCl purified MRKAd5 seeds were used to infect roller bottles to produce P4 virus to be used as a seed for further experiments. P4 MRKAd5 pol and nef vectors were used to infect roller bottles at an MOI 280 vp/cell, except for hCMV-tpa-nef [E3+] which was infected at an MOI of 125 due to low titers of seed obtained at P4.

Table 16 Viral particle concentrations for P5 nef and pol adenovectors

Adenovector	AEX Titer (10 <sup>10</sup> vp/ml culture)	AEX Titer (10 <sup>4</sup> vp/cell)	Amplification Ratio
hCMV-FL-nef [E3+]	1.1	0.9	30
mCMV-FL-nef [E3+]	2.2	2.1	75
hCMV-tpa-nef [E3+]	0.07	0.1	5
mCMV-tpa-nef [E3+]	1.3	0.9	35
hCMV-FL-pol [E3+]	2.7	2.1	75
hCMV-FL-pol [E3-]	1.9	1.3	45

Roller Bottle Passaging - Passaging of the pol and nef constructs continued through passage seven. Cell-associated (freeze/thaw lysis) and whole broth (tritonlysis) titers obtained in all passages were very consistent. In general, MRKAd5pol is ca. 70% as productive as MRKAd5gag while MRKAd5nef is ca. 25% as productive as MRKAd5gag. Samples of P7 virus for both constructs were analyzed by V&CB by restriction digest analysis and did not show any rearrangements.

Table 17. Passage Six Viral Productivity for MRKAd5pol and MRKAd5nef

1,010	[	Xviable (10 <sup>d</sup> cells/ml),		Cell Passage	AEX Titer	Tites	Amplification	Triton Lysis Titer
		Viabil Infection	ity (%) Harvest	Number	(Cell Associated) 10 <sup>10</sup> vp/ml culture	10 <sup>4</sup> vp/cell	Ratio	10 <sup>10</sup> vp/ml culture
bCMV-FL-nef [B3+]	pool	1.22, 85%		62	0.8	0.7	25	1.6
	-1		0.99, 62%					
•	2		1.10, 72%	}	}			
bCMV-FL-pol [E3+]	pool	1.42, 89%		62	4.5	3.2	115	7.0
	1	<del></del>	1.22, 70%					
ţ	2		1.42, 74%					

15 Table 18. Passage Seven Viral Productivity for MRKAd5pol and MRKAd5nef

		Xviable (10 <sup>6</sup> cells/ml), Viability (%) Infection Harvest		Cell Passage Number	AEX Titer (Cell Associated) 10 <sup>80</sup> vp/ml culture	Titer	Amplification Ratio	Triton Lysis Titer  10 <sup>10</sup> vp/ml culture	
hCMV-FL-ncf [E3+]	Pool	1.33, 90%		66	1.0	0.8	29	2.1	
	1		0.96, 70%						
	2		1.18, 73%	.}	1				
hCMV-FL-pol [E3+]	Pool	0.90*, 90%		56	4.2	4.7	168	6.5	
	1		1.18, 88%						
	2		1.04, 80%						

MRKAd5nef and MRKAd5pol Viral Production Kinetics - A timecourse experiment was carried out in roller bottles to determine if the viral production kinetics of the MRKAd5pol and MRKAd5nef vectors were similar to those of
 MRKAd5gag. PER.C6® cells in roller bottle cultures were infected at an MOI of 280 vp/cells with P5 MRKAd5pol, P5 MRKAd5nef and P7 MRKAd5gag; for each adenovector, two infected bottles were sampled at 24, 36, 48, and 60 hours post infection. In addition, two bottles were left unsampled until 48 hpi when they were harvested under the Phase I process conditions. The anion-exchange HPLC viral particle concentrations of the freeze-thaw recovered cell associated virus at the 24, 36,

48, and 60 hpi timepoints are shown in Figure 29A-B. The QPA titers show a similar trend (data not shown).

Comparison of hCMV- and mCMV-FL-nef - As the titers obtained with the MRKAd5nef construct (hCMV-FL-nef) were lower than those obtained with MRKAd5gag or MRKAd5pol, a viral productivity comparison experiment was performed with mCMV-FL-nef. For each of the two adenovectors (hCMV- and mCMV-FL-nef), two roller bottles were infected at an MOI of 280 vp/cell with passage five clarified lysate. The macroscopic and microscopic observations of the four roller bottles were identical at the time of harvest. Analysis of the clarified lysate produced indicated a higher viral particle concentration in the bottles infected with mCMV-FL-nef, as shown in Table 19. It is stipulated that the higher productivity with mCMV promoter driven nef vector is due to lower nef expression levels in PER.C6<sup>®</sup> cells- experiments are underway at V&CB to measure nef expression levels.

Table 19. Passage Six Viral Productivity Comparison of hCMV- and mCMV-FL-nef

	I	Xv (10 <sup>6</sup> cells/m	l), Viability (%)	Cell Passage	AEX Titer	Titer	Amplification	Triton Lysis Titer
		Infection	Harvest	Number	10 <sup>10</sup> vp/ml culture	10 <sup>4</sup> vp/cell	Ratio	10 <sup>10</sup> vp/ml culture
hCMV-FL-nef	Pool	1.11, 91%		60	1.5	1.4	50	2.8
(MRKAd5nef)	1		1.23, 75%				1	
	2		1.34,74%					<b></b>
mCMV-FL-nef	Pool	1.11, 91%		60	2.3	2.1	75	4.6
	1		1.49, 84%					
	2		1.18,77%	ľ				

20

25

30

15

## **EXAMPLE 27**

# Characterization and Large Scale Production of MRKAd5nef Virus in Bioreactors

Materials and Methods - The experiment of the present example was run twice under the following conditions: 36.5°C, DO 30%, pH 7.30, 150rpm agitation rate, no sparging, Life Technologies (Gibco, Invitrogen) 293 SFM II (with 6mM L-glutamine), 0.5M NaOH as base for pH control. During the first run (B20010115), two 10L stirred vessel bioreactors were inoculated with PER.C6® cells at a concentration of 0.2x106 cells/ml. Cells were grown until they reached a cell concentration of approximately 1x106 cells/ml. The cells were infected with uncloned MRKAd5nef (G2A,LLAA) at a MOI of 280 virus particles (vp)/cell. For the second batch (B20010202), the same procedure as the first run was used, except the cells

were infected with cloned MRAd5nef. During both runs, the bioreactors were harvested 48 hours post-infection. Samples were taken and virus concentrations were determined from whole broth (with triton lysis), supernatant, and cell pellets (3 X freeze/thaw) with the AEX and QPA assays. Metabolites were measured with BioProfile 250 throughout the process.

Table 20: Experimental Conditions

	1	
Temperature	36.5 ℃	
DO	30%	
PH	7.30	
Agitation	150 rpm	
Sparging	None	•

Table 21: Virus source used for experiments.

10

5

Run	Batch ID	Cloned/Uncloned MRKAd5nef	MOI (vp/cells)
#1	B20010115-1	Uncloned	280
	B20010115-2	Uncloned	280
#2	B20010202-1	Cloned	280
	B20010202-2	Cloned	280

Results - Table 22 and 23 show an the ability to scale up production of MRKAd5nef by growth in a bioreactor.

Table 22: Virus Concentration as measured by the AEX assay

5 1ai

Run	Batch ID	Cloned/Uncloned	Virus Concentration @ 48hpi (1x10 <sup>13</sup> vp/L)					
		MRKAd5nef	Supernatant	Clarified Lysate	Total	Triton Lysate		
#1	B20010115-1	Uncloned	0.72	3.26	3.98	5.76		
	B20010115-2	Uncloned	0.38	1.67	2.05	2.46		
#2	B20010202-1	Cloned	0.80	6.00	6.80	8.88		
	B20010202-2	Cloned	0.50	6.00	6.50	8.47		

Table 23: Virus Titers as measured by the QPA assay

Run	Batch ID	Cloned/Uncloned	Virus Concentration @ 48hpi (1x10 <sup>11</sup> TU/L)					
		MRKAd5nef	Whole Broth	Supernatant	Clarified Lysate	Total	Triton Lysate	
#1	B20010115-1	Uncloned	0.13	1.12	1.76	2.88	11.28	
	B20010115-2	Uncloned	0.14	0.73	1.54	2.27	5.86	
#2	B20010202-1	Cloned	0.14	0.97	1.62	2.69	11.89	
"-	B20010202-2	Cloned	0.14	1.17	1.70	2.97	12.47	

20

The present invention is not to be limited in scope by the specific embodiments described herein. Indeed, various modifications of the invention in addition to those described herein will become apparent to those skilled in the art

from the foregoing description. Such modifications are intended to fall within the scope of the appended claims.

## **EXAMPLE 28**

# MRKAd5HIV-1gag Boosting of DNA-Primed Animals

5

10

15

20

25

30

Groups of 3-5 rhesus macaques were immunized with (a) 5 mgs of V1Jns-Flgag (pVIJnsCMV(no intron)-FL-gag-bGHpA), (b) 5 mgs of V1Jns-Flgag formulated with 45 mgs of a non-ionic block copolymer CRL1005, or (c) 5 mgs of V1Jns-Flgag formulated with 7.5 mgs of CRL1005 and 0.6 mM benzalkonium chloride at weeks 0, 4, and 8. All animals received a single dose of 10e7 viral particles (vp) of the MRKAd5HIV-1gag at week 26. Note: 10e7 is too low to prime or boost effectively when used as a single modality (dose is selected to mimic preexposure to adenovirus); see Figure 32.

Blood samples were collected from all animals at several time points and peripheral blood mononuclear cells (PBMCs) were prepared using standard Ficoll method. The PBMCs were counted and analyzed for gamma-interferon secretion using the ELISpot assay (Table 24). For each monkey, the PBMCs were incubated overnight either in the absence (medium) or presence of a pool (called "gag H") of 50 20-aa long peptides that encompass the entire HIV-1 gag sequence.

The results indicate that MRKAd5HIV-1gag was very effective in boosting the T cell immune responses in these monkeys. At week 28 or 2 weeks after the viral boost, the number of gag-specific T cells per million PBMCs increased 2-48 fold compared to the levels observed at week 24 or 2 weeks prior to the boost.

The PBMCs were also analyzed by intracellular gamma-interferon staining prior to (at week 10) and after the MRKAd5gag boost (at week 30). The results for select animals are shown on Figure 31. The results indicate that (a) immunization with DNA/adjuvant formulation elicited T cell responses which can either be balanced, CD4<sup>+</sup>-biased or CD8<sup>+</sup>-biased, and (b) boosting with the MRKAd5gag construct produced in all cases a strongly CD8<sup>+</sup>-biased response. These results suggest that boosting with MRKAd5HIV-1gag construct is able to improve the levels of antigen-specific CD8<sup>+</sup> T cells.

45 82 8 E **₽**₽~~~ 97 4 8 4 956 1705 989 959 1915 836 1549 1229 285 285 825 827 827 22000 32828 85882 888 ត្ត <u>មិ</u> និ និ និ 88 5 5 E 8 75 76 89 40020 224 68 89 89 22 22 25 88 22 22 25 88 9-00-128 × 28 ± 284 135 36 36 36 36 2 8 2 8 는 8 85528 8 5 × 8 8 40四₹2 Number of SFChnillion PBMCs

Graf TeO, 4, 8 wts

Table 24, Boost Monks

Table 24, Monks

Ta 04020 OCIC AW3P AR8B AWZO CAAR CB68 CB5W CB5W MP8CAd5gag(E3+) 10^7 vp MFKAdSgzg(E3+) 10v7 vp DNA/5 mgs+ CRL1005/7.5 mgs + 0.6 mM BAK DNA/5mgs + CRL1005/45mgs NA, not available

#### EXAMPLE 29

# Construction of gagpol fusion for MRKAd5gagpol fusion constructs

The open reading frames for the codon-optimized HIV-1 gag gene was fused directly to the open reading frame of the IA pol gene (consisting of RT, RNAseH and integrase domains) by stepwise PCR. Because the gene (SEQ ID NO: 38) does not include the protease gene and the frameshift sequence, it encodes a single polypeptide of the combined size of p55, RT, RNAse H and integrase (1350 amino acids; SEQ ID NO: 39).

5

10

15

20

25

30

35

The fragment that extends from the BstEII site within the gag gene to the last non-stop codon was ligated via PCR to a fragment that extends from the start codon of the IApol to a unique BamHI site. This fragment was digested with BstEII and BamHI. Construction of gag-IApol fusion was achieved via three-fragment ligation involving the PstI-BstEII gag digestion fragment, the BstEII/BamHI digested PCR product and long PstI/BamHI V1R-FLpol backbone fragment.

The MRKAd5-gagpol adenovirus vector was constructed using the BglII fragment of the V1R-gagpol containing the entire ORF of gag-IApol fusion gene.

## EXAMPLE 30

Immunogenicity Studies in Non-Human Primates

Cohorts of three (3) macaques were immunized with 10e8 or 10e10 viral particles (vp) of one of the following MRKAd5 HIV-1 vaccines: (1) MRKAd5gag; (2) MRKAd5pol; (3) MRKAd5nef; (4) a mixture containing equal amounts of MRKAd5gag, MRKAd5pol, and MRKAd5nef, or (5) a mixture of equal amounts of MRKAd5gagpol and MRKAd5nef. The vaccines were administered at weeks 0 and 4.

The T cell responses against each of the HIV-1 antigens were assayed by IFN-gamma ELISpot assay using pools of 20-aa peptides that encompass the entire protein sequence of each antigen. The results (Table 25) are expressed as the number of spot-forming cells (sfc) per million peripheral blood mononuclear cells (PBMC) that respond to each of the peptide pools.

Results indicate the following observations: (1) each of the single gene constructs (MRKAd5gag, MRKAd5pol, or MRKAd5nef) is able to elicit high levels of antigen-specific T cells in monkeys; (2) the single-gene MRKAd5 constructs can be mixed as a multi-cocktail formulation capable of eliciting very broad T cell responses against gag, pol, and nef; (3) the MRKAd5 vector expressing the fusion

protein of gag plus IA pol is capable of inducing strong T cell responses to both gag and pol.

Table 25. Evaluation of Mixtures of MRKAd5 vectors expressing humanized

5

10

Grp#	ag, pol, gagpol, nef in rhesus maca Vaccine	Monk#		T=6 wks				
	T=0, 4 wks	1 [	Mock	Gag H	Pol - 1	Pol-2	Nef	
1	MRKAd5 gag	CB9V	0	15	-	-	-	
. 1	10^10 vp	CD19	0 .	374	-	•	-	
	·	109H	1	843	-	-	-	
2	MRKAd5 gag	99D130	1	948	•	•	-	
ļ	10^8 vp	W277	16	324	-	•	-	
ŀ		143H	4	595	-	-	•	
3	MRKAd5 pol	CC1X	4		46	256	-	
·	10^10 vp	AW3W	3	-	463	550	-	
	·	AV43	6	-	95	1333	-	
4	MRKAd5 pol	AW38	1	<del> </del>	19	30	-	
į	10^8 vp	CC8K	0	-	50	995		
	•	CC21	1	-	33	436	•	
5	MRKAd5 nef	076Q	9	-	-	•	1204	
-	10^10 vp	091Q	4	•	-		85	
		083Q	0	i -	-	•	176	
6	MRKAd5 nef	00C029	1	-	-	-	114	
	10^8 vp	98D022	6	1 -	-	-	170	
ļ		98D160	3	-	-	-	198	
7	MRKAd5gag+MRKAd5pol+MRKAd5nef	99D251	3	206	15	193	120	
	10^10 vp each	05H	3	135	21	9	638	
		00C016	3	26	4	51	23	
8	MRKAd5gag+MRKAd5pol+MRKAd5nef	99D215		171	18	193	240	
	10^8 vp each	81H	5	73	6	14	243	
		12H	8	1140	115	811	719	
9	MRKAd5gagpol +MRKAd5 nef	99D211	0	83	56	838	725	
	10^10 vp each	22H	4	385	119	1194	1915	
		61H	4	343	11	765	853	
10	MRKAd5gagpol +MRKAd5 nef	34H	3	78	19	5	75	
	10^8 vp each	48H	1	65	105	46	43	
		70H	5	158	15	220	191	

Indicated are numbers of spot-forming cells per million PBMCS against the peptide pools. Mock, no peptides; gag H, fifty 20-aa peptides encompassing p55 sequence; pol-1, 20-aa peptides representing N-terminal half of IA pol; pol-2, 20-aa peptides representing the carboxy-terminal half of IA pol; nef, 20-aa peptides encompassing the entire wild-type nef sequence. Responses to the antigens prior to the first immunization did not exceed 40 sfc/10^6 PBMC.

## WHAT IS CLAIMED IS

10

A recombinant adenoviral vaccine vector at least partially deleted in
 E1 and devoid of E1 activity, comprising:

- a) an adenovirus cis-acting packaging region corresponding to from about base pair 1 to between from about base pair 400 to about base pair 458 of a wildtype adenovirus genome; and
- b) a gene encoding an HIV protein or immunologically relevant modification thereof.
- 2. A vector in accordance with claim 1 comprising a packaging region corresponding to from about base pair 1 to about base pair 450 of a wildtype adenovirus genome.
- 3. A vector in accordance with claim 1 further comprising nucleotides
   15 corresponding to between from about base pair 3511 to about 3524 to about base pair
   5798 of a wildtype adenovirus genome.
  - 4. A vector in accordance with claim 3 comprising base pairs corresponding to 1-450 and 3511-5798 of a wildtype adenovirus genome.
- 5. A vector in accordance with claim 4 which is deleted of base pairs451-3510.
  - 6. A vector in accordance with claim 1 which is at least partially deleted in E3.
  - 7. A vector in accordance with claim 6 wherein the E3 deleted region is from base pairs 28,133-30,818.

8. A vector in accordance with claim 1 wherein the gene encoding the HIV protein or modification thereof comprises codons optimized for expression in a human.

- 9. A vector in accordance with claim 1 wherein the vector comprises a5 gene expression cassette comprising:
  - a) a nucleic acid encoding a protein;
  - b) a heterologous promoter operatively linked to the nucleic acid encoding the protein; and
    - (c) a transcription termination sequence.
- 10. A vector in accordance with claim 9 wherein the gene expression cassette is inserted into the E1 region.
  - 11. An adenoviral vector in accordance with claim 9 wherein the gene expression cassette is in an E1 parallel orientation
- 12. An adenoviral vector in accordance with claim 9 wherein the geneexpression cassette is in an E1 antiparallel orientation.
  - 13. An adenoviral vector in accordance with claim 9 wherein the promoter is a cytomegalovirus promoter devoid of intronic sequences.
  - 14. An adenoviral vector in accordance with claim 13 wherein the promoter is an immediate early human cytomegalovirus promoter.
- 20 15. An adenoviral vector in accordance with claim 9 wherein the promoter is a murine cytomegalovirus promoter.
  - 16. An adenoviral vector in accordance with claim 9 wherein the transcription termination sequence is a bovine growth hormone polyadenylation and transcription termination sequence.

17. An adenoviral vector in accordance with claim 9 wherein the transcription termination sequence is a synthetic polyadenylation signal (SPA).

- 18. A cell comprising the adenoviral vector of claim 1.
- 19. Recombinant, replication-defective adenovirus particles harvested
  and purified subsequent to transfection of the adenoviral vector of claim 1 into a cell
  line which expresses adenovirus E1 protein at complementing levels.
  - 20. An HTV vaccine composition comprising purified adenovirus particles of claim 19.
- 21. An HIV vaccine composition of claim 20 which comprises aphysiologically acceptable carrier.
  - 22. A method of producing recombinant, replication defective adenovirus particles containing the adenoviral genome of the adenoviral vector of claim 1 which comprises introducing the adenoviral vector into a host cell which expresses adenoviral E1 protein, and harvesting the resultant recombinant, replication-defective adenovirus.
  - 23. A method according to claim 22 wherein the cell is a PER.C6® cell.

15

- 24. A method of generating a cellular-mediated immune response against HIV in an individual comprising administering to the individual a vaccine of claim 21.
- 25. A method according to claim 24 which further comprises administration to the individual a DNA plasmid vaccine, optionally administered with a biologically effective adjuvant, protein or other agent capable of increasing the immune response.

26. A method according to claim 25 wherein the DNA plasmid vaccine is administered to the individual prior to administration of an adenovirus vaccine.

- 27. A method according to claim 24 wherein the adenovirus vaccine is
   5 preceded by an adenovirus vaccine of a different serotype.
  - 28. A method according to claim 24 which comprises administering and readministering the adenovirus vaccine vector to the individual.
  - 29. An adenoviral vector in accordance with claim 1 wherein the HIV protein is HIV gag or an immunologically relevant modification thereof.
- 30. An adenoviral vector in accordance with claim 9 wherein the gene expression cassette comprises an open reading frame encoding an HIV gag protein or immunologically relevant modification thereof.
  - 31. A recombinant adenoviral vaccine vector at least partially deleted in E1 and devoid of E1 activity, comprising:
- a) an adenovirus *cis*-acting packaging region corresponding to from about base pair 1 to about base pair 450 and from about 3511 to about 5798 of a wildtype adenovirus genome, and deleted for base pairs corresponding to from about base pair 451 to from about base pair 3510 of a wildtype adenovirus genome; and
  - b) a gene expression cassette comprising
    - i) SEQ ID NO: 29;
    - ii) a heterologous promoter operatively linked to i); and
    - iii) a transcription termination sequence.

32. An adenoviral vector in accordance with claim 31 wherein the gene expression cassette is in an E1 parallel orientation.

- 33 An adenoviral vector in accordance with claim 31 wherein the gene expression cassette is in an E1 antiparallel orientation.
- 34. An adenoviral vector in accordance with claim 31 wherein the promoter is a cytomegalovirus promoter devoid of intronic sequences.

5

- 35. An adenoviral vector in accordance with claim 31 wherein the transcription termination sequence is a bovine growth hormone polyadenylation and transcription termination sequence.
- 36. An adenoviral vector in accordance with claim 31 which is at least partially deleted in E3.
  - 37. A cell comprising the adenoviral vector of claim 30.
  - 38. Recombinant, replication-defective adenovirus particles harvested and purified subsequent to transfection of the adenoviral vector of claim 30 into a cell line which expresses adenovirus E1 protein at complementing levels.
  - 39. An HIV vaccine composition comprising purified adenovirus particles of claim 38.
  - 40. An HIV vaccine composition of claim 39 which comprises a physiologically acceptable carrier.
- 41. A method of producing recombinant, replication defective adenovirus particles containing the adenoviral genome of the adenoviral vector of claim 30 which comprises introducing the adenoviral vector into a host cell which expresses adenoviral E1 protein, and harvesting the resultant recombinant, replication-defective adenovirus.

42. A method according to claim 41 wherein the cell is a PER.C6® cell.

43. A method of generating a cellular-mediated immune response against HIV in an individual comprising administering to the individual a vaccine of claim 21.

5

15

- 44. A method according to claim 43 which further comprises administration to the individual a DNA plasmid vaccine, optionally administered with a biologically effective adjuvant, protein or other agent capable of increasing the immune response.
- 45. A method according to claim 44 wherein the DNA plasmid vaccine is administered to the individual prior to administration of an adenovirus vaccine.
  - 46. A method according to claim 43 wherein the adenovirus vaccine is preceded by an adenovirus vaccine of a different serotype.
  - 47. A method according to claim 43 which comprises administering and readministering the adenovirus vaccine vector to the individual.
    - 48. An adenoviral vector in accordance with claim 1 wherein the HIV protein is HIV pol or an immunologically relevant modification thereof.
  - 49. An adenoviral vector in accordance with claim 9 wherein the gene expression cassette comprises an open reading frame encoding an HIV pol protein or immunologically relevant modification thereof.
    - 50. A recombinant adenoviral vaccine vector at least partially deleted in E1 and devoid of E1 activity, comprising:

a) an adenovirus cis-acting packaging region corresponding to from about base pair 1 to about base pair 450 and from about 3511 to about 5798 of a wildtype adenovirus genome, and deleted for base pairs corresponding to from about base pair 451 to from about base pair 3510 of a wildtype adenovirus genome; and

5

10

- b) a gene expression cassette comprising
  - i) a nucleotide sequence selected the group consisting of SEQ ID NO: 1, SEQ ID NO: 5 and SEO ID NO: 7:
  - ii) a heterologous promoter operatively linked to i); and
  - iii) a transcription termination sequence.
- 51. An adenoviral vector in accordance with claim 50 wherein the gene expression cassette is in an E1 parallel orientation.
- 52. An adenoviral vector in accordance with claim 50 wherein the gene expression cassette is in an E1 antiparallel orientation.
- 53. An adenoviral vector in accordance with claim 50 wherein the promoter is a cytomegalovirus promoter devoid of intronic sequences.
- 54. An adenoviral vector in accordance with claim 50 wherein the transcription termination sequence is a bovine growth hormone polyadenylation and transcription termination sequence.
- 55. An adenoviral vector in accordance with claim 50 which is at least partially deleted in E3.
  - 56. A cell comprising the adenoviral vector of claim 49.

57. Recombinant, replication-defective adenovirus particles harvested and purified subsequent to transfection of the adenoviral vector of claim 49 into a cell line which expresses adenovirus E1 protein at complementing levels.

- 58. An HIV vaccine composition comprising purified adenovirus5 particles of claim 57.
  - 59. An HIV vaccine composition of claim 58 which comprises a physiologically acceptable carrier.
  - 60. A method of producing recombinant, replication defective adenovirus particles containing the adenoviral genome of the adenoviral vector of claim 49 which comprises introducing the adenoviral vector into a host cell which expresses adenoviral E1 protein, and harvesting the resultant recombinant, replication-defective adenovirus.

10

15

- 61. A method according to claim 60 wherein the cell is a PER.C6® cell.
- 62. A method of generating a cellular-mediated immune response against HIV in an individual comprising administering to the individual a vaccine of claim 59.
  - 63. A method according to claim 62 which further comprises administration to the individual a DNA plasmid vaccine, optionally administered with a biologically effective adjuvant, protein or other agent capable of increasing the immune response.
  - 64. A method according to claim 63 wherein the DNA plasmid vaccine is administered to the individual prior to administration of an adenovirus vaccine.

65. A method according to claim 62 wherein the adenovirus vaccine is preceded by an adenovirus vaccine of a different serotype.

- 66. A method according to claim 62 which comprises administering and readministering the adenovirus vaccine vector to the individual.
- 5 67. An adenoviral vector in accordance with claim 1 wherein the HIV protein is HIV nef or an immunologically relevant modification thereof.
  - 68. An adenoviral vector in accordance with claim 9 wherein the gene expression cassette comprises an open reading frame encoding an HIV nef protein or immunologically relevant modification thereof.
  - 69. A recombinant adenoviral vaccine vector at least partially deleted in E1 and devoid of E1 activity, comprising:

10

15

20

- a) an adenovirus *cis*-acting packaging region corresponding to from about base pair 1 to about base pair 450 and from about 3511 to about 5798 of a wildtype adenovirus genome, and deleted for base pairs corresponding to from about base pair 451 to from about base pair 3510 of a wildtype adenovirus genome; and
- b) a gene expression cassette comprising
  - i) a nucleotide sequence selected the group consisting of SEQ ID NO: 9, SEQ ID NO: 11, SEQ ID NO: 13 and SEQ ID NO: 15;
  - ii) a heterologous promoter operatively linked to i); and
  - iii) a transcription termination sequence.
- 70. An adenoviral vector in accordance with claim 69 wherein the gene expression cassette is in an E1 parallel orientation.

71. An adenoviral vector in accordance with claim 69 wherein the gene expression cassette is in an E1 antiparallel orientation.

- 72. An adenoviral vector in accordance with claim 69 wherein the promoter is a cytomegalovirus promoter devoid of intronic sequences.
- 73. An adenoviral vector in accordance with claim 69 wherein the transcription termination sequence is a bovine growth hormone polyadenylation and transcription termination sequence.
  - 74. An adenoviral vector in accordance with claim 69 which is at least partially deleted in E3.
    - 75. A cell comprising the adenoviral vector of claim 68.

10

15

20

- 76. Recombinant, replication-defective adenovirus particles harvested and purified subsequent to transfection of the adenoviral vector of claim 68 into a cell line which expresses adenovirus E1 protein at complementing levels.
- 77. An HIV vaccine composition comprising purified adenovirus particles of claim 76.
  - 78. An HIV vaccine composition of claim 77 which comprises a physiologically acceptable carrier.
  - 79. A method of producing recombinant, replication defective adenovirus particles containing the adenoviral genome of the adenoviral vector of claim 68 which comprises introducing the adenoviral vector into a host cell which expresses adenoviral E1 protein, and harvesting the resultant recombinant, replication-defective adenovirus.
  - 80. A method according to claim 79 wherein the cell is a PER.C6® cell.

81. A method of generating a cellular-mediated immune response against HTV in an individual comprising administering to the individual a vaccine of claim 78.

- 82. A method according to claim 81 which further comprises

  5 administration to the individual a DNA plasmid vaccine, optionally administered with
  a biologically effective adjuvant, protein or other agent capable of increasing the
  immune response.
- 83. A method according to claim 82 wherein the DNA plasmid
  vaccine is administered to the individual prior to administration of an adenovirus
  vaccine.
  - 84. A method according to claim 81 wherein the adenovirus vaccine is preceded by an adenovirus vaccine of a different serotype.
  - 85. A method according to claim 81 which comprises administering and readministering the adenovirus vaccine vector to the individual.
- recombinant, replication-defective adenovirus particles, wherein the adenovirus particles are harvested and purified from a cell line expressing adenovirus E1 protein, and wherein the particles are harvested subsequent to transfection of the cells with an adenoviral vector or vectors in accordance with claim 9; said vector(s) comprising a gene expression cassette or cassettes comprising nucleotide sequences encoding HIV proteins selected from the group consisting of:
  - a) gag, pol, and nef, expressed independently from three individual vectors;

 b) gag, pol, and nef, expressed independently from one vector with the encoding nucleic acid sequences operatively linked to distinct promoters and transcription termination sequences;

- c) gag, pol, and nef, expressed via two vectors, one expressing a polnef fusion, and another expressing gag;
  - d) gag, pol, and nef, expressed via two vectors, one expressing a gagpol fusion and another expressing nef;
  - e) gag, pol and nef, expressed via two vectors, one expressing a nefgag fusion and another expressing pol;
  - f) gag, pol, and nef, expressed via one vector expressing a gag-polnef fusion;
  - g) gag and pol, expressed independently from two individual vectors;
  - h) gag and pol, expressed independently from one vector with the encoding nucleic acid sequences operatively linked to distinct promoters and transcription termination sequences;
  - i) pol and nef, expressed independently from two individual vectors;
  - j) pol and nef, expressed independently from one vector with the encoding nucleic acid sequences operatively linked to distinct promoters and transcription termination sequences;
  - k) nef and gag, expressed independently from two individual vectors;
  - nef and gag, expressed independently from one vector with the encoding nucleic acid sequences operatively linked to distinct promoters and transcription termination sequences;
  - m) gag and pol, expressed via one vector expressing a gag-pol fusion;

5

10

15

20

n) pol and nef, expressed via one vector expressing a pol-nef fusion; and

- o) nef and gag, expressed via one vector expressing a nef-gag fusion.
- 87. A multivalent adenovirus vaccine composition in accordance with claim 86 wherein the gag-pol fusion consists of SEQ ID NO: 39.
  - 88. A multivalent adenovirus vaccine composition in accordance with claim 86 wherein the fused sequences have the encoding nucleic acid sequences operatively linked to distinct promoters and transcription termination sequences.
- 89. A multivalent adenovirus vaccine composition in accordance with

  10 claim 86 wherein the fused sequences have the encoding nucleic acid sequences

  operatively linked to a single promoter; and the encoding nucleic acid sequences

  operatively linked by an internal ribosome entry sequence ("IRES").

#### Original Adenovector Construct:




Figure 1: Original HIV-1 gag adenovector.

#### Sequence of the open reading frame for FL-gag (human codon optimized)

atgggtgctagggcttctgtgctgtctggtggtgagctggacaagtgggagaagatcaggctgaggcctggtgg caagaagaagtacaagctaaagcacattgtgtgggcctccagggagctggagaggtttgctgtgaaccctggc agctgaggtccctgtacaacacagtggctaccctgtactgtgtgcaccagaagattgatgtgaaggacaccaag gaggccctggagaagattgaggaggagcagaacaagtccaagaagaaggcccagcaggctgctgctggc acaggcaactccagccaggtgtcccagaactaccccattgtgcagaacctccagggccagatggtgcaccag gecatetecceggaccetgaatgeetgggtgaaggtggaggagaaggeetteteccetgaggtgateee catottctctqccctgtctgagggtgccacccccaggacctgaacaccatgctgaacacagtgggggggccatc aggetgecatgeagatgetgaaggagaecateaatgaggaggetgetgagtgggacaggetgeateetgtge acgctggccccattgcccccggccagatgagggagcccagggggctctgacattgctggcaccacctccaccct ccaggagcagattggctggatgaccaaccaccccccatecctgtgggggaaatctacaagaggtggatcat ccttcaqqqactatgtggacaggttctacaagacctgagggctgagcaggctcccaggaggtgaagaact ggatgacagagaccctgctggtgcagaatgccaaccctgactgcaagaccatcctgaaggccctgggccctg ctoccaccttggaggagatgatgacagctgccagggggtggggggccttggtcacaaggccagggtgctg gctgaggccatgtcccaggtgaccaactccgccaccatcatgatgcagaggggcaacttcaggaaccagag gaagacagtgaagtgcttcaactgtggcaaggtgggccacattgccaagaactgtagggcccccaggaaga ggcaaaatctggccctcccacaagggcaggcctggcaacttcctccagtccaggcctgagcccacagccct ageigiaeceeciggeeicecigaggieceigttiggeaacgaeceeleeleecaglaaaalaaageecgggea gat (SEQ ID NO: 29)

Figure 2

# Old Transgene: New Transgenes: RCMV INITION A GAG BGH PA RCMV GAG BGH PA RCMV GAG SPA

Figure 3: Diagrammatic representation of the original HIV-1 gag transgene and the series of new transgene constructions.

GAG




Figure 4: Modifications made to the current adenovector backbone in the generation of the new vector.




Figure 5: Virus mixing experiments to determine the effects of the addition made to the packaging signal region (Expt #1) and analysis of the effects of the E3 gene on viral growth (Expt. #2). The red bars denote the region of modifications made to the E1 deletion.



Figure 6: Autoradiograph of viral DNA analysis following viral mixing experiments (expts. #1 and #2) as detailed in the text.




Figure 7A: hCMV-FLgag-bGHpA adenovectors constructed within the \*MRK\* backbone. E1 parallel and E1 antiparallel transgene orientation within the E3- and E3+ backbones were constructed.




Figure 7B: hCMV-FLgag-SPA adenovectors constructed within the "MRK" backbone. E1 parallel and E1 antiparallel transgene orientation within the E3- and E3+ backbones were constructed.




Figure 7C: mCMV-FLgag-bGHpA adenovectors constructed within the \*MRK\* backbone. E1 parallel and E1 antiparallel transgene orientation within the E3- and E3+ backbones were constructed.

#### Plasmid mixing expt: (orientation)




Figure 8A: Effect of transgene orientation

#### Plasmid Mixing expt: (poly A signal)




Figure 8B: Effect of polyadenylation signal



Figure 9: Viral DNA from the four Adgag candidates at P5, following BstE11 digestion.




Figure 10: Viral DNA analysis of passage 11 and/or 12 of MRKHVE3, MRKAd5gag and MRKAd5gag(E3-).




Figure 11: Viral DNA analysis (*Hin*dIII digestion) of passage 6 MRKHVE3 and MRKAd5gag used to initiate the viral competition study. Last two lanes are passage 11 analysis of duplicate passages of the competition study (each virus at MOI 280 vp).





Figure 12: Viral DNA analysis by *HindIII* digestion on high passage numbers for MRKAd5gag in serum containing media with collections made at specified times. The first lane shows the 1 Kb DNA size marker. The other lanes represent pre-plasmid control (digested with Pac1 and *HindIII*), and MRKAd5gag virus continually passaged to P16, P19 and P21(serum containing media).

Figure . Serum anti-p24 Levels at 3 Wks post i.m. immunization of balb'e mice (n=10) with Varying Doses of Several Adgag constructs: (A) MRKAd5gag (through passage 5): (B) MRKAd5 E3 hCMV-FLgag-bGHpA; (C) MRKAd5 E3 hCMV-FLgag-SPA; (D) MRKAd5 E3 mCMV-FLgag-bGHpA; (D) research Lot (293 cell-derived) of Ad5HIV-lgag; and (F) clinical lot (Ad5gagFN0001) of Ad5HIV-lgag. Reponed are the geometric mean titers (GMT) for each cohort.






Figure 14

TCATGGTAGAT CCTATAGTA CATTAGETTCA GTANTCANGT AATCACCTAT TINCTOCATA AGTACATOTA CCATCCGCAC כוכופטכנייי CACTATAGAGAGG CHECARTERIA CCATATCAT ATAGTATACO CCACCACTAC CACCITATION 2 TATCATATY **COTANA COTA** TOGAGGICCC GOTCTACCAC TOTOCACC AGGCCTTCTG COGTAMARGC COTTTACCTO ATCCAACATA ATTACGGGGT TAATGCCCCA ACATCAAGTO TOTACTTCAC **GGATGAACCO** DATTTCCAND CTANAGGTTC COTITIACCCO GOAGGTCCCT ACCEPTICAG ACCTCCAGO בכנינונכניבכם ACTOCANANA OCCATITION GCANATGCAC TACGITICITAT TOACGECAAT ACTOCAGITA CCTACTTOGC CTCCATAGA GAGGTATCTT TCCCCAAGAC TCCGAGACTC ATTOROGOGO TGACGITTIT **GCANATICOGC** CCTCCAGGGA CATTCTAAAC GGACTTTRAAC CCTCAMCTO ATCCATTICCA GROCCOCOTA ATCCCACTIT COCOTANCTO CIGITATIOAC CACAAAACTO TRANSATICTAE CATOGOTOCT GTACCCACGA ATTICTICTICOG TANCACACCC CCCTGCAMC COGACOTITO CCTGGAGAAG CONTROLLEG GGACCINCTIC ATTOTOTOCAGA TAACACGTCT TACCTACCT ATAGTAATCA TATCATTAGE CCCCOCCCAT TOMOGRACA TACCCTIGANA GACTICACOOD CTGAGTGCCC CCCCATTGAC CTCCCNNNG CACCOTITIC **STANGATITIS** ACTTOCCACT AAACACTGCA THRETCACHT GANCTACCCC TATCCCCANA ACATGACCTT AACAACTCCO ACTETAGATE GAGCTCGGGA ろいだいというと TOTAL AGRICCATOG TCCCGGCGCC CTTXXCCTTT TATTATTATA GACCCCCCC CTACTTATTA GATCAATAAT GCCCAACGAC CGGGTTGCTG TANACTOCCC ATTITISACTIO TOTACTOOM ATAGGGGGTTT TTGTTGAGG GCCATCCACG GECAGICTAG COGACCICTG COGTAGGIGC GCTAAAGCAC CGATTTCGTG CTCCAGCCCT CTTCATCOGG CONTRACTAG נירניכאניכדכ CARCITAACCGA CCATATTICATE 2000000000 CCANARAGAC CANCERCAMA ATANTANTAT GCCTVXANGAC TAGRETACAT GTAMTTING TATKY SCREAT TATAAACAGA CTATITACIA TACCCCACACC CHTACT:AACAG CACCACITICAC ACCANCITACAA באיאמידית איבאנאפעיד AACACATGTA CATTFAAAACC ATATTTGTCT TCATTATICA ACTAATAACT CTRACTATION CACCCIACTOR CATANATIAC TATGCCCAGT ATACCCCATCA ATGGGGCTTTTCG AAAATGTCGT TITTACAGCA TYTHICARIT CCTCCCCAG CATACCCCACTIC CTTT. ANTALACA CACTRICATOR ACATACTICCCA ATGATAATGA TACTATTACT TTACCGGGG AACTICACRC TACAACTGTA CCCGACCCTA CAGTACATEA GTCATYTAGT CCCTGAAAGG ניבטוביאטעוב COGATTCCCC GCCTAACACG COTTOTOTOTO CCACCGTTCT CCAGCCAGAT CONCOUNTER CANCATTRIAT CTINTANCTA GRATUITICIA ANTRACCICAC ANTORGENISA CAGGACTITICC TANCTICANT ACTIVE STATION ACTITATION TCACACCCCC CCTACAACAT ATACATICITA ATCHICACAT TTACCCACCT CCCCTTCCCAT ACCGRUTCE OFMCTGCAG CCCCTTTTCC CAAAACCGTG GTTTTAGTTG CCACTCCOCA **TETCAGGGGT** TATTTRACAT ATAAAACCTA TON TOTAL COTTTTACC CCANANTCCG PUTCHTACTC **ACACAATGAG** CCCCCCCTCAAA GCCCAGTTT CATTACCGCC **GTANTG**GGG ACTITACGGTA TCAATOCCAT CATTRIACRITE CTAAATOGCC CATTTACCOS OCTACCACTA COCCANANCC CANATCANC GTTTAGTGAA CCAGATATAT TEGTETEGAG CANATEACTT CATTOONICS CCCTTGCCAC GTAACCTTGC **OCTONOCICE** ACACTCCCCA CHCTVXCACCA CACACCTROFT TOTACACIC ACTACAACGT recetowad ACCAGAGETE TOGGACATGA MACKECOCIA **OTCAATGACG** CCATCCTCAT CTTTTOOCAC GOGAACGGTG AGAAGATCAG TCTTCTAGTC **GCTOGAGACC** ACCURATACT APPRICATE TCCGACGACG **GCGTTACATA** COACCTCTOO TAMARGERY ACTITATION TCATGTCCAA COCMATGTAT AGGGACTITIC CAGTTACTOC ATTATATATA ההכסואתיחה CCCCCTTCAC ATTITION TCAATAATT THECOCHE AGTACAGGIT TAATATAT **GTGTCACCGA** ANGOCCCAGC TICCONSTCO ATTOCOUTTA CCCTATTGAC ATCCCTATTA TACCGATAAT ATCOCACTTT TACCCTCAAA **GGTCTATATA** GACAAGTGGG TOCCACCOCA **NACTGANATC** AGAGTCCACA ATATACCO ATCOACTICC TACCITCANGO TAACGCCAAT GOCATAACTO בעכנסכספככ GACCCCCCCC CHOPPICACCC ACCUTODOCT CACAGTOGCT COAAGTCACA CCTTCACTGF TICACTITAG TTATATTGGC TTCTTAATTA ACATCATCAA TREPARTACITY CATCATCACA **TETEAGGIGT** GTAGTAGTGT ATGCCACCCT GANTAAGAGG **TATACATIGTA** VTCGGGTATA GITCCCATAG CCCTOTACAA CAGGITCTIC CCCCCACTG DOTOTACACA CCACATGTOF GTCCACAAAA PAGCCCATAT CAAGGGTATC CAAGTACOCC GITCATGCGG COTATTAGT **SCATARTCAG** NTCACCICA **PACTOCADT** PACCOTOCOGA CCGATCCAGC DOCTAGGTCG NOTCAGCTG **ACCACTCOAC** TTOCTOTOA MACGACACT **JOGACATOTT** DICCARRANG CTTAINCTOC **NTATGTACAT** ANCIANTINAT PACCOCOTORC CAGGIGITIT 1301 1401 1501 901 1001 1101 1201 1601 501 601 701 108 101 201 301 401

Figure ISA

### PNRKAITGAM WERGB2

1701	CACCAGGCCA	Telececes	GACCCTTCAAT	CCCTATACTICA	Aritharina;A	ראוארות	MONGOGAN	ACCACTAGGG	GTACAAGAGA	CCARTACAGA
100	and and a second		ATTACANCE OF	Transfer Ar. Ar.	J. K. C. C. E. M. J. C.	CATENCAGE	CCATCACAT	GCTGAAGGAG	ACCATCAATG	ACKRACACETTS
7007	TCCCACGGTG	0	GACTTOTATE	ACTINITY ACTION	PCNTTYCO:G	נידואר:די:ריהאנ:	<b>PETACGTUTA</b>	CGACTICCTC	TOGTACTTAC	TOCTROCTAR
1901	TGACTGGGAC	•	CTYCHYCACK	PRACICCANT	נשניגנינוניניניני	אייאריאראיא	CACCAGGAAC	TCTGACATIVE	CTORCACCAC	CTCCACCC
	ACTOACCOTO	_	GACACTETTA	ACCERRITA	לוש'א לשיו ה'ניל	11.7M. 1Ct. T	רייינורייני	אפארוטוואטע	CACCOLOGIC	
2001	CAGGAGCAGA	AACCGACCTA	CHOCHINETIC	CCCCCATCC	CACACCCCT	THAGATGTTC	TCCACCTAGE	AGGACCCGGA	CTIVITICAM	CACTCCTAC
2101	ACTUCUCUAG	U	GACATCACRC	ACXXXTCCCAA	משננינדדנ	ARCCARTATG	TGGACAGGTT	CTACAAGACC	CTGAGGGCTG	AGCANGCCT
	TOAGGGGGTG	O	CTGTACTCCG	recedent	CCTCCCACAAG	TCCCTVSATAC	ACCTGTCCAA	GATGTTCTGG	GACTCCCGAC	TCOTTCOGA
2201	CCAGGAGGTG	-	TCACAGAGAC	CCTGCTGGTG	CAGAATGCEA	ACCETINCTG	CANGACCATC	CTGAAGGCCC	TOGRECCTOC	TOCCACCCT
	OGTECTECAC	TICTIOACCT	ACTOTICIO	GGACGACCAC	CHCTTACKCT	TOCHACTONO	GFTCTGGTAG	ONCINCOOC	ACCCCCCCACC	ACCONGCOM
2301	DAGGAGATCA	TOACACCCTG	CCACCTCCTC	GRACCARCARC	CHILACAARGC	CARRETRETE	OCTOBAGARCEA PGACTECTORST	TOTCCCAGGT ACAGGGGTCCA	CHOOTICAGO	COCHICATIC
2401	TOPICATEDO	K C	AGNAACTAGA	GENACACACT	CAACTECTIC	AACTGTGCA	AGGTGGGCCA	CATTGCCANG	AACTGTAGGG	CCCCCAAAAA
70.7	ACTACOTOTIC	, 0	rcc ricore r	CCTTCTGTCA	CTTCACGAAG	THINCACCUT	TCCACCCAGT	GTAACGGTTC	TTGACATCCC	оспастсет
2501	GAACARGETER	-	GCANGGANGG	CCACCAGATG	ANCHALTECA	ATGAGAGACA	GCCCARCTTC	CTCCCCAAAA	retooccere	CCACAAGG
1	CTTCCCGACO	•	CONTROCTICC	REPOSTETAC	TECHGACGT	TACTCTCCCT	CCGGTTGAAG	OACCCONTIT	AGACCOOGAG	OCTUTACCC
2601	AGGCCTGGCA	ACTICCICCA	GTCCAGGCCT	GAGCCCACAG	CCCCTCCCGA	COAGICCTIC	AGGITTICORO	AGGAGAAGAC	CACCCCCAGC	CACINACICAR
1	TCCGGACCGT	-	CAGGITCCGGA	CTCCCCTGTC	CCXCAGGGCT	CCTCAGGANG	TCCAACCCC	recterren	GTGGGGGTCG	(FICTIOGIC)
									-	
2701	AGESCATTGA	CAAGGAGCTG	TACCCCCTTIO	CCTCCCTGAG	<b>GRCCC115TTT</b>	CHICAAMTIACC	CCTCCTCCCA	<b>GTANNITAAA</b>	<b>GCCCGGGCAG</b>	Anchochen
	TCGGGTAACT	0	ATCCCCCACC	הנואמממשכדכ	CAGGGGACAAA	CCGPTCKTTGG	COARCAROGT	CATITITATIT	coocccotc	TACACCACA
2801	CCTTCTAGT	ט	16 morniec	ככבובככבבפ	TRECTICETT	GACCCTGGAA	<b>CIGHYCCACTC</b>	CCACTGICCT	TTCCTAATAA	ANTCHOON
1	CICANGATCAN	U	ACANCANACG	GCCAGGGGGCC	ACCICANGGAN	CTGGGACCTT	CCACGGTGAG	<b>GCTCACAGGA</b>	AAGGATTATT	TIACTOCTT
		•								Sirki
2901	THEATTER	TIGHT HOAGE	AGGTGTCATT	CTATTCTOO	COSTCOSTS	CHECKIENCA	GCAAGGTTTA	<b>GCATTOOGAA</b>	GACAATAGCA	GCX:ATCACTCA
; ;	AACCTAGCGT		TCCACAGTAA		CCCACCCCAC	cccencens	correceer	CCTANCCCTT	CTGTTATCGT	CCCTACGAC
			Pwi	70						
,				***************************************				2424444	Practitation of the second	CHTATGEAG
3001	GTATOCOOTO	OCCUCATATOO	CCCATCGGCG	CCCCCTACTG	AAAHGHATAS	CASCACCOMAT	TECCACCETT	TCTTATATAT	TCCACCCCCA	CONTACATE
		,							Sphi	
וחור	SALL SALES	THITTE	מכנישכנישכנים	CCAtv:/wac.hr	CAACTECTOTE	GATGGAAACA	THISTRANCTC	ATATTTCACA	ACOLOCIATO	CCCCATAGG
	AAACATAGAC	•	2002002003	COTACTOR	GTTGACKCAAA	CTACCTTUST	AACACTCGAG	TATAAACTOT	TUCCICOTACO	<b>COCCTACON</b>
1001			TANK TYCAG	CATICATEST	دوردردرويدر	TERCOPEANA	CTCTACTACC	TTRACCTACG	AGACCGTGTC	TOCAACCCC
1 2 3		, (				Acceptance	CACATGATES	MCTCGATCC	TCTCCCACAG	ACCITICOCO

figure 158

# PHRKAdSgag MERG82

3301	THOOMGACTC	PHODAGACTIC CARCETECES	CACCICITATA	מעיינין אייה	וארומריות ליוואה ברארייםרים		ACTIVIACTIVIA	בייון זין ארווין	וירוציוזעא	AAC/4114C/A11
	MCCTCTGAC	<b>GTCGGAGGCG</b>	<b>GCCCCCAAGT</b>	:איזירו:איזי	. אגאאאראטונאט	מי דירדיאיניאנ	אנאנזנזאאני	CHANKENCTC	CCARCCANCOL	THEFT
3401	CTTCCCGTTC	Arceneece	CATCACAAGT	TCIACKRATET	TITIES KALTAN	TITEMATICITY	TGACCCCAAGA	ACTTAATGTC	GITTETERAGE	ACK:TV:TTV::A
	GANGGISCAAG	TAGGCCAGGCG	CTACTOTTEA	<b>ACTIVICATION</b>	MACCGINIT	MCCTIMGM	ACTORICCET	TGANTTACAG	CAAAGAGTCG	TCCACAAN "F
3501	TCTCCCCCAG	CACCOTTICTO	CCCTV:AAGGC	TRICTEDIA	CCCAATTACK	TTTWWCAT	ANATANAAAA	CCAGACTCTG	TTREATTHE	-
	AGACGCGGTC	GTCCAAAGAC	<b>GUCACTTCCC</b>	AAGGAAGGAGA	ממאדדאמממ	AATTTR:TA	TTTATT	<b>CKITCTGAGAC</b>	MACCTANC	כידאנידידיניו וי
3601	GIUTCITOCT	GICTATATA	ACCCCTTTTG	CONTRACTOR	γικυυστικών	いころのことにて	CONTRATES	CONTRICTOR	TATTITICC	ACCACCTANT
) 	CACAGAACGA	CACANATANA	TCCCCANANC		TCCGGGCCCT	CACTURACIONOA	GCCAGCAACT	CCCAGGACAC	ATAAAAAGG	TCCTGCACCA
							Pict			
3701	AAAGGTGACT	CTOCATOTIC	AGATACATGG	CCATAACTC	CITCITCITCION	TYRAGGETAGE	<b>NCCACTFICAG</b>	ACCTICATEC	receesors	
	TITICCACTGA		TCTATGTACC	COTATICON	כאניועניעטכע ב	ACCTUCATEG	TOCTGACGTC	TCGAAGTACG	ACCICCCCACC	
3801	GATCCAGTCG	TAGCAGGAGC	acrossicano	GTGCCTANAA	Anchetenca	GTAGCAAGCT	GATTRICCAGG	<b>GOCAGGCCCT</b>	TCOTOTANOT	GTTTACAAN:
	CTAOCTCACC	Arcorected	CGACUTACAC	CACGGATTIT	TACACIANA	CATCOTTCCA	CTANCOCITCC	CCCTCCCGGGA	ACCACATTCA	CANTRITAC
1901	COGITANOCI	DOCATOGGTO	CATACGTCASS	GATATGAGAT	GCATCTTAGA	CRUTATION	ACCITICACITÀ	TOTTCCCAGC	CATATCCCTC	COCCCATTY'A
	OCCANTICGA	CCCTACCCAC	<b>OTATOCACCC</b>	CTATACTICTA	CGTATAACCT	GACATAMAA	TCCAACCGAT	ACAAGGGTCG	GTATAGGGAG	<b>ACCCCTANIT</b>
4001	TOTTOTOCAG	ANCCACCACC	ACAGTOTATO	CCCTCACTT	GREAMITTO	TCATGTAGCT	TACANGUANA	TOCOTOGNAG	NACTTOGAGA	COCCOPTOTO
	ACAACACOTC	Trootootco	TETCACATAG	GCCACCTGAA	CCCTTTAMC	AGTACATEGA	ATCTTCCTT	ACCCACCTAC	TIGMACCICI	GCGGGAACAC
4101	ACCTCCAAGA	THITCCARGO	ATTCGTCCAT	AATISATGGGA	Amaraccac	CATACONCOCC	CTROCCGAAG	ATATTACTOG	CATCACTAAC	GICATAGITO
! !	TOGAGGITCE	AAAAGGTACG	TAACCACCTA	TTACTACCCT	TACCOCATA	تحديدديردو	<b>DACCCOCTTC</b>	TATAAAGACC	CTAGAGATA	CAGTATCAAC
4201	TOTTCCAGGA	TOAGATEGIE	ATAXXXXIT	TTTACAAAGC	GCTATICGGAG	ממדמכבאואב	TOCCOTATA	TOGITICCATC	COCCCCYCCC	GCGTAGTTA
	ACAAGGTCCT	ACTETAGEAG	TATCCCGTAA	AAATGTTTCG	כמככניטנניוכ	הכאהמסדכיום	ACCCCATATT	ACCAAGGTAG	accognice	CCCATCAA'n:
4301	CCTCACAGAT	TRICATTICC	CACCCTTAGA	CTTCAGATGG	CHICKLATCATG	TETACETOCS	CCCCCCATTAAA	GNAAACGGTT	TCCOGGGTAG	<b>GCGACIATIT</b> Av
	OGAGTOTOTA	AACGTAAAGG	GTCCGAMCT	CAAGTCTACC	CCCCTAGTAC	AGATGGACCC	CCCCCTACTT	CTTTTGCCAA	AGGCCCCATC	CCCTCTAGTC
								•	!	
4401	CTCCCANGAA	AGCAGGITCC	TOACCAGCTO	יכאכ <b>דר</b> אונכק		GCCCGTNANT		ACCOCCTOCA	ACTOSTAGET	AACACACT:
	CACCCTICT	TCGTCCAAGG	ACTCOTCOAC	<b>GCTNIANTGGC</b>	מדניסמככאמכ	COSCENTITA	GTGTGGATAA	TRECCOACOT	TGACCATCAA	TICICICONC
	754 244									
4501	CTOCCGT	CATC	CAGGGGGGCC	ACTICGITAA	SCATCTCT SCIENT	CACTCOTATO	PANACCCICA	CCMMITCECC	CHEMBOUCE	ACTICALLY ACTION OF THE PROPERTY OF THE PROPER
	GICGACGCA	GTAGGGACTC	GREETER	1000						
4601	OCCURTACCAG	THETHOCARD	GAACCAAAGT	TTTCANCOO	PTTGAGAGG	TOCOCCUTAGO	_	GACCOTTICA	CCANGCAGTT	CCAGGCGGTC
	CCCTATCOTC	MOMEGITE	CPTCGPTTCA	ANAGETICACE	AAACTCTTA	ALZKKETATATE	-	CTCCCAAACT	GGTTCGTCAA	משכניםככעו
4701	CCACAGCTCG	<b>STCACCTOCT</b>	CTACGGCATC	TURATOCARC	ATATCTCCTC	CAPTECACIONS	PHOTOCOCC	THEOCHGTA	CCCCAGTAGT	CCCATCICTICCITY
	GCTCTCCAGC	CASTGGACGA	CATCCCCTAG	AG. IMAILO	W	ויאחמשיייי ב				Cra-Train P. A.
4801		CACCETCATO	PCT-TTCCACG	CATACATATATATATATATATATATATATATATATATAT	CCTCTCACCACC	CATCAGACCC	ACTUACIONAL ACTUAL OF THE PROPERTY OF THE PROP	CCCCACGCGA	CCCCCACCC	CCCACCGGT"
	פערוניניניט	らげたくれるが	A12000000							

figur 150

# рмпклабува Испеви.

4901 5001 5101	CCACGCOANC ECACGCOANC TCCGCCGCOA AGGCCCCCCA CCGATTCCGG	AGGCTGTRCC TCCGACCAGG GGCCCTRGAC CCGGGAACCG GGACTAGGSCA CCTCATCCGT	MCTOSTICET MCTACCACGA GCGCAGCTTG CGCGTCGAAC TCCACGCCGC	GANIANT THE CTTTCACIONS CCTTTY IN TO CKGANCUTC AGACCITICA AGACCITICA TCCGGGCGT	CYGINETHERE GCCAGARAETS ARREST CHECA TECCACARECT GALLESTETHER CTRECCAGAGE	CCTRACACITIC GAINCRACHAG CYINCRACHAG CATTCCACCA GTANGGTGCT	GOCKATTANG CUKATUCANT AUSTOTANA GUCKATHANG COSTCONTE	CATTACACCA GTAAACTOGT TTACACCGTA ACTCCCCCAT CTCTCCCCCT GAGACCGCCGT	ACCACAGINT ACCACAGINT GAGCTITARAC CTCGAACCC TCTGGGTCAA ACCCCCAGIT	THE CAGGICOGTS  AND CAGGICOGTS  AND CAGGICOGTS  AND ANALTANGET  THE GACCALL  THE THE GACCALL  THE THE GACCALL  THE THE GACCALL  THE
5201	TCCCCATGC AGGGGTACG AGAGGCCTGT	AAAACTACG Rhot Khot CCTCGAGGGG	GTHTCTTACC CAAAGAATOO TGTTCCTCOG	ACTOCACA ACTOCACA ACTOCACA ACTOCACA ACTOCACA ACTOCACA ACTOCATOCATOCAT	APTACTOCOT TACTOCOCO AFACAMACTO	GACCACGCTC CACGTGCGAG GAACCACTCT	GCTCACTGCTTT CCACTGCTTT GAGACAAAGG	AGGCTGTCCG TCCGACAGGC CTCGCGTCCA	TOTOCCC GTA ACAGGGGGCAT GGCCAGCACG	TACACIACTIVI ATGICTGAN: '
5401	TCTCCGGAGA AGTGGGAGGG TCACCCTCCC		ACANGACIACO THUTCCACTA AACAGGIGAT	ANGANGAACCA GOCKANTCCAC CCCCCANGOTU	TATCTFTGAG TATCTCCAGG AACGAAGGTCC	CCTDGTGAGA TTGTGAAGAC CACACTTCTG	CTCTGTTTCC ACATGTCGCC TGTACAGCGG	GAGCCCAGGT CTCTTCGGCA GAGAAGCCGT	CCOSTCSTOC TCAAGGAAGO AGTTCCTTCC	TTCCTCCGAT TGATTCSTTT ACTAACCAM
5501	GTAGGTGTAG CATCCACATC GCCAGCTGTT CGGTCGACAA	OCCACOTGAC COGTGCACTG GOGGTGAGTA .CCCCACTCAT	GCCCACAAGG GCCCACAAGG CTCCCTCTGA GAGGGAGGACT	TGANGGGARG ACTTCCCCCC AAAGCGGGCA TTTCGCCCGT	CTATAAAACG GATATTTEC TCACTECTGC ACTGAAGACG	GACTGGGGGC CCCACCCCC GCTAAGATTG CGATTCTAAC	CCCAACCACC CCCAACCAGG TCAGTTTCCA AGTCAAAGGT HAMIII	TCACTCTCTT AGTGAGAA AAAACGAGGA TTTTCCTCT	CCCCATCCCT OCCTAGCGA OCATTTGATA CCTAAACTAT	GTCTGCGAGG CAGACGCTCC TTCACCTGG?
5701	CCGCGGTGAT GGCGCCACTA CAGCGACTTG	OCCTITIONOG COGNANCTCC OCCUNTOGNOC	GREECECATA CACCEGEGTA GENORETTE	CCATCTERITE CCTAGACCAG GTTTTTGTCG	ACATAMAGACA TCTTTTCTGT Pvd CGATCAGCGC	TAGANAACA GCTCCTTGAC	TOTCAMICTT ACAGITCGAA CGCGATGITT CGCCTACAAA	GGTGGCAAAC CCACCGTTTG CCACCGTTTG AGCTGCACGT TCGACGTGCA	GACCCGTAGA CTGGGCATCT ATTCGCGCGC ATTCGCGCGCG	GERCATION CCCCCAACCT AACGCACCK TIGCGTGGCA
5901	CATTCOOLA GTAGCCCTT GTAGCCCTC		GCGCTCGTCG CGCGAGCAGC CAGAGGCGGC	CCGTOGTCCA CCGTOGTCCA CCCCCTTTACO	GCACGCGCCA CGTGCGCGGT CGAGCAGAAT	ACCECCANG TRACCCCANG GASGATAGGG	TOCAGOGIGA ACCTCCCACT GGTCTAGCTG CCAGATCGAC	CANCETCAAC GITCCAGTIG COTCTCGTCC GCAGAGCAGG	CCTCOTCCT CGACCACCGA GOCGGGTCTG CCCCCAGAC	ACCTCTCCG" TCCAGAGGC CGTCCACGGT GCAGATAGGA
6101 6201 6301 6401	AMARCECES THICHOGOGE OCOTFOAGTO CECANCTCAC ATOTAGGGTA TACATCCCAT CTOCCTCCTCT		COCOCATORA COCOCATORA ACCOTACC CCCOCAINTE COCCCTACC		AACGAGGAA CRIMARCGTA GCCTCCGAT GTAATCGTAT CATTAGATA	GCAAGTCTAG COTTCAGATC CATTCGGAA GTACGGCGTT AGTTCGTGCG ATATCGTAGG ATATCGTTGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGTTCGG ATATCGTTCGG ATATCGG ATATCGTTCGG ATATCGTTCGG ATATCGTTCGG ATATCGG ATATCGG ATATCGG A	CCCCTCCTGC GCFFACGACG ATGCCTFAAA FYCAGCATTT ATGCCCCAG TCCCTCGCTC ACGCTFGAAA	CATOCOCOOO GTACGCOCCC CCTAGAGGGG GCATCTCCC GAGGTCCCC AGGTCAGCCT ACGTGAACTTCAACC THE ACGTGAACTTCCA	COCCANGCIC GCCGTTCCCG CCCCANGTTGC CCGAGGTTGC CCGAGGTTGC CCGAGGTTGC CCCACGAGGAGAGAGAGAGAGAGAGAGAGAGAGAGAAGAA	GCCCTCGTATA  APPCCAAGAT  TAGGTTCTA  TAGGTTCTA  TAGGTTCTA  CTCTGTATATA  CTCTGTATATA  CTCTGTATATA

# PMRKAdSgag MGR682

										A - A - A - A - A - A - A - A - A - A -
6501	<b>acotcacoca</b>	COANGGAGGC					Trichington	CONCINCTA	CARTICOA	AGGMCTACT
	COCAGINICOT	CONTRACTICE	CATCCTCAGC	GUCTECTARCA	ACTIVATIVE AND	_				· in district of the second
6601	TOTCATACT	Arccharccc	TITITIEC	ACAGCTCCACA	UTTRIACTOR'A	_	_		ATCC MAN.C	CUICOUCL I
	ACAGTATGAA		ANANAAAGG	TISTICARTOR	CAACTICCTIT	בייטעעייאנענען ו	CCAGAMAGGT	CATGAGAACC	TAGCCTTTTGG	ייאכיין נייניני (אַכְאַיִּיי
1023	Service as	-	TRITAGAACTRI	CHITCACCACC	TOTAL PROPERTY	AKKNICCTIT	TTYTT-VCCCCCT	AGCGCGTATO	ccroceceae	CTTCOING
1010	CCTTOCCATT		ACATCTTGAC	CAACTECCES		TUTTARGUAN	AAGATCACCCA	TCGCGCATAC	CGACGCGCCG	CAAGCCCTV":
5B01	GAGGTOTOGG		CONCICTO	ACCATGACTT	TGACKTACTYG	CTATTICAMS	TCAGTGTCGT	COCATOCOGC	CTGCTCCCAG	AGCAAAAAGT
	CTCCACACCC	-	CCACAGGGAC	TYGTACTGAA	ACTICATIVIAC	CATANACTTC	ACHEACAGEA	GCGTACGCGG	GACGAGGGTC	אטררוידנטטר
6901	CCORCOCT	_	GGATTTGGCA	RECEANAGE	GACATYCETTY:	AAGAGTATCT	או נבטנטנט	ACCCATAAAG	TICCGITATOA	TGCGGAAGG
	COCACOCGA	_	CCTAAACCGT	CCCCCTTCCA	CTRTARCANC	TTK:TCATAGA	AARRONGCOC	TCCGTATTTC	MCGCACACT	ACCCTICCI
7001	TCCCGGCACC		TOTTAATTAC	CTGGGGGGGG	AGCACGATCT	נינידראאאמככ	GITCATCITIG	TCCCCACAA	TOTABAGITIC	CANGAAGCG
) )	AGGCCGTOO	ACCUTIOCCA.	ACANTTANTG	פאככבסכבסב	TCGTGCTAGA	GCACITTECGG	CAACTACAAC	ACCGGGTGTT	ACATTICAGE	
7101	CACCATOCCCT	TONTOUNDO	CANTITITA	AGTICCICGE	AGGTGAGGTC	THEACKSOCAG	CHCAGCCCGT	CCTCTCAAAG	GOCCCAGICI	G. Mick I take
1	CCCTACGGGA	ACTRO	GTTAANNAT	TCANGGAGGA	TCCACTCGAG	ANOTICICATION	GACTCGGGCA	CCACACTITIC	CCGGGTCAGA	COLUC INC. II.
1000	CUSTICACIONA		CTCCACAGGT	CACAGGCCAT	TAGGATTTGC	Anatastada	GANAGETECT	MACTOGCGA	CCTATOGCCA	TITITION
7071	CCAACCTING		GAGOTGTCCA	MOCCCOGTA	ATCGTAAACG	TECACEAGE	CTTTT:CAGGA	TTTOACCOCT	GCATACCOCT	MANAGACC
			CHARLES AND	THINCEAGER	TCCCATCCA	COTTCOCOCC	TAGGITCITCGC	OCCIOCAGÍCA	CTAGAGGCTC	Attenceded
1301	COTCATCAC			ANGGOTTOGC	AGCHAGHT	CTANIXICCCG	ATCCAGAGCG	CCCCGTCAGT	GATCTCCGAG	TAGAGGCGGC
	CCACTACGIC		20000000				CALIFORNIA T	CCTARGETGAC	AAAGAGACGC	TCOOTOCOAR
7401	AACFTCATGA	CCACCATCAA	<b>OCCCACGACG</b>	TOCTHOCOM	AGGELLILLAT	CLAMPIN IN		CALBURA CALCARA	PTTCTGCG	AGCCACGCT
	TTGAAGTACT	P CONCOTACT	cccence	ACGNAGGGTT	TCCGGGGGGFA	Garachinic				
	•	F								
100		CATCOCCA AG	AACTVRGATET	CCCCCCACCA	ATTOCANTAG	Tractathea			CTGCGACGGG	CCGAACACTC
100/	פאופרמאמרי	oricoconic.	-	CONTROLLEGE	TAACCTCCTC	ACCGATAACT	ACACCACTIT	CATCTTCAGG	GACGCTGCCC	CCCTTGTGMI
	CTACGCTCGO						CACCACACTEG	ACCTGACGAC	COCOCACAAO	GAAGCAGAGT
7601	<b>GROCTOSCIT</b>		OFCICACTA	CTC3CCACA.CAG	וארארואארו	O COLUMN TO THE		The second of the second	CONTRACTOR	CITCGICTCA
	CACCACCGAA	A AACATTITIG	CACGCGTCAT	GACCGTCGCC	ACCITICACCOSA	CATGIAGGAC	2001	Port	-0	
									Carcaconacity	ACTACTIVECATIVE
7701	COCAATTTOA	ו מכככבתכומככ	TOCCIACITIT	<b>GOCTOSTAGE</b>	CTTCTACTIC	נאיבוניוניונים	כניודומאי כפו			Transfer Trans
•	TOTANGE		ACCCCCCAAA	CCGACCACCA	CAACATCAAG	CCCACCIAACA	CATANCTICIES A	GACCGACGAG	רורררורות	incompany of
•				AGATICACIC	COCCURRENCE	CYSTACICTTICA	TRINCAACATC	CCCCAGATOG	GAGCTGTCCA	TOOLLING
1801	GGALCALLAL		_	TCTACAGGGG	CHETECOCCA	GCCTCGAACT	ACTUTION	COCCICTACC	CTCGACAGGT	ACCAGACCTC
		3		Pel						
1				THE PERSON	ACCTOCATA	GACCICIONACA GOCCICIARENT	GOCOCOMOCT	AGATCCAGGT	GATACCTAAT	Trechagge
1901	CHCCCGCGGC			CANTERCANA	TOCACCOTAT	CHACCCARGIC	CCCCCCCCCA	TCTAGGTCCA	CTATOGATTA	AAGGTCCCCG
	GAGGGCGCC	CAGILLABIL				Kpm	_!			
						מארדאנייאיא היי יאניסניינים		GOCGGTGGGC	COCCOCCACATO	TCCTTCRCATY:
8001	TOCHUGIO	TOST CONTEST COCCUTCGAT			ניכר ואכונונים	CONTRACTOR TO THE STATE OF THE		CCCCACCC	<b>OCCCCCCCAC</b>	ACCUARCETAL.
	ACCAACCACC	ACCAACCACC GCCGCAGCTA	CCCMCGTIC	1CCGGCGTAG	ואאיזאינורפ			:		

### PMRKAdSgag MER682

5			Characteria		T. J. K. K. K. K. L. V.	בבנאני אלבנינים	COCAGAGAGG	GOCAGGGCA	CONCERNOCE	<b>GCACGAGGYX</b>
T010	TACCATO				1KCCT TECTORA		ואגיניוניונינכ	CCGTCCCCGT	GCAGCCATGG	CGCGTGCCTT
1000	Acceptority				CT:NTATA	GTTGATCTCC .	TOTALITIES	<b>accretator</b>	CAACACCACG	ממכנונטשוניא
4040	TCCTCGACCA		-		(אביונארתנית):	CAACTAGAGG	M TTANANCG	CGGNGACGCA	criciaciae	כנסממככעניו
B 101	GCTTGAACCT		_		CHESTIGACE	מישונים אמני	CCAAAATK"TC	CTYSCACOTOT	CCTGAGTTGT	CTTCMTAGG.
•	CGRACTIOGA		AGCTGTCTTA	GTTAMAGUTA	GTTANGUCA CAG'AAC'IGC	כניניניטטעכננ	CCTITTAGAG	GACGROCAGA	GGACTCAACA	GAACTATCC":
				2	111					
R401	GATCTCGGCC	ATGAACTOCT	CONTENENT	CHUCHUSTAGA	כתנגדואמאהא זכיויכנוכיהזיה	נישיניהישכוב	CACOGITIGGG	GCGAGGTCGT	TOGMANTOCO	CCCATCA!
	CTAGAGCCGG		OCTAGAGAAG	GARMACCTUT	NGARICAGAS	GCCCAACCAC	CINCCACCOC	COCTCCAGCA	ACCITITACGE	ככנות אכור.
8501	TOCCHOANGO		Tecencome	CNGACGCGGC	Tratagaecae	מנככניכבונים	GCATCGCGTG	COCCICATOAC	CACCTGCGCG	ACATTCACT."
1	ACOUNTINCE	8	_	_	ACA'N'TIGGTG	CLYSCHOLYSIANTS	CCIPACCACYC	CACCATACTO	OTGGACGCGC	TCTAACTCO.
REO 1	CCACGINGCO		gcotyotric	GCACGCTC	AAACACTTAG	THICACKKITCH	ncacrations	TTCTGCCACG	AAGAAGTACA	TAMCCCARC":
	COTOCACOC				TTTCTCCATC	AACTCCCACC	ACCOCCACAC	AAGACOOTOC	TACHTCATOR	ATTOCOTICE:
		•	•							
R701	Tecesacoro	GATTCOTTGA	TATCCCCCAA	OCCUTCANOG	CCCTCCATCO	CENTRACAM	GTCCACGGCG	ANGTTORAAA	ACTOSCAGIT	GCCCCCCAC
	ACTUALING	E			OCGACACTACC	GENGCATCTT	CAGGTGCCGC	TICANCITIT	TOACCCTCAA	כמכמניםפכיוני
1000					CAGTOTCOCG	CACCTOROG	TCANAGGCTA	CAGGGGGCCTC	ricriterier	TCAATCTCE:"
1000					GTCACAGCGC	GTCGAGCGCG	AGTITICCGAT	GTCCCCCGGAG	AAGAAGAAGA	ACTTAGAGGA
									Set	1
			did Ada de		THEORYCAN	CHEACACACT	GGCGACGACG	<b>GCOCACCOOO</b>	AGGCOOTCGA	CANAGEGETE
1068	CTICCATANG			_	WILL THE STATE OF		CCATACTOC	במכטוממכנב	TCCGCCAGCT	CPTREGGGA
	UAALIS FATTL								CONTRACTOR OF THE PARTY OF THE	CCCASTTATES
1006	GATCATCTCC				פרנאוניו אברייו		GCI CWO I ION		CCLACTACAG	CATCAATACE
	CTAGTAGAGG	OCCOCCOCTG	CCCCCTACCA	CAGCCACTGC	CCCCCCCCANCA	AGNACACCC	בניבנייוביאביב	יורושנישנים	Occurs meno	
9101	GETTOOCOOO	OCCTOCCATO	COCCAGGGAT	ACCOCOCTAA	CGATTECATET		Trans.TAGGTA	כוכנפכנפנכ	GACCOMCCTO	AGCGAGACT
	CARCOOCCC	_	<b>GCCGTCCCTA</b>	TOCCGCGATT	CCTACGTAGA	GTICTTANCA	ACACATCCAT	GAGGCGGCGG	CICCLIGGAC	2000
			P.C.					!		
9201	CATCOACCOG	ATCOOMAG	ū	ACRECUTOTAA	CCAGTCACAG			CCTCCCCCCCC	OCCAGCOGGC	GCCGCICGS.
 	GTAGCTOOCC	TAGCCTITIG	GAGAGCTCTT	TCCCCAGATT	<b>GETCAGTOTC</b>	ACCCTTCCAT	CCCACTCGTG	GCACCGCCCG	ככפורפכרה	בנתרושטרני.
							Smil			
1010		Granananachac	TOCTGATGAT	GTAATTAAAG	TACKACATACT	TOAGACTGCG	CATOCTICAC	AGAAGCACCA	TOTAL	Teccacettae
1000	CAACAAAGAC		ACGACTACTA		ATCUTACOR	ACTETECEGE	CTACCARCIG	Terregion	ACAGGAACCC	AGGCCGGGACT
9401	TOAATIBCOCA		CATTACCCCAG	OCTICOTET	CACATICUACIO	-	TAGTAGTETT	CCATGAGCCT	TICTACCOCC	ACTICITICS
1	ACTIACOCGE			CGAAGCAAAA	CTCTANCCOC	CHECAGRANC	ATCATCAGAA	CCTACTCCCA	AAGATGGCCG	TGANGINGON,
1020			TCTCTTCCAT	CTATCACTURE	لعلامعتصف	CACTTHANT	STREET, STATES	ccercmeet	CCCATOCOTO	TOACCCCOAN
	CACCANCONG	_		GATM'X:GACG	כניאכניאכניאכ	בדנאאתידה	CATCCACCC	CCCACACAACA	COGTACGCAC	ACTROCIALT
1030	Carrie Brite		CARRETACCTC	CATCACAACG	CCACHTCACACTA	AFARCACITE	CHICACCTOC	GICAGARTING	ACTUMANTIC	ATCCATCTICT
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	COCCAGTAG		CCCCATCCAG	_	<b>OCCARCCRAT</b>	TATACCOGAC	CACCTCGACG	CACTCCCATC	TGACCTTCAG	TAGGTACAGO

# PMRKAdSqag MERGR2

NG TTAACGGTCT GGTWACCCGG CTGCTAGAGG	T GETATOCCAC CANANAGIOC GGCGACGGCT HA CCATAGGGTG GITTFICACG CCGCCGCGA	TCCCTGGACA ACACCATCTAC ATGGACCTGT	AG TOCTCUATES TUBGRACOCT CTOROUTED TO ACTOROUTED ACCOLOGICAGE	GT CTGGTFGGATA ANTTCGCAAG GGTATCATGG FA GACCACTAT TTAAGGGTTC CCATAGTACC	THARTICCAC ACCUTAGOTO	GREGGATTEG CCAATCEGAC GACTETEGG CCTGCCGGAC CTCAGAGECT GGCCGGCTG	TT TTGCTTTTCC CAGATOCATC COGTOCTOCO NA AACGAAAAGO OTCTACGTAO GCCACGACGACGC TT CCTCCTACCO CGTCAGGAOO GGCGACATCC	GGAGGATGGC AGGAGGGCGA	GAACCTGTTT COCGACCOCG CTTCCACAAA GEGETTGGCG	AACGACGC TCCTCTGAA	ICA CGGTGANICA GGAGATIAAC TITICAAAAA CT GCCACTICGT CCTCTAATIG AAAGTTITIT RA CTTTTAAAG GCGCTGGAGC AAAGCCAAA
ACTIVICATION AND STATEMENTS TO THE STATEMENT OF THE STATE	GENAGITECTIC AFENGIT	TCCAACATAA AGGETGENTT	TETTECECA COCATANAG		GCCANTGATO THE	MANACCOSTIC ACCCCGGTTC  ADTICCATA CCCCCGGTTC  TENACGCCT GGRAGCCAAG	THE ACCURATION ACCUPANTS  THE ACCURAGE ACCURATION ACCURATION ACCURATION ACCURATION ACCURATION ACCURATION ACCURATION ACCURATION.	GTACCTCCG	CHCCGCATGC	: ANGGERTAN TRELAMBLES 1 TAGGGACTT AGGGETEGE	F RETARCEREA TACGAREAGA CCATTGGCTF ATGCTTGTCT GRACTGATTC ATCTGTCTGA
CONSTITION ORGANISTICACIO	CCFFACF	RESET CONTRACT CONTRA			OCCOTCCACC ATANTCCATG COCCAGGCA CACTAGGTAC OCCOCTACT GCACTAGGTT	CEGECGACIA COCCANICAAA CASTITATITA CCAAGOOTTO	•	-	ETTGROCKG CCRCGGCCC AGETTAAGCG TOATACGCGT TCGACTTCRC ACTATGCGCA	CGCAAGGCGC GAGCTGCCAAC GCGTCCCGCG CTCAACGCCA	CACGTGGCTG CCCCCGACCT GTGCACCGCC GGCGGCTVGA
ACAAACCOST GGTATOCCCC COTSTTGATG TGTTTCGCCA CCATACCCCS GCACAACTAC	TGAGACCCCA GTAAGCCCTC GAGTCAAATA ACTCTGCCCT CATTCGGGAG CTCAGTTTAT	ARBUTACCG	CCCCCCCAAA	AATCUTTGAC GCTCTAGACC O	GOGRAGOTOS COCOTATOS S COCARGOTOS GOOCATAGGO O PHYSTATOS TROCAGGOS S	AAGOTCCGCG TOTAGCCGGA ACATCGCCCT	TOCANGACCC		OCCOTCOTOT ACCACTAATO C TUADCOCOTO CCAAGOOTOC A ACTGOCCOTO OGITCCCACO 1	ATOCOCOTATO GAAAGTICCA O TACOCOCOTAG CITTCAAGOT G	OBATTAGICC COCOCOCOCA C
	2 2	50	ט פ י	< F	901	· « 0 (	, , ,	ט ט ט	9 - 4		50

		I C.	_								
1101	Treatheat	MACATIC	CAGAGEATA	TESTACES OF							
4	ACCTABACTA		GTCTCCTATC		י איז איז איני אין	THE TATACHER OF	אידדאילאינט (	CCCCTAGTTO		2000	
	WAC 1 WALL 1				A TALLANTA	ACTIVITIES OF	CATCCACATG 1	TTCTACATOC (	SCA-TOCOCICT.	CAACTTTCT .	
11401	CARCITITAC	CCCCCCAAGA						AAGATOTACO	CGTACCGCGA	CTTCACC!	
	GTTCAMATO	COCCCCTICT	ATATCCTATC	GOCHATCACA						CHEATER ACA	
11501	ACCTTOACC	ACCACCTGGG	CGTTTATCCC						Concession	GACTACTE:	
	TOGAACTOGO	TOCTOGACCC	GCAAATAACG	TRICTCOCGT			_		or account		
1021	DESCRIPTION OF THE PROPERTY OF		משכעונאניניע	CCCCCCATAG	NUNCCCCANG	TCCTACTTRG J			TOGETTERM	פרויושורויה	
5	COCACGETAC	CCGGGACCGA	CCGNCCCG		TITECOCCIE	ACCATGAAAC 1	במנימכככנים	ACTECACOCO	Accessory	במאביותבואר.	
•					مندرورورو	CTCCCACCT	COCCACCATO	GACCAATATO	ACCAGGACOA	TONCTACGAG	
11701	CCTGGAGGCA	CT GGGGCC	SMCC ICARCE I					CTCCTTATAC	TOCTOCTOCT	ACTICATOCTC	
	COACCTCCCT	CONCECCO	כוששירנים					•	15.		
						CALCE BATTE	ACCORDING .	000000000	CTGCAGADCC	AGCCGTCCC:	
11801	CCAGAGGACG		MOCCETTONIC	TTTCTCT					GACGICTCOG	TCGGCAGGCC	
	OCHECTICE	CCCTCATGAT	ורפררער ואר						AGCAGCCGCA	COCCANCOD!	
11901	CCTTACTCC	ACCOACCACT	<b>GGCGCCAGGT</b>		ATTIATICICAL TURGINACES				regregator	CCOCITIOCC:	
	CCAATTONOO	TOCCTOCTGA	CCCCCCCCCA	6146610666							
							***************************************		CELLEGABAR	AcaraceAtter	
12001	CHURCHERA	THETOGRADE	OCTAMICCCO	<b>GCGCGCAA</b>					COLLEGAMENT COLLEGAMENT	Trendering.	
	CACACATOR		CCACCAGGC	COCCCCCTT	TOCOCTOCOT	מכוברותCCAC (	CACCIACTAGG		ררשערווופ	100000	
Ę			GIFTACGACG	CICHOCTICA	<b>ACACATERCA</b>	CCTTACAACA (	_		CTYXOACCOOC	TOTOGGGG	
10777	COCCCOMICON		CACATICATE	CATOACGAMOT	COCCCCCCC	CCANTITITIE	CUCCUTTOCA		GACCTGGCCG	שכנערורויו י	
	CCCKKCTKCT		CHOMICAGE	Section 1	CACTOR AACT		GGTTGCACTA	AACOCCTTCC	TOAGTACACA	שבככטככשע.	
12201	TOTOCOCOA		AGCGTGARCG	כוברויראויראוי	CHECKETTE		CCAACGTCAT	TTCCCCAAGG	ACTICATIGITOR	COCCCCCTT	
	ACACGCCCTC		TCCACTCGC	וצופוניפור	01000000				GENCCAGTET	COCCCAGACT	
12301	0100000000	GACAGGAGGA	CTACACCAAC	THETENORGE	CACTGCGACT		ואוארארויסר		CATOSTCAGA	CCCCCTCTGA	
	CACOGCOCCC	: CTGTCCTCCT	GATOTGGTTO	MACACTCGC	GINGACCCCGA	TINCCALTEN					
			Pst	_						C. A. C. A. C. C. C. A. C.	
3	A CONTRACTOR OF THE PARTY OF TH	STATE STATE OF	CAACACCTCC	CAMERICANCE AGACCOTARA	CCTOAGCCAG	<b>ACTITICAMA</b>			מומרמספרור	CCACAGOCIAN CONTRACTOR OF THE	
10621	TABABABATT	CHATTER	GETCCOGACG	TUTOSICATES	CCACTCGFITC	CHANGETET	TRANCOTCCC		CACACACAGAG	Colone Colone	
1	i common i		and the second second		CHESTATICE	TYCTANTAGE (	מניניבוניאנפ		OCCURENCES	מיאראלאן. מיאראלאן	
12501	CCCCCCCACC		PCC PCMC NCC	CHERCACACC	GACAACGACG	ACCATTATEG	CHATANGTAC	CICICACCGT	CCCACAGGGC	CCTGTGTATA	
	000000000		ארפערופרוא				ACTURENCE	AGATTACAAG	TOTCAGCCGC	הכמכיתאסתיה	
12601	CTAGGTCACT		<b>STACCRICANS</b>	<b>OCCATAGRATC</b>	A122 12 A161		TA SA BACKETTO	TETAATGTTC	ACAGTCCCCC	COCCOVICCE	
	CATCCAGTGA		CATGGCGCTC	COGTATCCAG	TECCICOTACA	CCHACTCGIA	77.0000011		Peres		
								TENANCE TENANCES	TENABLES.	ACCACCAGGG	
12701	ACCAGGACAC	: COCCACCTO	CARROCALCTC			CONCINCAGA	AGATCCCC.TC	CAACTETICACA	ANTITIOTICOC	PECTECTION	
,	recreetoro	3 cccorcoorc	CTCCOTTIXE	ATTICATION	ינאכתמאוני	מנוא כניורו	TI. IVERANTO		A CONTRACTOR	PATER AACTES	
12801	CATTITIOCOC		-		AND TRICKES	CLTCATTRACRG	CNACTOTICANO	GACTTGTACT	GGCGCGCGTT	GTACCTTOGE	
	OTAMACOCO	3 ATCCACGTCG	PCT/(RCACTC	CAMATICAME							

#### DMRKAd5qag MERGR2

12901	COCATOTATO COTCANCO	CCTCANACCA	OCCUPATION CONTRACTOR	AACTUCTAA	TEXTACTACTT	נאראריניניא נו	COCCOCCATA	ACCCCCMOTA	THEACCAAT	GCTATCTTGA CYTTAGAACT
		2001110400	רואוראאוזאא		W			TO THE PERSON OF	V 1000000	
13001		OCTACCOCCC	CCTCATTTACT	NCACCIATAN:	ATTRICIACATIVE			CCTCTCOCAC	CACATACACG	ACACACACAT
	TOGOCSTOAC	CGATGGCGGG	GOACCAAAGA	י זיאואוכנינכנ	TAAGCTYCCAC	CONTRACTOR AT	אנידאכנידאא ו	GCAGACCCTG Hingli	CTGTATCTGC	TOTOCOACAA
13101	A LUCIONALIA DE LA COMPANSION DE LA COMP		ALC: NO STATE	JULIAN PRINCIPLE	CACCACCIAC	Acres Carres	AND	ACCT PROPERTY.	COLLABORA	.i.Vi.i.i.i.i.i
1	AAGGGGCGFF	GO GIT TO GO			دىدىدىدىنىد		COCTITICETT	TCGMOCCOT	CCOGNICOR	GAACAGGCT.
					Hinnin					
13201	CTARRECTE	COCCCCCCC	OTCABATGET	AGTAGCCCAT	TTCCANICTT	CATAGGGGCT	CTTACCAGCA	CTCCCACCAC	CCCCCCCCCC	CTCCTORGE:
		accadacac	CAGTCTACGA		AAGGTTCCAA		GAATGGTCGT	GACCOTOCTO	000000000	GACCACCC
	•		Z							
13301	ACCACCACTA	CCTANCANC	_	לבטכלהכונה אתכתפכתמתה	CGANANAMC	ניומככיוכנימ	CATTROCCA	CAACGGGATA	DAGABECTAG	TOGACANIA1
	TECTECTEAT	COATTHOTTO	AGCGACGACG	TODOCOTOC	CCTTTTTR	מעכשטענינכב	GTAMORICHT	GITGCCCTAT	CTCTCGGATC	ACCTI:TTCTA
13401	CACTACATOG	AAGACGTACG	COCAGGAGGA	CARRODACGING	ככאשיכנינים	GUICHACCAC	COSTEGICAN	AGGCACGACC	GTCARCOON	rendensites
	CTCATCTACC	TICTOCATGO	<b>GCGTCCTCOT</b>	היוכככיוסבאכ	מטונגלינאלאטט	ניאוטאיטאיטאיט	GOCAGCACTT	recerocitos	CAGTEGEEEC	AGACCACACT:
13501	CACCACCATO	ACTOGGGAGA	CCACAGEAGE	GICCIGGATT	TREBACKTARG	TACARCECG	TTTGCGCACC	TTCGCCCCAG	CCTCCCCCACA	ATGTTTTAAA
	CTCCTGCTAC	TOAGCCGTCT	<b>GCTGTTCGTCG</b>	CAGGACCTAA	ACCETECATE	ACCOUNTAGE	NAACTACGTT 30	Aractografic	COACCCCTCT	TACANAATTT
13601	MANAANAA	GCATGATGCA	AAATAAAAA	CTCACCAACA	CCATTACACC	GACCUTTRICT	TITICITYSTAT	TCCCCTTANT	ATGCGGCGC	COCCEATOTA
	STREET, STATE	COTACTACGE	TITATITIT	GAGTEGITCC	CIGINACTORING	CIVICAACCA	ANAGAACATA	ACCCCANTCA	TACGCCGCGC	<b>OCCULTACAT</b>
13701	TOAGGAAGGT	CONCORDE	CCTACCIACIO	TOTAGHEARE	CECTATION	TRANSCOURAGE	OCTOBOTTCT.	CCCTTCGATO	CTCCCCTOGA	CCCGCCCTTT
	ACTUCITICUA	GCAGGAGGGA	<b>GGATGCTCTC</b>	ACACCACTCG	CCCCCCGGTC	ACCOCCOCCO	CCACCCAAGA	OCCUPACITAC	CAGOGGGACCT	OCCCCCM.
	•	Kras								
13801	officerette	GGTACCTGCG	<b>OCCTACCORD</b>	CACAGAAACA	CCATCCGTTA	CTCTGAGTTG	CCACCCLTAT	TOPACACCAC	CCGTOTGTAC	CTGGTGGACA
	CACGGAGGCG	CCATGGACGC	COGATOCICC	CCCTCTFIGE	COTAGOCANT	GARIACTERAC	CCTCCCCCATA	ACCINETACTO	CCCACACATO	OACCACCTOT
13901	ACANGTCAAC	GGATGTGGCA	TCCCTTAACT	ACCAGAACGA	CCACACCAAC	TTTCTCACCA	CCGTTATTE	AACAATGAC	TACAGECEGG	GREAGECAAG
	TOTTCAGITIC	CCTACACCGT	ACCCACTTCA	TREATCHREET	<b>GENETICATIO</b>	AMAGACTERS	CCCAGTAAGT	THEFT	ATCITCIOCOCC	CCCTCCGTN.
14001	CACACACACC	ATCANTOTTO	ACCACCGGTC	GCACTCACATC	CKICTACCTICA	AAACCATCCT	CCATACCARC	ATCCCAAATC	TCAACGAGTT	CATCTTTACC
	GIOTOTOTO	TAGTTAGAAC	TGCTCGCCAG	נטופעכבבכם	CCRITICAGACT	TITKETACKIA	CCTATCCTTC	TACOCITITAC	ACTITOCTICAA	GTACAAATAA
14101	ANTARGETTA	AGGCGCGGGT	GATOCTOTCO	COCTTOCCTA	CTAAGGACAA	ずでんごいがならんの	CTGAAATACG	AGTGGGTGRA	OFFICACOCTO	CCCGAAAGCA
	TTATTCAAAT		CTACCACAGC	<b>OCCANCOGAT</b>	GATTCCTGTT	<b>אקובכאכאבוראכ</b>	GACTITIATICC '	TCACCCACCT (	CAAGTGCGAC	<b>GOOCTCCCGT</b>
				ŧ	Pari					
14201			ATAGACCTTA	TOWCMCGC	GATCHTCARAG	CACTACTTCA				RECONCATIONS
	TOATCACCT (	CTOGTACTOG	TATCTICALAT	ACTIVITIES	CTAGE: ACCITO				_	12 113 MCC
14301	OCTANGETT (	_	ACTTCAGACT	CKFATTETT :AC	وورمهديان		-		٠.	TCCAGACATC
	CCATTICAAA	CTGTGGGCGT	TOMOTOTON	בבניראאון.	נאאראהדואה	CACANCANTA	-			ACASTICTANS
14401	APPEROCHEC	CACCATCCCC	ROTRAGACTIC	ACCCACACAC	מיכוגיעיא:אא		_		-	TTAGGATCA
	TAMACGACG	פובכבואכטככ	CCACCTGAAG	TOXINGROS	COCACTORT	משכשטכנט	TACACCITACO (	CCOTTCCCAA	פערכיונינים	AND TEXT IN 1.

# PMIRRAdSgag MER682

14501	CCTACGATGA GGATGCTACT AGGTGGCAGC TCCGCCGTCG GGCGACACCT CCGCTGTGGA	TCTGGAGGGT AGACCTCCCA ANCAGCAGTG TTGTCGTCAC AACGGGGTGC	GCATTUTANG GCMTGTGGG COTCGCCTCGG GCCGACGAGGAGGGG GCCGACGAGGAGGCCTCC	CCCCACTOTT GCCTTAACAA GGAAGAGAAC CCTTCTTG AACAGGGG TTCGCCCGAC	CRIANTERGRAC C CCCPACIACTES O THICRARGERYS O AGREEMANCE O AGREEMANCE O	GRETANDANI C COSMESTIC C CANTESTIC C CHECKICKIC C MATERICAL C MATERICAL C	CCARGCTFRAM CCCTCCANCTT AATVECTFCCC TTACCTTCCCC CCTTACCCCTCC	AGATGACACC TCTACTGTGG GTCGACGCACA CACCTCCTGT CCCCTGGGCA GTCGACGCGA	CHACAGGGG CHACACCGC TRAACGATCA ACTTGCTAGT ACCCGAGGTC TGGCTCCAG	CCCCACCGTT TOCCATTOTE: ACOGTAAGGG GAGAAGCCTT CTCTTCGTA
14801	MONANCE	CCACTAGITT	CCCCTVIACAG	MASAGASCAA TCCTGTCGTT	GAAACGCAGT	TACAACCTAA 1	TAARCAATGA	CAGCACCTTC GTCGTGGAAG	ACCCAGTACC TGGGTCATGG	GCAGI-TG-TTA CGTC(IACCAT
14901	Kpm CCTTGCATAC GGAACGTATG TTGCCAGACA AACGGTCTGT	AACTACGGCG TTGATGCCGC TGATGCAAGA ACTACGTTCT	ACCETEAGAC TROGAGTETO ECECOTRACE GOGGENETOS	COCIANTICES OCCITAGNOS TREESCRICA ARGCGAGGT	TCATGGACCC AGTACCTAGG COCACACAT	MCTTTMCAC ACTANACTT	PECTONCIPA ARBACTIFICAT CEGITIVATIVO GRECACCACC	ACCTGCGGCT TGGACGCCGA GCGCCGAGCT CGCGGCTCGA	CCCNGCNGST GCCTCGTCCA GTTGCCCGTG CAACGGGCAC	CTACTAGTC!: GATGACCA!C CACTCCAAGA GTGAGGTTCT
15101		egaccagocc gcrogreeog	OTCFACTCCC CAGATGAGOG	AACTCATOGG	CCAGTTTACC	ACACACCC ACACACCC ACACACACCC ACACACACAC	ACCHOTICAA TOCACAAGTT	TCGCTTTCCC AGCGAAAGGG	GAGAACCAGA.	AAAACCUCKY?
15201	Asel CCCGCCAGCC	CCCACCATCA	CCACCGTCAG GGTGGCAGTC	TGAAAACGTT ACTTTISCAA	CCFRECTORA		GACOCTACCO	CTGCGCAACA	CCATCOGAGO	AGTCCAGCCA TCAGGTCGCT
15301	CACTOOTAAT	9 2	ACGCCCCCACC TGCGGCCTGG	TUCCCCTACG	MATTETECT	CCTCCCCTAT	CAGAGCGGCG CAGAGCGGCG	COCAGGIATING	CTCGGCGTCA	AAAACTICITT
15401	OCATOTICAT COTACAGOTA AOTOCIOCOTO TEACOCICAC	CCTTATATACG GGAATATAGC CGCGGGCACT GCGCCCGTGA	CCCAGCANTA GGGTCGTTAT ACCGCGGGCC TGGCGCGGG	ACACAGGITG TOTGTCCGAC CTCCCCCCG GACCTCCGCCC	CCCCCACCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC		TCTACAAATC GCGCACCACC CGCGTGGTGG	GCCCCGGTTC GTCGATGACG CAGCTACTGC	TTCOCOAGGC CCATCOACGC GGTAGCTGCG	TGGTTGTGG71 GGTGGTTGCA1 CCACCACCT
15601	GNOGCOCOCA CTCCOCOCO? GNCOGCTGAG		CACOCCHICA GRECTRICAGT COTCHICACC	CCAGTGTCCA GGTCACAGGT GCCGCCGACC	CACTAGACGC GTCACCTGCG CTACCACTGCC	GOCCATTCAG CCGGTAAGTC GCCCAACTXCG CCGGTTGCGC	ACTIGATORTIC TRAICACCACG CRAICAGCAGC GCCGCCACCG	GCTGAGCCCG CGCCTCGGGC CCTGCTTAAC GGACGAATTG	OCCCIATOCT CGCGATACGA CGCGCACGTC GCGCGTGCAG	THTACTICT GCACCTARICT CGTGCCCOCC
15801	ACOGEOGEC	Sfil ATGCGGCCG	CTCGAAGGCT GAGCTICCGA		ATROPCACTG		GTCCAGGGGA	CGAGCGGCCG	CCCCACCACC	COCORCCATT
15901	AGTOCTATGA TCACGATACT TTCCAAGAAA			• - •	TCCGCGCTGAG ACGCGCTGAG TCCAGCGACG		CTRCCCFFCC RACGCGCACG ACGAAGCTAT	CCSTGCGCAC GACACGCGTG GACACGCGTG GACCAAGCGC	GOCUGOGOGO AAAATCAAAG	CCCFFCATCT CCCFFCATCT AAGACATCCT
) )	ACCITICITY		CTCAGCATGA	CAACATACAT	AGGTCGCCGC	CARCCAROCGE	איייטייון אַל			

Figure 15J

# pMRKAdSqag MER682

			2								
16101	CCAGGICATC	CCAGGTCATC GCGCCGGAGA	TCTATOOCC	CCCGAAGAAG			CYCANACTA	AAGCCCCGTCA	MAAGAMAA	GNANGATERT	
	COTCCACTAG	COTCCAGTAG COCGGCCTCT	AGATACCGGG	300CTTCTTC	בידו יוניהיב	TAATKITTEKK GICTITEGAT	<b>ACCEPTICAT</b>	THURCCCCAGT	THURSTER	CTTTCTACT.	
								Sail			
16201	CATCATCAAC	TTCACCACCA	CONCINCINC	CTYSCACGCTA	נג גייר הייר אני	CHECKINGTA	CACTOGAMO	GITCHCCCCT	AAAACOTOTT	TTGCGMCC:	
	CTACTACTIO					COCTOCOL AT	GIVEACETTIC	CAGCTGCCCA	TTTTGCACAA	AACOCTOO!!	
16301	GCACCACCOT	AGICTITACO	CCCONTINAGE	CCACCACCCG	CACI:TACAAG	COCCURATATE	ATCACCTOTA	CYCCCACTIAN	GACCTOCTTO	ACCAGGCCAA	
	COTOOTOOCA	TCAGANATGC	RGCCCACTCG		CTCKATGTTC	GUNCACATAC	TACTCCACAT	OCCOCTOCTC	CTCCACCAAC	TCGTCCGGTT	
16401	COARCOCCTC	GASCAGITIO	CCTACOGNAA	REGGEATAM	CACATGCTAG	רהדדיינואכד	CCACCACKCC	ANCECANEAE	CTAGCCTAAA	<b>OCCCGTAACA</b>	
	OCTCOCOCAO	CCCCTCAAAC	COATCCCTTT	COCCOTATIC	CTGTACGACC	GCAACOGOGA	CCTGCTCCCG	TOCCITICA	GATCOGATIT	COCOCATINGT	
	Pati								CHANCE BOOK	Kind seconds	
10501	GACGTCOTCC	ACCINCOCCCO	CCAACOTOGC	NOCTTOTTT	Tenencean	דרוכיה נבניה דרוכיה בכידכ	AGACCACTGA	ACCGTGGGTG	GCACOTCOAC	TACCATINGT	
16601	AGCOCCAGCG		GICTIGAMA	MATGACCGT	GGAACCTRAX	הואמאבככם	AGGTCCCCGT	GCGCCCAATC	ANGCAGGTOD	COCCGGGACT	
	TOCCOCTOC				CCTTVICACTIC	CACCTCGGGC	TCCAGGGGA	CCCCGGTTAN	TYCOTCCACC	<b>GCCCCCTGA</b>	
16701	OCCUPACAG	ACCORDOACO	TTCAGATACC	CACTACCAGE	AGCACCACTA	THECCACCISE	CACAGAGGGC	ATOGRADACAC	AMCGICCCC	GGTTGCCTCA	
	CCCGCACGTC		AMOTETATES	GIGATORICA	TCGTGGTCAT	AACGGTGGCG	Grencicco	TACCTCTOTO	THYTOCAGGOD	CCAACGGAGT	
16801	acaaraacaa	ATOCCOCOOF	GCACCCCGTC	CONTRACTOR	CGRCCAAGAC	CTCTACGAAG	GTISCAAACTRO	ACCCGTOGAT	GTTICOCOTT	TCAGCCCCCC	
	COCCACCOCC	TACOOCOCCA	CONCCRACTAG	CCACCCCCCC	<b>CCARGETTETS</b>	GAGATGCCTC	CACOTITIACC	TOGGCACCTA	CAMAGCGCNA	ACTCCCCCCC	
16901	00000000	CCOTTCCAGG	AGGTACTGCC	CCCCCACCCC	<b>GCTACTGCCC</b>	GANTATRICEC	TACATOCITIC	CATTGCGCCT	Accecedent	ATCGTGGCT	
	CCCCOOCCCC		TTCATGCCCX	GOCGGTCCCC	CGATTACCOG	CTTATACGES	ATCITAGGAAG	GTAACGCCGA	TOCOCCCOA	TAGCACCGAT	
17001	CACCTACCGC	_	GAGCAACTAC	CCGACGCCGA	ACCACCACTG	CAACTCGCCG	ככנאנונאבפכ	CETCGCCAGC	CCGTGCTTGC	CCCGATTICC	
	OTOGATOOCO			-	TRGTGGTGAC	CTTGGGGGG	DOCCOCCYGCG	CCACCCGTCG	OCCACGACCO	GOCCTANAGG	
17101	GTGCGCAGG		AGGAGGCAGG	ACCCIVAGING	TYCCAACAGC	PROCTACCAC	CCCAGGATATCG		<b>CONCINCIO</b>	<b>GTTCTTOCA</b> G	
	CACOCOTCCC		-	-	ACCRETTGTCG	CCCCATCGTO	GOCTCGTAGC	AAATTTTCCC	CCAGAAACAC	CAAGAACGTV	
										Sphi	
17201	ATATIZATION	ATAMAGENT CACCTUCEGE		בונכנפודונכ נסכומכנסס	ATTICCGAGGA	AGANTGCACC	GTAGRIAGGGG	CATGGCCGGC		COCCURRANT	٠
1	TATACCOCCA	GTOGACGGCG		GCCACGGCCC	TANCHICTCCT	TRETTACGINGS	CATCCTCCCC	GTACCOOCCO	<b>GTGCCGGACT</b>	OCCCOCCOTA	
	£ 55				Sphi						
17301		CACCACCAGC	COCCOCCCCC	GTCGCACCGT	CYN. ATTACACG	COCCUTATOCT	מככנכשככש	ATTCCACTOR .	TCCCCGCGGC	<b>GATTGGCGCC</b>	
					OCCIACOCIAC	COCCATACKA	CCCARRACISAA	TANGGIUNCT	ABCONCOCCO	CTAACCCCCII	
17401	GTUCCCOGAA		OCCUPACAG	<b>OCCIONATACIA</b> C	ACTICATITAAA	AACAAGTTAC	ATCITICANAA	ATCAMATA !		CTCTCACGET	
	CACOGGCCTT		CCCGAACGTC	coceretero	TOACTAATT	THEFTEMED	TACACCTITIT	TAGITITATI	TTTCAGACCT	GAGACTCCCA	
										2000	
17501	COCTIONICE	COCTROOTCE FORMACTAFF	_		ACTITICOGRE					TRECOMMENTA	
	GCGNACCAGG	OCCUNICADO ACATIGATAA	MCATCTTAC	CFICIGIAGE	TGAAACGCAG	AGACCTATOLIC	CCTGTGCCGA	OCCCGGGGCAA (	CTALLETTING	ארנפו זרואי	

Figure 15K

# PMRKAIISgag MER682

GCAGGAGGY  CGTCGTTC?!  TAGCGCCCA!  ACAGTGTC?!  TOTCACAG?!  TAMAGGAGY!  ATTCGTTC  CACTGAGCA!  GRIGGTCGY!	GCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	AFFGFFCAAA ACTGCGFACT TGACGGATGA GGGACGGTA TGAAATAAA ACFFFATTTG	CCCATATTAAT CTCAGTGGTA GAGTCACCAT TGAAAATGGT ACTTTTACCOT TTACCACTAI GTAACTCACCI CATTGATGGT
~ ~ ~		CCOTOROGAT  CCOTOROGAT  GCCACCTCTA  GTCCTCBACA  CTCCTCTCT  GATCGCTCT  GATCACCTCT  GATCACTCT  GATCACT  GATCACTCT  GATCACT  GATC	CCGRATAGA ATACCACATA TTCCCCTTA ACCCACAGC TCCCCCAGC TCCACCTCC TCCACCTCC TCCACCTCC
TTCCACCGTT AAGCTGCCTGG CTACCGGACC AGCCTCCACC TCGGAGGTGG TCGGAGGTCG GACCTCCTC CTGGACGTCC CTGGACGAGG CTGGACGAGG CTGGACGAGG CTGGACGAGG		CTCTCCATGA  TCCCTOTGGA  ACCGACCCT CATCCCCCCCC GTACCCCCCCCCC	
- · - · - · · · · · · · · · · · · · · ·	COCCOCCOCCO  ACCOCCOACO  TCGCGCCATC  CCAARATTGC  CCGCGCCACC  CCGCGCCACC  CCGCGCCACC  CCGCGCCACC  CCGCGCCACC		A CATTICACOTA CATTICAMCC GONAAGTICG TACANTOCCA TACANTOCCA TACANTOCCA TACANTOCCA TACANTOCCA TATITICICA ANAMAGANT C ATATAMAGANT
	COCCOCTOTO CONTECTOR CONTE	- <del>-</del>	A GLACTANANA F CGTCCOTTTTT F GCCCTATTTT C CAATGAACC G GTTACTTTCS T CSTAATCCAAC G GTTACTTTCS T CSTAATCCAAC G GTTACTTTCS G GGTCTGTGAG G GGTCTGTGAG G GGTCTGTGAG
CTCGCTGTFFF GAGGUACACA AAAGAGGAAA TTTCGA GTANYTTGA CATTGTAACT AGAAACTCTG GTGFTUAGAG	Greetandeed Candatremac Teresociatis Anaceceche Anaceceche		A NGCANGETION C PEGITECANTIT G TIGATITATA A AAGACINCE T TICIOATIOG G AAAGTECANGI G TATAGAAAGC T TATAGAAAGC T ATATAGAAAGC T ATATAGAAAGC
STREEGECT TEARTTGOOD CACCGCGSA ACTTGACTCC MANTICITANG GGATAATTTO TCTACGACTC CCTATTGAACA TCACGTTTTA ATGTTAACA TCACGTTTTA TTCTAATTGT CGTTCCCCTAC GCACCCCCAT TCCCCCGAA AGCCCCCGAA AGCCCCCGAA AGCCCCCGAA AGCCCCCGAA AGCCCCCGAA AGCCCCCGAA AGCCCCCGAA AGCCCCCGAA ACCACCCCGAA AGCCCCCCGAA AGCCCCCCGAA AGCCCCCCGAA AGCCCCCCGAA AGCCCCCCGAA AGCCCCCCGAA AGCCCCCCGAA AGCCCCCCGAA AGCCCCCCCGAA AGCCCCCCGAA AGCCCCCCCAA AGCCCCCCCAA AGCCCCCCCC		Graceriane r cardiacted gracerore greatanets cactatrace a exectivist	C TTCTACTOR  AAGGTCANC  AAGGTCANAC  AACCTANAA  T GAANAGTAT  AGATGTAGA  A CCTTTCAAT  A AGATGTAGA  C TTCTACATCT  A AAGATGTAGA
	• • • • •	ACCCTCGA TOCOGAGCT TACCCACGAC ATGCCTCTG GATCGCTCTG GATCGACACAC CTAGCTCTG GATCGACACAC A CTGCCTACAA F GACGGATGTT	A CAACGAAGAC A ATAGGTGTCG A ATAGGTGTCG G CAGCTGGTGG C GTCGACCCTC A GCAACAAAAT T CGTTGTTTTA A TTGTACAGT
CNATATIONGC GTTATACTCG MCCACAGGCC TCOTOTCCGG GGTTGGTCCG TOGCGAAAG TOGCGATTTC		** TCGGGCCAGG  ** AGCCCGGTCC  ** CGGTGCCCCC  ** GCCACTCACC  ** GCCACTCACC  ** GCCACTCACC  ** GCCACTCACC  ** GCCACTCACC  ** TACTCACCGCA  ** ATCACGCCACG  ** ATCACGCCACG  ** ATCACGCCACG  ** ATCACGCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	
recorace de Agecentoare erechaerac ancertrareo gregaceros exertegace eadagagace erencecace erencecace ecenoceace exerte	AAACCTUTOC TTTGGACACG CCAATGGCAA GGTCACCGTT TGTCATGTAT ACAGTACATA	CATGCATC GTACGTOTAG AGAAACCCCA TCTTTGGGGT COTACAAGGC GCATGTTCCG TTTTAAGGCCC AAAATTCGGG	
17601 17701 17801 17901	18101 18201 18301	18501 18501 18601 18701	18801 18901 19001 19101

#### PMRKAdSgag MER6A2

GOGTAATATA CCCATTATAC TCCATTORIUS AGGTAACCAA AACTTCCAAA	ACCATACTOTA AACATAGCOT	TOGCTCCC(*) ACCGAGGGT(*) CCTGCGCTAC	OGACCCATA CCOGGCTCAT GCCCCAGTA	AGTITGATA: TCANACTA'T; CITTINACO! GANATICC!:	COCCICTORY CCCCCCACICT ATGCACCITY TACCTTCAILA	GTTTTANATT CANCTTTAN ATTER ICTACC TANCCCATOS	CCCTGCTAN' CCCTGCTAN' CCCTGCTAN'	TCCMITANCT AGGICATIGA
		-	-		• • • •			
ACACAGCNC TOTTOTTGAT ATTCCTTGAT AACCGACCTA ACTGAAGATG	CCCTTTTCT CCTGTACTCC	ANGCGARTOG TRCGCTCACC GCAATGCTGG	CCTTCTCCTG CCTTCTCCTG CCAMBAGGARC	OCCAGENTA CGGTCGTAAT ACGACCAGTC TGCTGGTCAG	GCCCCGAAAG CCCCCAACTAG CCCTACCTAG		OTGOATOATA CACCTACTAT GACAGGCCTA CTGTCCOGAT	CATCCCATTC
CTAATGTATT OATTACATAA CATACCAGGT GTATOOTCGA AAATCATGGA	GAAAATGGAT CTTTTACCTA GGAGAAATTT	CTACATGAAC GATGTACTTG AACCACCACC	TTGGTGGTGG TTAAAAACCT AATTTTTGGA	CCAACTGCCCT ACCACTGCCT ACCACCACTCCT			CCGTCAGGTG GGCAGTCCAC ATGCGCGAAG TACGCGCTTC	CCCTTTOOCO
THENTERS ANANTANGGA AGAGAGCTTT TOTALCECOANA GANTANTAN	ANCAGOTENO TTGTCCAGTE GCCAACCTGT	CCGTTCCACA ACACCTACCA TGTCCATCT CAACCCATTT	GITGGSTANA TTCTTIGCA ANGNANCGGT	ATCACCTANG TACTGGATTC CATCCTTAGA		TCTCCATCAC ACCGTTACTG TTCCTTCGTAC AAGGACCATG	AGCCCATOAG TCGGGTACTC TGCCCCACC ACGCGGGTGG	TVICTAGEST
TTACARGETTATT ACACACACACAC TCTCTTTG TCTCTTTG CCAGATGTTA	TAMANCCTAA ATTTTCGATT CAATCTAAAT	GTTAGATTTA GATAACCTAA CTATTAGGGTT	ACCTIOTIVACA GCCTCAGAAG COGAGTCTTC			CTGGGATTAN TCAGCTGGCC AGTTCGACCTGG CAAAGACTTG	AGAAACTTCC TCTTTGAAGG TTGGCTACCT AACCGATGGA	AAAGTTRCTT
ATCATTCAT ATCATTCAA TAGATTTCA ATCTAAACTT	CTTACCANA CTTACCANA GAATAATIC CCATAAAAT	AAAAATTTCT AAAAATTTCT TTTTTAAAGA	-			GACTCTTCTY GACTCTTCTY CTGAGAGAC CTGAGAGAC CTAACATGAC CATAGACTG	CTCCTTCTTT CACGAAGAAA TCTCGAATTTG AGACCTAAAC	TTACCCAGAA
CAGGCCTAAT GTCCTGAATTA AATVCTTTTG TTACGACAAC	TECCACACT TACAGAGACT ATGTCTCTCTAA AATAATTTTG	TTATTANANC CTTCCAACGT GAAGGTTCC.A	TOTAL NATION TOTAL ACCORDANCE CACCOOMAGG	TTAACATGGT AATTGTACCA GGCCCACAAC		CATTACCITT CATTACCITT GTATGGANA GTTGCCCAGT CAACGGGTCA		CAACTCACCO
	TACACCITING GTGTGATTAA CACACTAATT AAGAGTTGGA	TTCTCAACCT AAGTACAGTC TTCATGTCAG	ACCAGCOATA TOGACCTCG TOGACCTCG ACCAGCOATA	AGGNAGIATO PECTTECTAC PETTECECAT	AGANOGOSTA GCTCTACCCT CGAGATGGGA AAGAAAAGCC	AGMACTINGS AGMACTICGC TETTCCACCG GGGTTACAC		CAAGACCACA
GGCCAACAAT CCGGTTGTTA CCGCCCAAGC GCCCCGTTCG GTACTTTCT	CCACTGAGAGG CCACTGAGAG GGTGACCCTC AAAATGAAAT	THTACTITA CGACAAGCTA OCTOTICGAT	TOCTACATTA ACQATGTAAT TOCTGGGCAA ACGACCCGTT	GTGGAACTTC CACCTTGAAG TACGCCACCT	ATCCGGTGGA CCCCCAACAT GCCGGTTGTA CCTTAAGACT			CGCTFATAGG
AGANCTANTO TCTTGATTAC GATGTTCTGG CCACAAGACC ATAGANCCAG	TATCTIGGTT TACTGCTTT AATGACGAAA	AAAAGTETAT TGTATTTGEE ACATAAACGG	OCTACTORIAL COATCACTO COCTCANTOT COCTCANTOT CCGAGTTACA	ACACCTACGA TOTOGATOCT CATTTGCCTT	GTAAACGGAA TATCTCTCCG ATAGAGAGGC	GOANGTOCOC TTACCTCANC AATOGNOTTO AAGOGCTCAG	AGGCFTCTA TCCCGAAGAT GGACTACCAA CCTGATGGTT	TRECECTATE COLITA
19301 19401 19501	19601	19801	19901	20101	20301	20501	20701	20901

Figure ISM

# pmrkadsgag Herbrz

					•				•	
					J. IJ. J T. January	A ANTHERSON	ACCCCTINGA (	CATCACTTIT O		CCATCKIACIOA
21001		ב ב	ACM M.C. Itele					GTACTCAAAA C	CTCCACCTAG G	OGTACCTGCT
	AATACAGGTA						ביינומאייות ז	ATCCAAACCG T	TOTACCTOCO C	CACCICCET .
21101	COCCACCENT				GREEFING.				ACT TO CACOC G	GTGCGGGN 1
	COCOTOCCAA	GAANTACAAA	ACMACTITCA	GMMCTGCAC	CALAM. ACAL.					Light .
			•				GCTCCAGTGA (	GCAGGAACTG A	AAAGCCATTG 1	TCAMGATCT
21201	TCOCCCOCCA	ACCCACACAC	ATMARAARC	AMERICAN CALL	THE THE HEALT				TTTCOCTANC A	ACTITICTAGA
	AGCCGGCCGT	racacrana	TATTICITES		The state of the s			OCCTOCOCCA 1	TAGTCAATAC O	OCCUBOTO:
21301	recrietoco	CCATATETT	TCCCCACCTA	A CHETTE GO	AAAG: TCCC:A			COGACOCOOT A	ATCAGITATE C	CCCCCCAGIN
	ACCANCACCC		McCcw oon		CULTURE BY AND		CTCTTTGAGC	CCTITIOGCTT 1	_	COACTCAACC
21401	DAGACTGGGG	CCUTACACTG	CATCCCLTT	COCACCTTOS	CCCTCACTUT			-	_	OCTOAGTTC"
	CTCTGACCCC		CINCESCACE	TOCCCCTAG	COCCATTOR	TCTTCCCCCO				AAAGCGTAC .
21501	ACCTITACEA		CTCAGTGAGG	ACCCCCCCATC	GCCCCTAACCA	<b>NGANGGGGGG</b> C				TO COCKETO
*****	TCCAMICO.		GTGGACTATT	CITACTICATO	THETECACO				ATCACAGCC C	CALCATONY GREGIACTE :
10017	CCCCOOOTO		CACCTGATAA	GACGACGTAC	AMGNOOTOC	GGRANCGGTT	GACCIGGGGTT	ופעפעפושרה		
		Kpre								
1111		_	CPCCATGCTC	AACAGTCCCC	AGGTACAGCC	CACCCTGCGF	COCMCCAGO	AACAGCTCTA	CAGCTTCCTO CONTROL OF	CTCGCGGTR
70/77			GAGGTACGAG	TTOTCACCG	TCCATCTCCAG	GTCACACGCA	activident.			CTATTCAATAA
-			AGTOCCOACA	TTAGGAGCGC	CACTICITIT	TOTCACTTGA	ANAACATGTA	MANTANIO I		GAAAGTTA1"
10017			TCACGCGTCT	AATCCTCGCG	GTCANGAMA	ACAGTGAACT	TITIGIACAI			CALANCELTA
•			ACACTUTOG	GTGATTATT	אניכנניבאכניכ	TRACCOTOTO	COCCUTTINA			CCCTAGCGAT
70617			TOTOACACCC	CACTANTANA	<b>INSCREDENCE</b>	AACGCCAGAC	CCCCANATT	_		TCACTCCACA
12001			OFTIGCGATAC	TOGICITIVO	TRICACOLA	AACTCAGGC	ACAACCATCE	CCACCACCIC	_	AGTGAGGTCT
			CAACCCTATG	ACCACAMATC	ACTINGCITGAA	TTTGAGTCCG	200200			
					2000	1			CONTRACTION	GATACACACA
72101	GACTGCGCAC	: CATCACCAAC	-	-		AAGTCGCAGT	MCCCCGGAGG			CTATISTICS.
		3 GTAGTOGTTG	CCCMATCOT	ככאפיננככנ	-		SCHOOL STORES			GTTGCTCAGG
22201		TOGAACACTA		_		ממשות אינות ביים	T.M. CALLED A. C.			CANCGAGINC
			AGTECOCOCICE	-	_			ACCOUNTED	CATCAAAAGG	TGACCOTOCC
22101	_	3 TCAACTITIES				ACRES. T.T. T. GAR.	AACGTGAGCG		-	ACTRICICACIOG
				_			CAGACTERIA	GCCTTCAGAG	AAGAACATGC	COLVAGACTT
22401		CHTAGGATAC	AGCCCCTCCA	-	-		CTT TO CANACO		TTCTTGTACG	TITCICAA
•		3 CANTOCTATO	TCCCCOTACGT	ATTITICOGAN	CTAGACTIMA		E C			
			Sal		•		***************************************		מפטינובראנינט	GFTCFTCACA
10500		STORYABBE TGATTGCCCG GACAGGCCGC	פאכאנאינכפנ		GACCOTACACO CACACACCTAG		CCACIATIC TOC	Trachical	2001000000	CANCIANGTEC
10077		COCCUPATIO ACTIVACCOCC	CTGTCCGGCG		CAGCACOTAC CTCGTV30AAC	מנשעבבעבעע				

Figur ISN

### PMRKAd5gay MER682

CCTT ATTENTOATA ATGUTTCOST GGAA TAAATAGTAT TACGAAGGEA	CTAG GTCACCTCTG CNAV.CALTG	CCTCOTTCAG GGAGCAAGTC	MERIC CATEAGERG CIXTICAGELT ACAG GTACTEGEGE GEOCOTEOR I	AGAAGGAGAA	GCCACCAA	MCCC TCTTCCCCC ANGAANAGA MCCC TCTTCCCCCC ANGAANAGA	CTCAGAAGGA	ACCARCICCE	CTAGTACCTC	NOGO CAGCICCATO GOGGGGACT	TTTTCGTTCT Ps		GTGGATAGA TGCTTGCCAC ACGNACGOTO	SAGG CGCTGTCATA CCTXIATATA: STCCC CCGACGGTAT GGACTATAR?
ATTICANTA CONSCICCT	TOCCTUTIO ATCUTTOTAG ACCCUARTA TACGARCATO	CAGC'INGNAC COGOGOTOCT OTCOACGTTO GOCGCCACGA	TTATCCACGT GGTACFTGTC AATAGGTGCA CCATGAACAG			GACCICICION COCCIONNOS COCIONNOS COCCIONNOS COCIONNOS COCCIONNOS COCONNOS COCCIONNOS COCCIONNOS COCCIONNOS COCCIONNOS COCCIONNOS COCONNOS COCCIONNOS COCCIONNOS COCCIONNOS COCCIONNOS COCCIONNOS COCIONNOS COCCIONNOS COCCIO				ACCCCCTAC CACCTTCCCC TGCCCGATG GTOGAAGOGG	CTCAGINCLA ACAGAGONIA GAGICATOGI TOTCICCTAT		TCAGCCTTRC CTACGNACGC AGTICGIANCO GATGCTTGCG CGTATTTRCC GTGCCAGAGG GCATAAACGG CACGGTCTCC	CAOCTOOCCT TREGGEAGGG GTEGACGGCA ACACCGTCCC
CENTRANCE ATT	ACOCARCENT TOO CARTERIAGE ACO	TESTRIANGET CAG	CTTTAGATCG TTA GAAATCTAGC AAT	-	•	-	_				ACGAGGACCO CTC TOCTCCTGGC GAG		ATAGCARATT TCA TATCGCCTAC AGT ACTTCTACCC CGT TGAAGATGGG GCA	ARCOGACANG CAG
CCHTFICALT	CARCACARC	CAGAACAACG	TEAMGTTEGE ACTICAAGCG	CGRATTCATY: GCCCAAGTAG	CCCTGACACG	CCACCATTAC	מכנשבבבפער מפכנשבבבפער	CCTCCCCCCC	CTTCCCACT	CATCTCCACC	ACCEMAGACO TCCC FTCTOC	CCCATCCCCT	GCCCTCACC CTATAGAGCTA CTGCTCCTCA CCCCCCACT	ACCGCAGCCG
ב ממממאראים מ במכמיםאימא	ם ניהראמתממדם כ מכסיממתמת	T COTCACAAAG A GCAGTGTTTC	A CCCAGTAGTT T CCGTCATCAA	G GCACACTCAG C COTGTGAGTC	C ATTCARCICOC G TANGITCOCCG	-		ב בבבפכנוסטכב ב בבבפכנוסטכב	O COCTOCTCCT	TEGECACEAE	C AGGITTITGTA	O CCCTOCITY	C CCACCGATGT C COTCGCTACA C CCACCGCAAC	C TOCCOTOCCA
G CTRICTTEACE	T TCGAITTY'AG A AGCTAGAGTC	C GCCCCATCAT	C CACTITACITCA G GTGAACCAOT		G CCAGCAGAAG	•	A TCCOCCGCCG	C DCTTTTTTCO	C CCACCAAAGC	C CCCTCTGAGT	O ACCAGOACTC	A AGTEGGGEGG	SC TTGCAAGAGC SC AACGTTCTCG IA ACGGCACATG	NF ACCCUTATCC
F TRETAGACTE	GTAGACACTT AAGCTCGCCT CATCTGTGAA TTCGAGCGGA	CAGGTACGCC TOCAGGAATC GTCCATGCGC ACGTCCTTAG	O CCAGAGCTTC C GGTCTCGAAG	T CTCCCACGCA	A COCOCCACTO T OCOCOOTOAC		C ANTOGCCANA	C COCCTCATCC	C COCOCTCOGO	NGAAGGACAG CCTAACCGCC TCTTCCTGTC GGATTGGCGG	A OTCATATO	A ACCAGGAACA T TOCTCCTTGT		TTTTCCAAA ACTGCAAGAT
ATCTTGGCCT	GTAGACACTT AAGC CATCTGTGAA TTCG	CAGGTACGCC TOCA	CATACOOCCO	CCATCCCCTT	CCCCATACCA	ACCATTIGIA TGGIAAACAT	TCTTOOGCGC AGAACCCGCG	CHCGATACGC	COLOCOCOLOR	AGAAGGACAG CCTA TCTTCCTGTC GGAT	CCTCCTCCTT CACT	CONGREGION	GCGCCATTAT CGCGGTAATA ACCCCCAAA TGGGGGGTTT	TTTTCCAAA
22601	22701	22801	22901	23001	23101	23201	23301	23401	23501	23601	23701	23801	23901	24101

Figure 150

# PMRKAdSgag MER682

24201	CCTCGCTCAA	COANGITACEA	AAAATCTTTG TTTTAGAAAC	ACCCAGAACC	ACACTACTAG TRACKLESCTC	ANGREGISTED (	CANACCACTUTE	CCANCAGGAA	AACAGCGAAA TTGTCGCTTT	ATGAAAGTCA TACT'ITCAGT
24301	CTCTGGAGTG	TTGTTGGAC	Whole COCAAC TOTACGGTGA	CAACGCGCATA	CTAGCCCTAC	TAMAACTACAG	CATCGAGGTC	ACCACTITO	CCTACCCAGC	ACTTAACCTA TRAATTGGAT
24401	CCCCCCAAGG	TCATGAGCAC	AGTCATGAGT	GARCHGATCG	PRICE GOOD		CACACCCTAC	CANATTIGCA	AGAACAAACA	GAGGAGGGC**
24501	TACCCCCAGT ATGCCCCTCA	TOCCONCOAD ACCOCTOCTC	CAGCTAGGG GTCGATCGCG	GETCACTTCA	AACGCCCCTC		TRICARGAGED ACCTECTEGE	ACCCANACTA	ATGATGCCCG TACTACCGGC	CAGT :CTCFT GTCACGAGGA
24601	TACCGTGGAG	CTTO	Sphi MINGEA TOCAGCOUTT CACGE ACGTCGCCAA	CTTTGCTGAC	CCRGARATGC	ACCCANCT	AGACCIATOTA	TTCCACTACA AACOTGATGT	CCTTTCGACA	GGGCTACGTA
24701	COCCAGGCCF	ESCENDENCE CONTRACTOR	CAACOTOGAD	CTCTGCAAGC	TRGTCTCCTA	CCTTGGAATT	TTGCACGAAA AACGTGCTTT	ACCOCCTTOO	GCAMACGTO CGTTTTGCAC	CTICATTCCA
24801	CGCTCAAGGG	CCAAGGCGCGC GCTCCGCGCG	3 2 8	TCCGCGACTG AGGCGCTGAC	CGTTFACTTA	TTTCTATGCT AAAGATACGA	ACACCTGGCA TETGGACCGT	GACGGCCATG CTGCCGGTAC	OGCOTTOCC CCCCAACCO	AGCAGRECTT PCGTCACGAA
24901	GGAGGAGTGC	AACCTCAAGG	AGCTGCAGAA FCGACGTCTT	ACTGCTAAAG TGACCATTTC	CANAACTTGA GTTTTGAACT	AGGACCTAFG TCCTGGATAC	GACCICCTTC	ACCAGCGCT	CCCTOGCCOC	OCACCTOBON: CGTORACCON:
25001	GACATCATT		CCTGCTTAAA GGACCAAATTT GCACCTGGG	ACCCTRICAAC TRACACGTTG GTGCACTTCC	ACCCAGACGG TCCCAGACGG TAGCCACTTT	ACACTTCACC TCTGAAGTGG GTGCCCATTA	ACTACCCCCA ACTACCCCCA	TCTTCCAGAA ACAACGTCTT ATGCCCTCCG	CCCC TTOO	AAATARGATU GCCACTRCTA
25101	TCGCGAGTCC		CGCTGCACGA	CACGTGAAGG	ATCCCTGAAA	CACGGGTANT	TCATGGCGCT	TACOGGAGOC	GCCGAAACCC	COSTCALCONT
25201	CCTTCTGCAG GGAAGACGTC	CCTICTOCAG CTAGCCAACT GGAAGACGTC GATCGGTTGA	ACCTTOCCTA TOGANCOGAT	CCACTCTGAC GOTGAGACTO	ataategaag tattacette	ACGTGAGGGG TGCACTCGCC	TCACGGTCTA ACTGCCAGAT	CTCGAGTGTC GACCTCACAG	ACTORCOCTO TGACAGCGAC	
25301	ACCCCOCACC	CCTCCCTOOF	TTOCAATTEG				ACCTTTCAGC TOGAAACTCG	TECAGGGTCC ACGTCCCAGG	CTCGCCTGAC GAGCGGACTG CACGAGATTA	GANAGICCA CITITICAGG" GOITCIACOA
25401	CONCLUCADO	CAACTITICAD	ACTCCCG000C TGAGGCCCCG	TOTOGACOTC ACACCTGCAG	CCGAATOOAA	COUNTY	APPRACHECT	GARGOTOCOG	GIGCICTAAT	CCANGATIST
25501	AGACCANTCC TCTCGCTAGG TTTCTGCTAG	COCCCOCCTA  GCOCCCOAT  GAAAGOTIACO  CTTTCCCTCC	ATCCCCTCGA TACCCCTCGA GGCAATTTAC CCCCCAAATG	TACCACCTUS ATGGCGGAGS TTYGACCCCC	CACTANTACO CACTANTAGO ACTECEGGICA TEAKACECCET	Precentata GRACETEANE CETEGARITIG	ACAACCGGTT CCAATCCCCC GGTTAGGGGG	AACGTTCGGT CGCCGCCGCA GCGGCTGCGT	AGTHGTTFCB GCCCTATCAG CCCCAATAGTC	GECTEGOS P

Figure 15P

CTTCTCOGGA

ACTITITAACCC

CCTCGTCAGG CCACCACTCC

TTCATTCACG

CCOOCCOCLC

ATCGGCGGC

CAGGCCTGCC CTCTAAAGTC TAGCCGCCGC

GACATTICAG

CITCCCGGACGG

CHICCICALC GRACCAGAGG

CTCGAGGAGC

ROCTCABCCA

**ACGAOTICOOT** 

27101 27001

GAGCTCCTCO

GCCCGCCGAG ANOTANGTOC

NARCOTETOG AGENGGAGAE TEXOCÓCGAG ACETECOTAA CETTGAGAET TYAATAAC ECTENACAE GOTACECAGA TGAAATTOGO GANGAGECET

TOGRODICATE GRANCICICS ANTITATICA GRAGITICIO CCATOGOTOT

TCOTCCTCTO ACCCCCCCTC

**TCTGCAGACC** 

27201

#### DMRKACISGAG NER682

2

CTTTGTGGCA GTGGTAGCI'A TCTACCTACCC **ACCCACCOGA** COATCCCTCA TATIONCON ATGAGCGCC **OCCUMPTACCO** طلاكانة بالملائدان CCGCTCGGCCT CACCCCCCGAG CTGGGCGCTC **OCTAGOGACT** CTCTTAAGGA ATACTOGITA TACTCGCGCC TATTCCAAT CARCTCAACT CARPARATE ACCTICARCO. GICCONCTION. CECEGGRACO AAGGGECTA CCOFGRAFFF FFCFFCGAGG TYTAKYXXCA CIXITYAGITG CTGCTCGTCC TATGACCCT GTCAGTCCGF CTGCTCCA CAUAATTEC CACGAGGAGG AATACTCCCA CAGTCAGGCA CALTGCCCGT AAATAAAAA CAGGTCTCTG TATTACCACC ACACCTCOTA GTGACCOGCA GGTTCCGATG CATCACORCO GTAGTOCCOC CAGAAGCANA **OPCITICOTES** AACCCGTATC TTOOCCATAG GTCCAGAGAC TCAGCGCCAT AGTECCOOGTA MINACTAC TTATTTCATO CACHTTROCT TANGAGGACE TTGTCCGCCG ATANTGGTGG TOTGGAGCAT COCTCCATA TOCOCCATOR ACCCCCCACT GOCTTICANGT **OCCADOTATT** CCOMOTICA CCACAGICTO 00000000000 כשכמססמככ TUTTETAC AGANGAGATO CCTCGACAAC OCCOUNTATA CACCECAATO GICGOTGITT ACCETGAACO CCGACCTCGA COOFFICTOA TGAGITGGGC **GGTGTCAGAC** AACAACAGCG THEFTOTOCOC ACCORCACA TCCCC007GT GCCCCAACO COCOCOTICC TITATITIT **OTCATTITATO GCACCTIGITIO** ACTICAACCCG CACTAMATAC GACGCCCAGG CTGCGGGTCC GTTAGTCTCC CAATCAGAGG TCCAGCTTCT AACAGAGEAG GEOCCAAGAA CAAGAGETGA OTCAACOOAA TACOCOCCCA CCNAAACCGA ATTCTCCTCG AACAGACGGC ACTICCCAGA CCARCIGGICC COTCCCATAT TOAGTGGACT AGGTTCGNAGA CGCTCCTCAG CCGAGGAGTC CCCCAAGAGC COGNICACO CCCCCCCATT GCCCCCCCAA CAGCAACAGC ATGACGTYSC CISCCGTCGCC GTCGTTGTCG GCTGCGTCTG CGACCCAGAC GTTCTCGACT AGCITACITY CGCGTYCGAC CTTCTGCGCC TCCGAGAGAA CCCCCCCCCA OCCUCACOOL **OCCCANGACT** TCAACGGTCT ACTICACCTOA TOCARCATOR CTACAACCTC CACARGOTRIC DETERCECER GEARDITATA נינגענינענ הידאהאהיאה האאהנדדכתה GGATCTGCTK: CTTCGAAGGC CONTENTING CONTINGED ACTIONACE GATGITISTAG CCCGCCCTTTA COTTICOTOGO CIRCOTICANT TYGORGCAAC ATCTCCTTCG ACCCCCGTTG TAGACGAAGC GCARCAGCAG GAGGAGGAGG CHITCARCITIC ANCONCOACA ACAGENGAGG TECCECOGTGT TOXACTION ODCTODAGCT COCKETCICA CCACTOTOST TACTRICACES GEORGEAGEGG כמונמוכשכ כוככוכנום THENCIENTE CCCGGTNCTT מכמרתבישכדה התתחתימכשם DUTTOACACCA THECCAGGAT GREACETANA AAGAAGETKIC MIXTHIXITTATE CCAARCAGCC GOGACCACAT GOTCCTTTCA FACCGAGAGT TOCCAGTAGA GATOTCOGGT CACTETYTAT CETATATITE TITTAATICG CGCTITTGAT ACTROCARRA TGACCCTICTIC CCCAACCCGT OCCUGITANT CGCCCATTCA TOCANGACTO ACCITICAGAC CCAAGAAATC CACAGCGGCG GTGAGACATA CGATATAAAG TAGTCCAAGC **GCGANANCTA** CACCCACACA ATCCCCCGGT CCAGGMAGT OTGRECCACG CTACAGCCCA GITGITCGCCGC MANAGEGIAG ATCARCITICG CCCACACATC TOOMACCAGG ATCATCANG TACTACCIFIC CNACCINICA **OCTIVETTIAG** AAATTTAAGC **OTCGAGTTAC** COCCUTICGE **ACC'ITIGGTCC** OTTOCTIOCT ACCONCATOT #TTTCGCTTC CAGITICOCTT CCCITAGITAL GCCGMAGCA COACCACCAC CCICCICCIO TOCCOOCOC BECTTAACCC AGCGGCCUCG GOGACACCAC GAACGCCNTA CPTCCCCCTAT CTCCATTACT CACCTANTCA CTGACAAAGC GCATTITICC CCTANANGG CCTOTATCAC OCCUPANTICAC COCCANAGAC COCCCTACAT DATATCCCOG ACCOOCCGAC AGCTTGCGGG cccrcrccra CARCITOTITICS TOCCCCCTG TCOMCOCCC CCACATAGTO CTATAGGGCC GGCCCTTGC TOCACGAGGA DOCATTICTAG GATCAAAGCG DANATICCCA CCCCCACAL CCOTAACATC CCCOCAGCTO **NCCTGCTCCT** MCCGTAGAT TOOCATCTA COCCOUNT PAGCAAGACT ATCOTTCTGA CTTAGAACA GAATCTTTGT COCCOTCGAC TITANGGOT DACCCCACAT CGCATTCCCC CTAGTTACOC CTOCOCOTOTA **PCCCCGTAGT** SOCCUTCA COCCUTCA PCADOGGCGC Agreceded 25701 25801 26201 26301 26401 26901 25901 26001 26101 26501 26601 26701 26901

Figure 1561

### PMRRAdSgag MER682

GCAGACCAAC CGTCTCTT1 ATATCTAG 17 TATAGCTCTT GGACACCO 18 CCTGTCCC 18	AGAMITAL.A TCTTTAAT' ATCTCTCC TAGAGGG''A	RCCTTACCTTA RGGNATGGAC TGTTTACCAG	CANTACAN' CATANGAT''.	GCCTACTY 1 CCGACGACAC GTCAGCCCAC CAGTCCAGGT1	ACCACAGN/ TGGTGTCTT-1 TTACAGTTT-F AATGTCAANA	GTGJCCCCA CACCGTART ACCNARICA ACCNATTC F ACCNATT S FFGTTRAU T ATATICTC A FAFACCAGTT
• • • •	TANTANTAGE ATTANTAGE TACTIFIANGE ATGANAATTG 1		ACTETACOOD C TOADATOCEE C	ANGOCTOGIC O TTCCCAGCGG ( TCACCCTTGC AGTGGGAACG (	TATAAAATGC ATATTTACG GAGTATAATG CTCATATTAC	AGTATAGTT TCATATTCAA GTATATAAA GATATAAATTT CTCCTCCTCCAA GACGACGTT TCTATGTGGG AGATACACC
.,	GTGCTGAGTA CACGACTCAT CCTTACCTGG GGAATGGACC	CATCAGAAAA GTAGTCTTTT CGCACAGACC GCCTGTCTOG	ANTICANOCA	TTCTCTGCCT NGAGACGGA CTAGGTTTAC GATCCAAATG	CCACCACTCT CCTCGTGAGA TGACACTACA	TACTCOTTE GTACCCTACT CATOCOATOA GCTTTACTCO CGAMATOACC AACAATTOACC
•••	TECCATCTCT ACGETAGAGA CCAAGGGGAAA GGTTCCGCTT	TCAGCTACTC AGTCGATGAG AGACTTTTTC TCTGAAAAAG	GTTTATGAAC CAAATACTTB	ATACTAACOC TATGATTOCO GTACATAATC CATGTATTAG	CCANTRACTCA CCANTRACTCA CCCACCAGG	TACCATGRAC  ATGGRACATG  CCAMACCAGA  ACCACTANCT  TCGRAACTGA  CATTCCCCTG
GGACTOXGOTA CCTCAGCCGC GACTY CGGTG CTGAGGCCAC TGATTCGGGA ACTAAGCCCT FgIII		CTCTCCGAGC GAGAGGCTCG ACCGTAAACC TGCCATTTGG	CTACTGTCAC GATGACACCC	CTTTATTCTT GANTAAGAA AGATGATTAG TCTACTAATC	COCAGCTGAA GCGTCGACTT TATCCTATTT	TOTICGACAT ACAGGGTTGTA TACAGTGCTC ATGTCACAGG AGCTAATGTC TCCATTACAG TCCTCAATAC
ACGITATIONA TICUTATITI CTTTATICTAT GALAN YAXXIG GEOCOTATIONS CCXXXXICOG	GATTACATCA CYANTGTAGT TCTTCACCCG MGANGTGGGC		MANGCGCAG TTTCCGCGTC	THATANTET AACACTANGA TEGECACECA AGEGGTGGGT	ATGTTACATT TACATGTAA GTATGCTGTT CATAGGACAA	TTTTATGAMA  ANANTACTTT  CTATCCTAAT  CATACCATTACAA  ATTCAATCTT  COTCATTACCA  COTCATTACCA
CCTAACTTRG GGATTGAAAG GCCACAAGTRG CGGTGTTCAC GGGAGAGCTT CCCTCCGAA	CCTAACCCTG GGAFTCGGAC AACGCCACCG TTGCGGTGGC			ATTCTCTGTC TAAGAGACAG AACGCTGGGG	CCAGCCTGTA GGTCGCACAT AAATTGGCAA	Relifon Th Tactiffice Day attached Tre Tre techocacts NG acancers NG CTTATIFFO NG CANTIANTS NG ANTICOGGG
TCAATTTATT AGTTAAATTA CACTGTCCCC GTGACAGCCCG -TTACCGCCCA AATGGCGGT	TTGCNACTGT AACGTTGACA CCATCCTGTA	AACCCAGACG TTGGGTCTGC CACCGGCGG	MCCCTTAGG	OCTIGGGGIT ECAACCCCAA CAGCITIIITA GTCGAAAAAT	THTANG AMATTCC CACAMAN GTGTTTTT	CTITIATE GAAAATK TGGCACTI ACCUSTON NGAAAN TTCTTTT GAATAGG
ACTATCCOSA TGATAGGCCT ACACCTGGTC TGTGGACCAG GGCGTCCGGC CCGCAGGCCG	TCACTGTGAT AGTGACACTA GCTCCTATCG	CAACAGTTC OTTOTCAAAG ACGAGTGCGT		TCAGGITTICT CTAGATCGG AGTCCAAAGA GATCTTAGCC TGCACATTTG CATTTATTGT ACGTGTAAAC GTAAATAACA	AAAAGGTGGA TTTTCCACCT GCTTATTCGC CGAATAAGCG	ACTCATATAT TCAGTATTTT TGGALAACAC ACCTATTGTG TATTTGTGAAA ATACATTATATATATAATAATAAATAAATAAATAAA
CCTCCCGGCCGGTCGGGCCCGGGAAAACGCCGGAACTTCCCCGGCGCGCGC	CCCTOTOTIC GGGACACAG AFAFACTGG	CTOTOATTA GACACTAAAT CCGGGAACUT	AACAGGAGGT TTGTCCTCCA	TCAGGTTECT AGTCCAAAGA TGCACATTTG ACGTGTAAAC	Kort GOTACCACC CCATGGTGGG ATGAAAGCT PACTTTTCGA	CCAGGGTAAA GGTCCCATTT CAAATTTAACAC GACGCAGGTT CTGCGTGTAACAC AAAAGTTAGC
27301 27401 27501	27601	27801	28001	28101	28301	28501 28601 28701 28801

# PMRKAdSgag MER682

. 28901	CCCCTACAAC	CTTGAAGTCA	OCCUPACION	ATGTCAGGAT	CTGACTTICAG		TCCCCCCCCAT	HUMOCAGE	CCAACTACAG	CCACCCACTC
	COCCATGTIG	GAACTTCAGT	CCCANGGALC	TACAGTECTA	GACTEMANCE	GOTCOTTAIAC	AGGCGCCTA	ANCANGGICA	OCTTRIATETE	によること
29001	TAACAGAGAT		ACCAACGCG	כבפכבמינועב	בממערדאהא	TUTACCACAA	ATACACCCA	ACTIFICACE	TETRITICASTA	ACTORGATA
	ATTOTOTOTA	CHACHICTOR	TOCTTOCCC	CCCCCCCCATY	C.C.T.AATT.T	אהאזיאיזאיז	TATEFICACI	TCAMCACGG	MACAGITAL	ולשנינירואוי
29101	CTTGGGCATG	rogiograci	CCATAGCCCT	TATESTATION	TYX;CTTAITA	TTATCHEACT	CATCTRICTEC	CTAAAGCCCA	AACOCGCCCG	ACCACCCATC
	GAACCCOTAC	ACCACCAAGA	<b>GCTATCGCGA</b>	ATACAMCAT	ACCOUNTANT	MATACACTOR	GTACACGACG	GATTICGCGT	TICCICCICAN	אלאטיוי ונא הויאה:
29201	TATAGECCA	TCATTOTCCT	ACACCCAAAC	AATTATTATAA	TECATAGATT	PRACESTALTE	ANACACATGE	TCTTTICTCT	TACAGTATGA	TTANATCACA
	ATATCAGGGT		חבוסטובו	TTACTACTT	AGGTATCTAA	CCTOCCTCAC	THEFETACA	ACAAAAGAGA	ATCTCATACT	AATTTACTET
	~ <b>}</b>	Yhel								
29301	CATCATICCT	CATCATTCCT CCAGTITITIA	TATTACTIGAC	CCTIGNICO	CTITITION		ATTOOCTOCG	GFFFCTCACA	TCOAACTAGA	CTCCATTC A
	GTACTAAGGA	OCTCAAAAT	ATAATGACTG	CCAACAACCC	CAAAAAACAC CCACGACCTG		TAACCGACGC	CAAAGAGTGT	AOCTICATO	GACCTANO.T.
					Pstl	=				
29401	GCCTTCACAG	TCTATTICCT	TTACGGATTT	OTCACCCTCA	CACTENTETA CAGGETEATE		ACTIGITICA TOCCOTITAT	TCCCCTITAL	CCARTGCATT	GACTOOGIV:
	COGAROTOTC		AATGCCFAM	CACTOCOAST	GCGAGTAGAC	GTCGGAGTAG	TGACACCAGT AGCGGAAATA	ACCCONNTR	<b>OCTCACCTAM</b>	CTGACCENTA
							Leof	_*		
29501	CHOROCOCHE	TOCATATOR	AGACACCATC	CCCAGTACAG	GGACAGGACT	ATAGCTGAGC	TYCTTAGANT TCTPTAATTA	TCTTTAATTA	TOWATTTAC	TOTOACTT!
	CACACOCOAA	-	TCTGTGGTAG	GOGTCATGTC	CCTGTCCTGA	TATEGACTEG	ANGMATCTTA	ACALATTAAT	ACTITAAATO	ACACTOMAN
20601	CHEST TO A STATE	E	ATCTCCCTTT	TOTACCCCGA	CCTCCAAGCC	TCAAAGACAT	ATATCATGCA	GATTCACTCG	TATATGGAAT	ATTCCAAGI T
1000	DACCACTAAT	3	TAGACGCANA	ACANGOCCUT	CCACCITICUS		TATAGTACGT	CTAMOTGAGE	ATATACCTTA	TAAGGTTCAA
							Psd			
29701	CCTACAATGA	AAAAAGCGAT	CTTTCCCAAG	CCTCGTTATA	TGCAATCATC	TCTGTTATGG	SCAG	TACCATCTTA	<b>GCCCTAGCTA</b>	TATATCCCIA
	COATGITACT	_	GAAAGGCTTC	GGACCAATAT	ACCTTAGTAG	AGACAATACC	ACAAGACGTC	ATOGTAGAAT	COOGATCGAT	ATATAGGAT
2080C	THE PERSON NAMED IN COLUMN NAM	Ę	CAATACATCE	CATGAACCAC	CCAACTITICC	כבפכשבבנופב	TATGCTTCCA	CTCCACAG	THOTHOCOOD	COCCUTICIN
70067	CONTINUE		GTTATCTACG	GTACTTGGTG	CONTROLANCO		ATACGAAGGT	GACGITOTIC	AACAACGGCC	GCCCANALA 1
									* }	E .
									Pd .	
10001			Accompany	ACCCCACTO	AAATCAGCTA	CTITAATCTA	ACAGGAGAGAG.	ATGACTGACA	CCCTAGATCT	AGAAATGGAC
10667	CCASCLANIC		TECANGAGA	TOCOGRAN	TTTAGTCGAT	CANATTAGAT	TOTOCTOCTO	TACTGACTGT	GOGATETAGA	PCTTTACCTO
*000		5	CT-TT-TAGAA	ACACGCAGGG	CAGCGGCCGA	CCAACAGCGC	ATGAATCAAG	AGCTCCAAGA	CATOOTTAAC	TICCACCAGE
70005	CONTRACTOR OF		GERCGATCTT	TCTOCOTCCC	GTCGCCGGCT	CONTINUEDCO	TACTTAGTTC	regreemen	GTACCAATTO	AACTITOOTICA
			Carrier A A A Car	ACCOUNTABLE	CACCTACGAC	AGTANTACCA	CCGGACACCG	CCTTAGCTAC	AAGITIGCCAA	CCANGCOT""
10105			GAGCATTICG	Teccontrica	CTCCATCCTC	-	GCCTGTGGC	GGAATCGATG	TTCAACGOTT	GCTTN: CIT AN: T
1000			CACAAAAAC	CATTACCATA	ACTEAGEAGT	CRETACAMIC	CGAAGGCTGC	ATTCACTCAC	CTTOTCAAGO	ACCTGARGAT
30201	CTTTAACCAC		CTCTTTTCGG	GTAATGGTAT	TGACTCCTCA	OCCATUTION	CCTTCCGACG '	TAACTGAGTG	DAACAGTICC	TOCACTOCTA
				Brill	2					Brite Activity Activ
30301	CHCTCACCC	TEATTRAGAC	CCTRITICORT	GAGTTTCTAG	TTATTCCCTT	TAACTAATAA A	TITITITIT	ATTICGTAGE	GANTOMITT	TACTCAATCG
	own own					٠				

#### рикклабана исп682

30401	AAATTECTÜT		CAGCAGCACC	TCCFTGCCT	CCTCCACCT	CHACTATACC	AGCTTCCTCC	TOGCTOCAAA ACCGACOTTT	CHTTCTCCAC	AATCTAAATG
•	TITMAGACA		01.01.0100	MCMM. MOON		A. J. C. L.		AACACCCCTCT	GARGATACCT	TCAACCCC(:T
30501	CANTOTCAGE		TCCTGTCCAT	CCOLACCCAC	TATETTEME	N.W. M. I. I. I. I.	M. THE COLUMN	THE POOCAGA	CTECTATOOA	ACTTICATES A
	CITACACTICA	ANCONCCACA	MIXCALAGGTA	CARICHARISMS	ATAGAAGTAG	M. M. L.	2011			
30601	GTATCCATAT	GACACOGAAA	CCGGTCCTCC	AACTYSTAGGGT	THETTACTE	CICCCITIGI	NTCCCCCAAT	OCCUPICANG	AGAINTCCCCC	TOXEGUACI.
	CATAGGTATA	Characeiri	CCCAGGAGG	TTGACACGGA	ANGNATCHO	GAGGGAAACA	TAGGGGGTTA	CCCAMOTIC	3277	ACCC 1010
				Ξ.	f.;					
10701	<b>PEPPICACE</b>	TATCCGAACC	TCTAGTTACC	TCCANTISCA	THICHTACOCT	CAMMATRAGIC	AACHEATEITET	CTCTGGACGA	<b>GCCCGCCAAC</b>	CTTACCTCC":
) )	AGAAACGCGG	ATA	AGATCANTGG	ACCITACCGT	ACCIVACION	GTITTACCCG	TTOCCCAGAGA	GAGACCTGCT	CCGGCCGFTG	GANTCICAC!
Loant	PARATOTABO	CACTICACIC	CCACCTCTCA	AAAAAACCAA	GTCAAACATA	AACCTOCAAA	TATCTOCACC	CCTCACAGIT	ACCTCAGAAG	CCCTAACTKIT
	TITTACATTO	25	COTOCACACT	THEFT	CAGITICIAL	TICOACCTIT	ATAGACCTOR	CCAGTGTCAA	TOGAGICTIC	GOONTIGACA
10001	العائد الدائد المائدان	7	STATE OF THE STATE	CAACACACTC	ACCATORIANT	CACAROCCCC	CCTAACCGTG	CACGACTCCA	AACTTAGCAT	TOCCACCCAA
1000	CCGACGGCGG		ACCAGOGOCO	GTTGTGTGAG	TYSTACCITA	GIGTCCGGAG	CGATTGGCAC	GTGCTGAGGT	TTGAATCGTA	Accordage "
11001	GCACCCCTCA		ACCMANACTA	<b>OCCUTOCAMA</b>	CATCAGGCCC	CCTCACCACC	ACCGATAGCA	GTACCCTTAC	TATCACTOCC	TCACCCCC1-T
	CCTOGGGAGT	5	TCCTTTCGAT	COCCACGTTT	GTAGTCCOGG	OCAGTOCTOG	TOGETATEGE	CATCOCOMIO	ATACTCACCO	AGTGGGGGAA
11101	TABLETACTION		THOCCATTO	ACTTORANGA	<b>ACCENTITAT</b>	ACACAAAATG	GAMACTAGG	ACTANAGIAC	OCCUPATION	FOCATIOTAL .
	ATTICATIONCO		AACCCGTAAC	TOANCITTICT	COCCIANATA	TOTOTITING	CTTTTGATCC	TOATTICATO	CCCCCAAOOAA	ACCTACATTVI
10011			CONTACAAC	TOUTCCAGOT	GREACTATTA	ATAATACTTC	CTTGCAAACT	ANGITACIO	GAGCCTTOGG	TTTTGATTCA
10016	Transfer Health		OCCATCGITG	ACCAGGTCCA	CACTGATAAT	TATTATCAAG	GAACGITTIGA	TTTCAATGAC	CTCGGAACCC	NANCTAN .
			attender 1	CONTRACTA	THEATTER	NAACAGACGC	CTTATACTTO	ATCTTACTTA	<b>PCCOPITIOAT</b>	<b>GCTCAAAAC:</b>
31301	CANGGCAATA		TOTAC AGO	GOAL I MAKEN	TO SOUTH TO SOUTH	THE STATE OF THE S	CAATATGAAC	TACANTCAAT	ACCCAMENTA	CCAOPPIN
	GITCCOLLAT		ACATCGTCCT	ברומשווררו	יארואאווייי				Thereside	CACCITICAA
31401	AACTAAATCT	ANGACTAGGA	CAGGGCCCTC	TITITATANA	CTCAGCCCAC	AACTTGGATA	TTAACTACM	Commercial	PACABOTA	GROBAGITE
	TTGATTTAGA	TICTOATICET	GICCCGGGAG	ANAANTATIT	GAGTCGGGTG	TTGNACCTAT	ANTIGATOTI	MAN 11.10		
		Handill								
11501	CAATTICCAAA		TTAACCTAAG	CACTGCCANG	OCCUPANTE	TTCACCCTAC	AGCCATAGCC	ATTAATOCAG	GAGATGGGCT	TOWN
4	CITTAAGGTTT		AATTCGATTC	GTGACGCTTC	CCCAACTACA	AACTOCGATG	recentation	TAATTACGTC	CTCTACCCGA	ACTINAACCA
11601	TCACCTAATO	_	AATCCCCTC	AAAACMMAA	THRECCATED	CCTAGAATTF	GATTCAAACA	AGGCTATGGT	TCCTAAACTA	COMMENTARY:
	ACTUROATTAC	_	TITACCCCAG	THOMIT	AACCCGGTACC	GCATCTTAM	CTAAGTTTGT	TCCGATACCA	RUCHTIMON	רנו וישררושי
11701	ADTITUTE A	-	<b>OCCATTACAG</b>	TAGGNAACAA	ANTANTOAT	AACCTAACTT	Transpoor	ACCAGCTCCA	TCTCCTAACT	GTAGACTAAA
	AATCAAAACT		COGTANTOTC	Ancomment	TTTATTACTA	TICCIATION	ACACCTRACTO	TOCTCGAGGT	ACACCATICA	CATCICALIT
11801	TOTAGAGAAA		<b>PCACTITIOGS</b>	CTTAACAAA	TGITAXAGIC	MATACTTOC	TACAGITITICA	OFFICION	TTAAAGGCAG	THEGENERA
10010	ACOTOTOTAL		AGTCAAACCA	GAATIGITIT	ACACCCTICAG	TTTATGAACG	ATCTCANGT	CAMACCONC	Attrocore	AAACCGAGGT
			THE REAL PROPERTY.	ATTATAMGAT	THENCHAMA	TEXCHECTA	CTANACAATP	CCFFCCFOCA	CCCAGAATAT	T. JAACTETA
11901	PATAL STATES		ACCINCTACAA	TANTATHETA	ANCTICETTIT	ACCTCACGAT	CATTICITIAN	OGANOGACCT	OCCUCATATA	ACCTICAAAT
	6	E								
•		The second secon	CAST ACADATT	ATACAAACGC	TGTTONATT	ATRICCTANCE	TATCARCTTA	TCCAAAATCT	CACCOTANAA	CTGCCAAAAG
35001	CTTTACCTCT AGN	CTTTACCTCT AGNATGACTT	CCGTCTCCGA			TACGGATTOG	ATAGTCGAAT	AGCTTTTAGA	GTGCCATTTT	GACCOCHTING

### PMRKAdSgag MER682

32101	TAACATION AGECAAGITT	ACTITAT ACTITAAACCG	THENCHANGE.	AAACCTGTGA	CACTAACCAT	TACACTAAAC	GCTACACAGG CCATGTGTCC	ANACAGGIAGA TITIGICCICT	CACAACTC!.A GTGTTRAG:1'
32201			_	ACAN TACAT TOTAKATITA	TATTGAMATA	THER CACAT NACESTRETA	CCTCTTACAC GCAGAATGTG	TTTTTCATAC AAAAAGTATO	ATTRICCCAN: TAARIBASTT
32301	AATAAAGAAF CGFFFGFGFF TTATTFCTTA GCAAACACAA	HOTT ATOTITICANC	CACAMATANA	TTCAATTTTA AAGTPAAGGT	GAAATTICA	NTICATITITE TEMITAMMA	CATTCAGTAG	TATAGECCEA ATATEGGGGT	CCACCACATA GGTGGTGTA 1
32401	GCTTATACAG ATCACCGTAC	COTAC CTTANTCAM	CTCACACAAC	CCTAGTATTC	AACETYACAC TIYXBACOGTO	CTCCCTCCCA GACCAGGGT	ACACACAGAG TGTGTGTCTC	TACACAGTCC ATGTGTCAGG	AAAGAGGG
32501	GCTGGCCTTA ANAGCATCA CGACCGGAAT TITTCGTAGT	SATCA TATCATGGGF	F ANCAGACATA	TTETTAGETO	TTATATTCCA AATATAAGGT	CACCOTTICE	TGTCGAGGCA ACAGCTCGGT	AACGCTCATC TTGCCAGTAG	AGTONTATT
32601	ATAMACTECE COOCEAGETE TATTTEMBES GECEGTEGMS	KOCTC ACTTAAGTTC TCGAG TGAATTCAAG	TACAGCGACA	CCAN KTROCTO CATILIZACIAC	ARCCACAGGC TCGGTGTCCG	TOCTGTCCAA ACGACAGGTT Pett	CTYGCGGTTG	CTTAACGGGC	CCCCTTCCT
32701	AAGTCCACGC CTACATGGGG TTCAGGTGCG GATGTACCCC PAII	19969 GTAGAGICAT ACCCC CATCTCAGTA	TTACCACGTA	CAGGATAGGG	COGREGICATION	GCAGCAGCGC	GCGAATAAAC CGCTTATTTG	TGCTGCCGCC ACGACGGCGG	OCCACTCCGT COCCGAOGCA
12801	CCTGCAGGAA TACAACATGG GGACGTCCTT ATGTTGTACC	0 0	CTCAGCGATG	ATTCCCACCG TAAGCGTTATC	CCCGCATCAT	AAGGCGCCTT TTCCGCCCAA	GTCCTCCOOG CAGGAGGCCC	CACAGCAGCG GTUTCGTCGC	CACCCTOAT
32901	TCACTTAAAT CAGCACAGTA AGTGAATTTA GTCGTGTCAT	HOTA ACTOCAGCAC	AGCACCACAA	TATTGITCA	AATCCCACAG TTAGGGTGTC	TGCAAGGCGC ACGTTCCGCG	TOTATCCAAA ACATAOOTTT	GCTCATOOCO CONGTACCOC	CCCTOOTCIVE
33001	AACCCACOTO GCCATCATAC TTGGGTGCAC CGCTAGTATG	JATAC CACAAGCGCA HATG GTGTTCGCGT	CCATCTAGATTAA	GTGGCGACC	CTCATABACA	CCCACCTGTA	AAACATTACC	<b>TCTTTTGGCA</b> AGAAAACCGT	TOTTGTAATT ACAACATTAA Fid
33101	CCACCTCC COSTOGAGG CO	CATA TARACCTCTO	ATTAAACATG TAATTTGTAC	GCGCCATYYCA CGCGSTAGGT	CCACCATCCT GGTGGTAGGA	NACCAGETO TITOTICCIAC	GCCAAAACCT CGGTTTTGGA Ecofiv	00000000000000000000000000000000000000	tatacactx* atatkitgac:
33201	AGGGAACCES GACTOGAACA TCCCTTGGCC CTGACCTTGT	BOANCA ATGACAGTUS CCTTOT TACTUTCACC	HADAGCCCAGG	ACTECTTANCE TOACCATTOS	ATCCTAGTAG TACCTAGTAG	ATCCTCGTCA	TCATATCAAT ACTATAGTTA	OTTOGCACAA CAACCGTOTT	CACAGOCACA GTGTV:CGTGT Pst
33301				TACAACCATA ATCTINGTAT			CTCAATCAGE	CATTTAGGGT	CACTTICACIA GTGACCTC!
33401			-	ANTOTANGE	<b>.</b>	TACTAGASAGO		OCCICCOANG GCCCCAANG	ACAGAGETE F
33501	OCACCATCHO CHAGOTATICA	HACT GTACCOLAMITO	CCGCCTCTGT	TOCCTCTAGE	ACAACCARCA		-	COCCTOCAT	CAGTATAAVI

# PHRKAd5gag MER682

				monumen					CERCEBTATE	CACTETETA	
33601	CTGAAGCAAA		GEOGRAPHACAA		-	Traccoctus of	CTARCACTO		CATCATATAG	CTCACAGAGT	
	GACTITICOTITY	TOGICCACGC	CCCCACTRATT		באונישניין יעיי			LACTACTICA	GANTAAGCCA	CACCCAGCC/	
33701	AAGCATCCAG		CTTCGGGTT	CTATGTAAAG	TCCTTCATCC			orestrated for	CFTATICOST	GTCCCITCCIT	
	TTCOTAGOTC	COCCOCCCCAC	CCAAGCCCAA	GATACATTIG	AGGAAGTACG			STATE CANA	ACATTATICA	AAACCT11.AAA	
33801	ACCTACACAT		AGTCACACAC	COCONTRACT	נאניאאינאניבדיני		CANADANAABA	AATAAGGTTT	TCTAATAGGT	THECAGITT	
	TCCATCTCTA	ACCAAGACGC	TCAGTGTGTG	CCCICCICCC	CCTTCTCTAC	בו ברו ועיפוע					
	Boll						ATASATASATA	ATCACATTO	TAAGATGTTO	CACANTGGCT	
33901	ATGAAGATCT		CGCGCTCCCC	TCCGGTGGCG	Trigitchanct	CINCAMACAN	TETETAT	TACCGTANAC	ATTCTACAAC	CTOTINCCG!	
	TACTTCTAGA		GCCCOVOCOC	אנאנכנאוירפר	ACC. Mol I ICH	ence occurs	Agranting	TAMACATTCC	ACCACCTTCA	ACCATOCCCA	
34001	TCCANANGGC		CACGTCCAAG	TCCACCTAAA	CCCATTIGGG	AAGTCCCACT	TAGAGGAGAT	ATTTOTANGO	TCOTOONGT	TOSTACOGGT	
	AGGITTICCG		OTGCAGGITC	ACC10CA111	CAPATICAS	ATATTAAGTC	CCCCATTGT	AAAAATCTGC	Techchaeae	_	
34101	ANTANTICHE	ATCTCOCCAC TAGAGGGGTG	GAAGAGTTAT	ATAGAGATIC	GTTTAGGGCT	TATAATTCAG	OCCURTANCA	TTTTTAGACG	AGGICTCGCO		
14201	CAGTUREAGO		TGATTGCAAA	AATTCAGGTT	CCTCACAGAC	CTCTATAAGA	TTCANANGCO	GAACATTAAC	AAAAATACCU	GCTAGGGCAT	
777	GICOGAGITC	OFCCT	ACTAACCITI	TTAAGTCCAA	GGAGTGTCTG	GACATATTCT	MATTITICA				
14101	CONCECTION		TGAACATAAT	COTOCARGIC	TOCACGGACC		בייוככככככ	ACCOMPLEATE	ACAMAGNAC TIO		
***************************************	CCAGGGAAGC		ACTIGINATIA	CCACCTCCAG	ACCTICCCTGG T	TCGCGCCGGT	GAAGGGGCG	1771			
						***			A CONTRACTOR OF THE PARTY OF TH	CAAAAAATC/	
14401	TATTACACOC		ATACTEGGAG 'CTATGCTAAC	CAGCGTAGCC	CCCATCTAAG	CCCATCTANG CTTGTTGCAT	COCCOCCCAT	TATAMATICA			
	ATACTOTOCO		GATACGATTG	GTCGCATCGG	COCTACATTC	_	בברפרופרוש		AGAAAAGAC		
14501	CHICARAGOCCE	P COCOCAAAA	NGARAGCACA	TCOTAGTCAT	<b>GRETCATRICAG</b>		GTAMGCTCCG	CHARTERING	TCTTTTCTO		
	CCGTTTCOGA		retricolor	ACCATCAGTA	CCAGTACGTC	TATTICCIOL		CHARTER TELE	CAACAGGAAA	AACAACCCTT	
34601	TCTCAACAT	r orcrocoor	TTCTGCATAA	ACACAMATA	ANATAACANA	MANCATTIN	THE TABLET	COCACACACAT	OTTOTICCTIT	_	
	AGAGITITOTA	A CAGACOCCCA	AAGACGTATT	TCFCTFTTAT	TTATIGITE	111161/001	TELEVISION OF THE PERSON OF TH	CERTICACAG	CHECTEOGRE	ATCTCCGGAG	
34701	ATANGCATAR			OCCITOACCGT	MANAAAACTG	GICACCOICA	ATTTTCGT	COTOCCTOTC	_	TACAGACCTC	
	TATTCOTATT		_	CCCACTICACA	Participation of the second of	GETAAAAAGC	GACCGAAATA	_		_	
34801	TCATAATOTA	A AGACTOGOTA T TOTOMOCCAT	TTGTGTAGTC	CARCTARTE	TAGCCAGTCA	CGATTTTTCG	CTGGCTTTAT	•	TATGTATGGG	PATECECATC PATECON AND AND AND AND AND AND AND AND AND AN	
	THE PERSON			AACAAAATTA	_	-	AACACCTGAA	MACCOTOC			
10686	ACTOTTOTAL			_	-	TTTTCTAT	TIGICGACTI			-	
35001	TCCCOCTCCA	GANCAA	_	_	-	CACACATARIC	ACATATATATA				
	Accoccanoct		_	-	•		_	•	GITAMOTEC	-	
35101	COCACCAGCT		-	MOONCCAM	ACCRETCICE			_	-	-	
	ccorportceA	CHING				CACAACTICC	TCAAATCGTC				
35201	CCCAGAAAAC	C COCACOCOM	CCTACGCCCT				AGTTTAGCAG	TCAACCCAAA	, AGGGTGCAAT	בראונו ומאמט	

Figure 15V


#### PMRKArlSgag MER682

figure 15W

#### PMRKAd5qag MER682

TACCCCCTCTT ATGGCGACAA AACCCAAAAT TTCCCTTTTA	TCTCTCATCA ACAGAGTAC":	CCATTATTA	
CARCACEGGA FANTACCOCO CCACATARCA GAACTITAAAA AGTIGITGATC ATTRIAAAAC GITCTITGGG GCGAAAAGTC TCAAGGATCT TACCTICTGTA GITGIGCCCT ATTATGGCG GGTGTATCGT CITRIAAATTT TCACGATAG TAACCTITTG CAAGAAGGCC CGCTTTTGAG AGTICCTAGA ATGGCGACAAA GAGAICCAGT FCGAIGTAAC CCACTCGTGC ACTCAACTGA TCTTTGATTT CATTAGGTT TCAGGTGAG CAAAACAG AAGGCAAAAT CTTATAGGTCA AGCTACATG GATAGAGG TACGGTTGAT AGAAGTAGT AGAAATTAA	AGGGANTAAG GOCGACACGC ANATCITIGAA TAFTCATACT FITCCITITIT CAATATATAT GAAGCATITA TCAGGGITTAT TGTCTCATCA TCCCTTATIC CCCCRITICC TITACAACTI ATGAGTATG GAAGTAAAAA GITATAAAAA CTTCGTAAAT AGTCCCAATA ACAGAGTAFF	GCGATACAT ATTIGATOT ATTIGAAAA ATAAACAAAT AGGGTTTCT; CTCACATITC CCCGAAAAT GCACCTGAC GTCTAAGAAA CCATTATTATA CGCCTATGIA TAAACTIACA TAAATCTTIT TATTIGITTA TCCCCAAXX GCGTGTAAG GGGCTTTTCA CGGTGGACTG CAGATTCTIT GCTAATAAAA Ecolii	ID NO: 27)
MAACTC TTTTGAG GGGTGAG GCCACTC	GCATTTA COTAAA1	ACCTGAG TGGACTG	oas) v
900 F 80	§ E	8 8	ANT TTA
GTTCTTCGGG CAGANGCCC CACCAGGGTT GTCAGGCCAA	CAATATTATT GTTATAATAA	CCCGAAAAGT GGGCTTTTCA Feelill	Bamfil GA TUCGAATTET CT AGCCTTAAGA
ATTCHANAC TANCCTTTTG CTTTTACTTT	CHCCHTTT	CCCTCTAAAG GCGTGTAAAG	AAGAATTGGA TTYCTTAAGCT
AGTOSCHCATIC TYCACGAGTAG TYCTTYCAGTAT AGAACHUSTA	TACTCATACT ATGACTATCA	AGGRATHYCH TEEECCAAAAC	TTKGTCTTC
GAACTTTAAA CTTGAAATTT ACCCAACTGA TXXGTTGACT	AAATCHTYAAA TTFACAACTT	ATAAACAAAT TATTTGTTTA	CACGACGECE
CCACATARCA CGTOTATCGF CCACTCGTGC GGTCAGGCACG	OCCUPATOR COC	atttagaaa Taaatettit	ATAGGGGTAT TATCCGCATA
TANTACCGCG ATTATGCCGC TCGATGTAAC AGCTACATTG	AGGGNATAG	ATTTGAATGT TAAACTTACA	CATGACATTA ACCTATABAA ATACACGTAT CACGACGCC TETCATCITC AAGAATTGA TACGAATTCT TAAT (SEQ ID NO: 27) GTACTATAAT TAGATTTT TATCACGCATA GTGCTCCAGG AAAGCAGAAG TTCTTAAACT AGGCTTAAGA ATTA (SEQ ID NO: 28)
CAACACGOGA GTTGTGCCCT GAGATCCAGT CTCTAGGTCA	CCCCANAN	GCCGATACAT	
37001	37201	37301	37401

Figure 15X






FIGURE 16

GCAGTGGCCCCTGACTGAGGAGAAGATCAAGGCCCTGCTGGAAATCTGCACTGAGATGGAGAAGGAGGGCAAAATCTCCA sGInTrpProLeuThrGiuGiu\_yslieLysAioLeuVoiGiuIieCysThrGiuMelGiuLysGiuGiyLysIieSerL 30 40 50

AGATIGGCCCCGAGAACCCCTACAACACCCCTGTGTTTGCCATCAAGAAGAAGAAGAACCACTCCACCAAGTGGAGGAAGCTGGTG
ys!!eG!yProG!uAsnProTyrAsnThrProVo!PheA!o!!eLysLysLysAspSerThrLysTrpArgLysLeuVo!
60 70

GACTICAGGGGGCTGAACAAGAGGACCCAGGACTTCTGGGAGGTGCAGCTGGGCATCCCCCACCCCGCTGGCCTGAAGAA AspPheArgGluLeuAsnLysArgThrGlnAspPheTrpGluVolGlnLeuGlylleProHisProAloGlyLeuLysLy 80 90 100

GAAGAAGTCTGTGACTGTGCTGGCTGTGGGGGATGCCTACTTCTCTGTGCCCCTGGATGAGGACTTCAGGAAGTACACTG slyslysSerVolThrVolLeu<u>Alo</u>VolGlyAspAloTyrPheSerVolProLeuAspGluAspPheArgLysTyrThrA 110 120 130

CCTTCACCATCCCTCCATCAACAATGAGACCCCTGGCATCAGGTACCAGTACAATGTGCTGCCCCAGGGCTGGAAGGGC laPheTnrlleProSerlleAsnAsnGluThrProGly!leArgTyrGinTyrAsnVolLeuProGlnGlyTrpLysGly 140 150

TCCCCTGCCATCTTCCACTCCTCCATGACCAAGATCCTGGAGCCCTTCAGGAAGCAGAACCCTGACATIGTGATCTACCA SerProAlollePheGinSerSerMetThrLysTieLeuGluProPheArgLysGinAsnProAsplieVollleTyrGi 160 170 180

TGCTGAGGTGGGGCCTGACCACCCTGACAAGAAGCACCAGAAGGAGCCCCCCTTCCTGTGGATGGGCTATGAGCTGCAC euleuArgTrpGlyLeuThrThrProAsplysLysHisGInLysGIuProProPheleuTrpMetGlyTyrGIuLeuHis 220 230

CCCGACAGTGGACTGTGCACCCCATTGTGCTGCCTGAGAAGGACTCCTGGACTGTGAATGACATCCAGAAGCTGGTGGG ProAsplysTrpThrVoIGinProlieVoiLeuProGluLysAspSerTrpThrVoiAsnAsplieGinLysLeuVoIGI 240 250 260

CAAGCTGAACTGGGCCTCCCAAATCTACCCTGGCATCAAGGTGAGGCAGCTGTGCAAGCTGCTGAGGGCCACCAAGGCCC ylysleuAsnTrpAloSerGinlieTyrProGiyIleLysVolArgCinLeuCyslysleuLeuArgCiyThrLysAloL 270 280 290

#### FIGURE 17A

GGGGTGTACTATGACCCCTCCAAGGACCTGATTGCTGAGATCCAGAAGCAGGGCCAGGGCCAGTGGACCTACCAAATCTA GiyVoiTyrTyrAspProSerLysAspLeulleAloGiulleGlnLysGlnGlyGlnGlyGlnTrpThrTyrGlnlleTy 320 330 340

CCAGGAGCCCTTCAAGAACCTGAAGACTGGCAAGTATGCCAGGATGAGGGGGGGCCCCACACCAATGATGTGAAGCAGCTGA rGInGIuProPheLysAsnLeuLysThrGIyLysTyrAloArgMelArgGlyAloHisThrAsnAspVoiLysGInLeuT 350 360 370

CTCAGGCTGTGCAGAAGATCACCACTGAGTCCATTGTGATCTGGGGCAAGACCCCCAAGTTCAAGCTGCCCATCCAGAAG hrGluAloVolGinLyslleThrThrGluSerlleVollleTrpGlyLysThrProLysPheLysLeuProlleGinLys 380 390

GGTGAAGCTGTGGTACCAGCTGGAGAAGGAGCCCATTGTGGGGGGCTGAGACCTTCTATGTGGCTGGGGCTGCCAACAGGG uVollysleuTrpTyrGinLeuGiuLysGiuProlleVolGlyAloGiuThrPheTyrVolAloGlyAloAloAsnArgG 430 440 450

AAGACTGCCCTCCAGGCCATCTACCTGGCCCTCCAGGACTCTGGCCTGGAGGTGAACATTGTGACTGCCTCCCAGTATGC
LysThrAioLeuGinAiolieTyrLeuAioLeuGinAspSerGiyLeuGiuVoiAsnIieVoiThrAioSerGinTyrAi
480
490
500

CCTGGGCATCATCCAGGCCGGCTGATCAGTCTGAGTCTGAGTCTGAGCTGGTGAACCAGATCATTGAGCAGCTGATCAAGAAGG ©LeuG!y!ie!ieGinA!oGinProAspGinSerG!uSerG!uLeuVo!AsnG!n!ie!ieG!uGinLeu!ieLysLysG 510 520 530

ACAACGTGTACCTGCCTGCCTGCCCACAACGCCATTGGGGGCAATGAGCAGGTGGACAAGCTGGTGTCTGCTGGC !ulysVo!TyrleuA!oTrpVo!ProA!oHislysG!y!!eG!yG!yAsnG!uG!nVo!AsplysLeuVo!SerA!oG!y 540 550

ATCAGGAAGGTGCTGTTCCTGGATGGCATTGACAAGGCCCCAGGATGAGCATGAGAAGTACCACTCCAACTGGAGGGCTAT
11eArgLysVolLeuPheLeuAspGly11eAspLysAloGInAspGluHisGluLysTyrHisSerAsnTrpArgAloMe
560 570 580

#### FIGURE 17B

GCCCTCTGACTTCAACCTGCCCCCTGTGGTGCCTAAGGAGATTGTGCCCTCCTGTGACAAGTGCCAGCTGAAGGGGGAGG taloSerAspPheAsnLeuProProVolVolAloLysGluIleVolAloSerCysAspLysCysGlnLeuLysGlyGluA 590 600 610

GCTGTGCATGTGGCCTCCGGCTACATTGAGGCTGAGGTGATCCCTGCTGAGACAGGCCAGGAGACTGCCTACTTCCTGCT AlovalHisvalAlaSerGlyTyrlleGluAlaGluVollleProAlaGluThrGlyGlnGluThrAlaTyrPheLeuLe 640 650 660

GAAGCTGGCTGGCAGGTGGCCTGTGAAGACCATCCACACTGCCAATGGCTCCAACTTCACTGGGGCCACAGTGAGGGCTG
uLysleuAloGlyArgTrpProVolLysThrIleHisThrAloAsnGlySerAsnPheThrGlyAloThrVolArgAloA
670
680
690

CCTGCTGGTGGGCTGGCATCAAGCAGGAGTTTGGCATCCCCTACAACCCCCAGTCCCAGGGGGTGGTGGCCTCCATGAAC
IoCysTrpTrpAioGly!ieLysGinGluPheGly!leProTyrAsnProGinSerGinGlyVolVolAloSerMelAsn
700 710

AAGGAGCTGAAGAAGATCATTGGGCAGGTGAGGGACCAGGCTGAGCACCTGAAGACAGCTGTGCAGATGGCTGTGTTCAT LysG1uLeuLysLys11e11eG1yG1nVo1ArgAspG1nAloG1uHisLeuLysThrAloVo1G1nMetAloVo1Phe11 720 730 740

CCACAACTICAAGAGGAAGOGGGGCATCCCGGGGGCTACTCCGCTGGGGAGAGGATTGTGGACATCATTGCCACAGACATCC
eHisAsnPheLysArgLysGiyGiylieGiyGiyTyrSerAloGiyGiuArgileVolAspileIleAloThrAspileG
750 760 770

AGACCAAGGAGCTCCAGAAGCAGATCACCAAGATCCAGAACTTCAGGGTGTACTACAGGGACTCCAGGAACCCCCTGTGG
InThrLysGIuLeuGInLysGIn1leThrLysIleGInAsnPheArgVoITyrTyrArgAspSerArgAsnProLeuTrp
780
790

AAGGCCCTGCCAAGCTGCTGTGGAAGGGGGAGGGGGCTGTGGTGATCCAGGACAACTCTGACATCAAGGTGGTGCCCAG LysGtyProAtoLysLeuLeuTrpLysGtyGtuGtyAtoVotVotIteGtnAspAsnSerAspIteLysVotVotProAr 800 820

AAAGCCCCGGCAGATC" (SEQ ID NO: 3)
Xx Bq | 11 (SEQ ID NO: 4)

FIGURE 17C

RoserGiulieSerAloProlieSerProlieGiuThrVoiProVoiLysLeuLysProGiyMelAspGiy 20 20

#### FIGURE 18

WT	- ATG GGT GGC AAG TGG TCA AAA CGT AGT GTG CCT GGA TGG TCT	-42
OPT	- ATG GGC GGC AAG TGG TCC AAG AGG TCC GTG CCC GGC TGG TCC M G G K W S K R S V P G W S	-14
₩T	- ACT GTA AGG GAA AGA ATG AGA CGA GCT GAG CCA GCA GCA GAT	-84
OPT	- ACC GTG ÁGG GÁG ÁGG ÁTG ÁGG ÁGG GCC GÁC GÁC T V R E R M R R A E P A A D	-28
<b>WT</b>	- AGG GTG AGA CGA ACT GAG CCA GCA GCA GTA GGG GTG GGA GCA	-126
OPT	- AGG GTG AGG AGG ACC GAG CCC GCC GCC GTG GGC GCC R V R R T E P A A V G V G A	-42
WT	- GTA TCT CGA GAC CTG GAA AAA CAT GGA GCA ATC ACA AGT AGC	-168
OPT	. GTG TCC AGG GAC CTG GAG AAG CAC GGC GCC ATC ACC TCC TCC V S R D L E K H G A 1 T S S	-56
WT	- AAT ACA GCA GCT ACC AAT GCT GAT TGT GCC TGG CTA GAA GCA	-210
OPT	- AAC ACC GCC GCC ACC AAC GCC GAC TGC GCC TGG CTG GAG GCC N T A A T N A D C A W L E A	-70
WT .	- CAA GAG GAT GAG GAA GTG GGT TTT CCA GTC AGA CCT CAG GTA	·252
OPT	- CAG GAG GAC GAG GAG GTG GGC TTC CCC GTG AGG CCC CAG GTG	-84
М	- CCT TTA AGA CCA ATG ACT TAC AAG GGA GCT GTA GAT CTT AGC	-294
OPT	- CCC CTG AGG CCC ATG ACC TAC AAG GGC GCC GTG GAC CTG TCC P L R P M T Y K G A V D L S	-98
WT	- CAC TIT TTA AAA GAA AAG GGG GGA CTG GAA GGG CTA ATT CAC	-336
OPT	- CAC TTC CTG AAG GAG AAG GGC CTG GAG GGC CTG ATC CAC	-112
WT	- TCA CAG AAA AGA CAA GAT ATC CTT GAT CTG TGG GTC TAC CAC	-378
OPT	TCC CAG AAG AGG CAG GAC ATC CTG GAC CTG TGG GTG TAC CAC S Q K R Q D I L D L W V Y H	-126
WT	- ACA CAA GGC TAC TTC CCT GAT TGG CAG AAC TAC ACA CCA GGG	-420
OPT	- ACC CAG GGC TAC TTC CCC GAC TGG CAG AAC TAC ACC CCC GGC T Q G Y F P D W Q N Y T P G	-140

FIGURE 19A

WT	•	CCA	GGA	ATC			CCA		ACC 		GGA 	TGG	TGC 1	TTC	AAG 	-462
OPT	•	ČČC P					CCC P	CTG		ΠC	GGC G		TGC	TTC F	aag K	-154
₩T		CTA	11	11	11	111	11	11	111	11	11	111	111	11	11	-504
OPT	-	CTG L		ĊĊC P	GTG	GAG	CCC P	GAG	AAG				GCC A	AAC N	GAG E	-168
WT	-	GGA 11	GAG		AAC		TTG	TTA 		CCT			CAG	CAT	GGG	- 546
OPT	•	ĠĠC G	GAG E					CTG					CAG Q		SSS S	-182
WT	•	ATA	GAG					GAA	GTG 	ATT I	GAG	TGG	AGG	Ш	GAC	-588
OPT	•	ATC	GAG E	GAC	ĊĊC	GAG E	AAG	GÁG	GTG				AGG			-196
WT .	•		AAG		GCA	П	CAT	CAC				GAG		CAT	CCG	-630
OPT		TCC		ĊŤG	GCC		CAC	CAC	GTG		AGG	GAG	CTG		CCC P	-210
WT		- GA		TAC	AAG	GAC	TGC	TGA	\ (5	SEQ I	D NO	):30)	)			-651
OPT	•									conti SEQ 1				SE(	D NG	D: 9) -216

FIGURE 19B

VIJNS/INET PSEI CATGGGTCTTTTCIGGGGCCTCCTTGAGAICIGCCACC ATG GGC GGC ANG TGG TCC ANG AGG TCC GTG CCC . . . . VIJns/nef

SrfI BallI . . . . . CAC CCC GAG TAC TAC AAG GAC TGC TAA AGCCCGGGGAGAICIGCCTTCTAGTTGCCAGC (SEQ ID NO: 38) H P E Y Y K D C \* (contained withir SEQ ID NO: 10:

VIJns/nef(G2A.LLAA)

Srff Bollf

CAC CCC GAG TAC TAC AAG GAC TGC TAA AGCCCGGGGAAICIGCTGCCTTCTAGTGCCAGC (SEQ ID NO: 39)

H P E Y Y K D C \* (contained within SEQ ID NO:14)

Vijns/tpanef & Vijns/tpanef(LLAA)

CATESSECTITICISCASTCACCSTCCTTATATCTASATCACC ATG GAT GCA ATG ANG AGA GGG CTC TGC TGT GTG V

CTG CTG CTG TGT GGA GCA GTC TTC GTT TCG CCC AGC GAG  $\Lambda$  IC TCC TCC AAG AGG TCC GTG CCC  $\Lambda$  IC  $\Lambda$  I

SrfI Bg111

CAC CCC GAG TAC TAC AAG GAC TGC TAA AGCCCGGGAGAICIGCTGTGCCTTCTAGTTGCCAGC (SEQ 1D ND: 40)

H P. E Y Y K D C \* (contained withon SEQ ID NO: 16)

#### FIGURE 20




FIGURE 21






FIGURE 22



Comparison of Clade B vs. Clade C Anti-gag T Cell Responses in Clade B HIV-Infected Subjects




0.91269 289.7718 1096.435

0.91685

FIGURE 25

ន

Comparison of Clade B vs. Clade C Anti-nef T Cell Responses in Clade B HIV-Infected Subjects



#### MRKAd5pol MER1062 (MRKAd5 Pre-Adenoviral Vector Containing the IA opt pol Coding Region)


1 CATCATCAAT AATATACCTT ATTTTGGATT GAAGCCAATA TGATAATGAG GTAGTAGTTA TTATATGGAA TAAAACCTAA CTTCGGTTAT ACTATTACTC 51 GGGGTGGAGT TTGTGACGTG GCGCGGGGCG TGGGAACGGG GCGGGTGACG CCCCACCTCA AACACTGCAC CGCGCCCCGC ACCCTTGCCC CGCCCACTGC 101 TAGTAGTGTG GCGGAAGTGT GATGTTGCAA GTGTGGCGGA ACACATGTAA ATCATCACAC CGCCTTCACA CTACAACGTT CACACCGCCT TGTGTACATT 151 GCGACGGATG TGGCAAAAGT GACGTTTTTG GTGTGCGCCG GTGTACACAG CGCTGCCTAC ACCGTTTTCA CTGCAAAAAC CACACGCGGC CACATGTGTC 201 GAAGTGACAA TTTTCGCGCG GTTTTAGGCG GATGTTGTAG TAAATTTGGG CTTCACTGTT AAAAGCGCGC CAAAATCCGC CTACAACATC ATTTAAACCC 251 CGTAACCGAG TAAGATTTGG CCATTTTCGC GGGAAAACTG AATAAGAGGA GCATTGGCTC ATTCTAAACC GGTAAAAGCG CCCTTTTGAC TTATTCTCCT 301 AGTGAAATCT GAATAATTTT GTGTTACTCA TAGCGCGTAA TATTTGTCTA TCACTTTAGA CTTATTAAAA CACAATGAGT ATCGCGCATT ATAAACAGAT 351 GGGCCGCGGG GACTTTGACC GTTTACGTGG AGACTCGCCC AGGTGTTTTT CCCGGCGCCC CTGAAACTGG CAAATGCACC TCTGAGCGGG TCCACAAAAA 401 CTCAGGTGTT TTCCGCGTTC CGGGTCAAAG TTGGCGTTTT ATTATTATAG GAGTCCACAA AAGGCGCAAG GCCCAGTTTC AACCGCAAAA TAATAATATC 451 GCGGCCGCGA TCCATTGCAT ACGTTGTATC CATATCATAA TATGTACATT CGCCGGCGCT AGGTAACGTA TGCAACATAG GTATAGTATT ATACATGTAA 501 TATATTGGCT CATGTCCAAC ATTACCGCCA TGTTGACATT GATTATTGAC ATATAACCGA GTACAGGTTG TAATGGCGGT ACAACTGTAA CTAATAACTG 551 TAGTTATTAA TAGTAATCAA TTACGGGGTC ATTAGTTCAT AGCCCATATA ATCAATAATT ATCATTAGTT AATGCCCCAG TAATCAAGTA TCGGGTATAT 601 TGGAGTTCCG CGTTACATAA CTTACGGTAA ATGGCCCGCC TGGCTGACCG ACCTCAAGGC GCAATGTATT GAATGCCATT TACCGGGCGG ACCGACTGGC 651 CCCAACGACC CCCGCCCATT GACGTCAATA ATGACGTATG TTCCCATAGT GGGTTGCTGG GGGCGGGTAA CTGCAGTTAT TACTGCATAC AAGGGTATCA 701 AACGCCAATA GGGACTTTCC ATTGACGTCA ATGGGTGGAG TATTTACGGT TTGCGGTTAT CCCTGAAAGG TAACTGCAGT TACCCACCTC ATAAATGCCA 751 AAACTGCCCA CTTGGCAGTA CATCAAGTGT ATCATATGCC AAGTACGCCC TTTGACGGGT GAACCGTCAT GTAGTTCACA TAGTATACGG TTCATGCGGG 801 CCTATTGACG TCAATGACGG TAAATGGCCC GCCTGGCATT ATGCCCAGTA GGATAACTGC AGTTACTGCC ATTTACCGGG CGGACCGTAA TACGGGTCAT 851 CATGACCTTA TGGGACTITC CTACTTGGCA GTACATCTAC GTATTAGTCA GTACTGGAAT ACCCTGAAAG GATGAACCGT CATGTAGATG CATAATCAGT

7 i jure 26A

901				TGGGCGTGGA ACCCGCACCT
951		ACTCACGGGG TGAGTGCCCC		
1001		TTTTGGCACC AAAACCGTGG		
1051		CCCATTGACG GGGTAACTGC	_	
1101		GCAGAGCTCG CGTCTCGAGC	 	
1151		TGTTTTGACC ACAAAACTGG		-
1201		GGAACGGTGC CCTTGCCACG		
1251		ATGGCCCCCA TACCGGGGGT	 	
1301		CATGGATGGC GTACCTACCG	 	
1351		AGGCCCTGGT TCCGGGACCA		
1401		AAGATTGGCC TTCTAACCGG		
1451		GAAGGACTCC CTTCCTGAGG		
1501		AGAGGACCCA TCTCCTGGGT		
1551	CCACCCCGCT GGTGGGGCGA	GGCCTGAAGA CCGGACTTCT		
1601	GGGATGCCTA CCCTACGGAT	CTTCTCTGTG GAAGAGACAC		
1651	GCCTTCACCA CGGAAGTGGT	TCCCCTCCAT AGGGGAGGTA	 	
1701	GTACAATGTG CATGTTACAC	CTGCCCCAGG GACGGGGTCC		
1751 ·	CCTCCATGAC GGAGGTACTG	=	 	
1801	GTGATCTACC CACTAGATGG	AGTACATGGC TCATGTACCG	 	



1901	GGGGCCTGAC CCCCGGACTG			AGAAGGAGCC TCTTCCTCGG	
1951	TGGATGGGCT ACCTACCCGA			TGGACTGTGC ACCTGACACG	
2001				TGACATCCAG ACTGTAGGTC	
2051				CTGGCATCAA GACCGTAGTT	
2101				CTGACTGAGG GACTGACTCC	
2151				GAACAGGGAG CTTGTCCCTC	
2201				CCAAGGACCT GGTTCCTGGA	
2251	ATCCAGAAGC TAGGTCTTCG	AGGGCCAGGG TCCCGGTCCC	CCAGTGGACC GGTCACCTGG	TACCAAATCT ATGGTTTAGA	ACCAGGAGCC TGGTCCTCGG
2301				CAGGATGAGG GTCCTACTCC	
2351	CCAATGATGT GGTTACTACA	GAAGCAGCTG CTTCGTCGAC	ACTGAGGCTG TGACTCCGAC	TGCAGAAGAT ACGTCTTCTA	CACCACTGAG GTGGTGACTC
2401				TTCAAGCTGC AAGTTCGACG	
2451				CTGGCAGGCC GACCGTCCGG	ACCTGGATCC TGGACCTAGG
2501				TGGTGAAGCT ACCACTTCGA	GTGGTACCAG CACCATGGTC
2551	CTGGAGAAGG GACCTCTTCC	AGCCCATTGT TCGGGTAACA	GGGGGCTGAG CCCCCGACTC	ACCTTCTATG TGGAAGATAC	TGGCTGGGGC ACCGACCCCG
2601	TGCCAACAGG ACGGTTGTCC	GAGACCAAGO	TGGGCAAGGC ACCCGTTCCG	TGGCTATGTG	ACCAACAGGG TGGTTGTCCC
2651	GCAGGCAGAA CGTCCGTCTT	GGTGGTGACC	CTGACTGACA GACTGACTGA	A CCACCAACCA CGTGGTTGGT	GAAGACTGCC CTTCTGACGG
2701	CTCCAGGCCA GAGGTCCGGT	TCTACCTGGC AGATGGACCG	CCTCCAGGAC GGAGGTCCTC	TCTGGCCTGG AGACCGGACG	AGGTGAACAT TCCACTTGTA
2751	TGTGACTGCC ACACTGACGC	TCCCAGTATO AGGGTCATAO	CCCTGGGCAT	CATCCAGGCO A GTAGGTCCGO	CAGCCTGATC GCTCGGACTAG



2851	GAGAAGGTGT	ACCTGGCCTG	GGTGCCTGCC	CACAAGGGCA	TTGGGGGCAA
	CTCTTCCACA				
	•••••				
2901	TCACCAGGTG	CACAACCTCC	тстстсстсс	CATCAGGAAG	GTGCTGTTCC
2301	ACTCGTCCAC				
	ACICGICCAC	CIGIICGACC	ACAGACGACC	GIAGICCIIC	CHCONCALOO
0051	maa.maaa.m	max cx x 0000	CACCAMCACC	ATGAGAAGTA	CCACTCCAAC
2951					
	ACCTACCGTA	ACTGTTCCGG	GICCIACICG	TACTOTTCAT	GGIGAGGIIG
				00000000000	mcccmx x ccx
3001				CCCCTGTGG	
	ACCTCCCGAT	ACCGGAGACT	GAAGTTGGAC	GGGGGACACC	ACCGATTCCT
		_			
3051				GAAGGGGGAG	
	CTAACACCGG	AGGACACTGT	TCACGGTCGA	CTTCCCCCTC	CGGTACGTAC
3101				AGCTGGCCTG	
	CCGTCCACCT	GACGAGGGGA	CCGTAGACCG	TCGACCGGAC	GTGGGTGGAC
3151				GTGGCCTCCG	
	CTCCCGTTCC	<b>ACTAGGACCA</b>	CCGACACGTA	CACCGGAGGC	CGATGTAACT
3201	GGCTGAGGTG	ATCCCTGCTG	AGACAGGCCA	GGAGACTGCC	TACTTCCTGC
•	CCGACTCCAC	TAGGGACGAC	TCTGTCCGGT	CCTCTGACGG	ATGAAGGACG
3251	TGAAGCTGGC	TGGCAGGTGG	CCTGTGAAGA	CCATCCACAC	TGCCAATGGC
	ACTTCGACCG	ACCGTCCACC	GGACACTTCT	GGTAGGTGTG	ACGGTTACCG
	***************************************				
3301	TCCAACTTCA	CTGGGGCCAC	AGTGAGGGCT	GCCTGCTGGT	GGGCTGGCAT
		-		CGGACGACCA	
					•
3351	CAAGCAGGAG	TTTGGCATCC	CCTACAACCC	CCAGTCCCAG	GGGGTGGTGG
JJJ1				GGTCAGGGTC	
	Gricorcore	722100011100	0001.000		
3401	CCTCCATGAA	СУУССУССТС	AACAAGATCA	TTGGGCAGGT	GAGGGACCAG
3401				AACCCGTCCA	
	GGAGGIACII	Glicciconc	11C11C1AG1	Miccoleti.	0100010010
3451	CCTCACCACC	TC	TOTOCAGATO	GCTGTGTTCA	тссасаастт
3431					AGGTGTTGAA
	CGACTCGTGG	ACTICIOICG	ACACGICIAC	CONCINCIANOI	AGGIGIIGH.
2501	CAAGAGGAAG	occccc b mcc	CCCCCTACTC	CCCTCCCCAC	ACCATTCTCC
3501				GCGACCCCTC	
	GTTCTCCTTC	CCCCCGTAGC	CCCCGATGAG	GCGACCCCIC	ICCIANCACC
		a. a. a. a. a. a.	63 63 663 3 66	> CCDCC> C> >	CCACATCACC
3551	ACATCATTGC				
	TGTAGTAACG	GTGTCTGTAG	GTCTGGTTCC	TCGAGGTCTT	CGTCTAGTGG
			OD 1 OF 1 O 1 O 2	G > G D G G G G G G G G G G G G G G G G	>00000m0m0
3601	AAGATCCAGA				
	TTCTAGGTCT	TGAAGTCCCA	CATGATGTCC	CTGAGGTCCT	TGGGGGACAC
3651	GAAGGGCCCT				
	CTTCCCGGGA	CGGTTCGACG	ACACCTTCCC	CCTCCCCGA	CACCACTAGG
					_
3701	AGGACAACTC				
	TCCTGTTGAG	ACTGTAGTTC	CACCACGGGT	CCTCCTTCCG	GTTCTAGTAG



3801	GGATGAGGAC	TAAAGCCCGG	GCAGATCTGC	TGTGCCTTCT	AGTTGCCAGC
			CGTCTAGACG		
3851			CCCGTGCCTT		
			GGGCACGGAA		
3901.	ACTCCCACTG				
			TATTTTACTC		
3951			TGGGGGGTGG		
			ACCCCCACC		
4001			AGCAGGCATG		
			TCGTCCGTAC		
4051			ACTGAAATGT TGACTTTACA		
4101			GGGTCTTATG CCCAGAATAC		
4151			GCACCAACTC		
			CGTGGTTGAG		
4201			ATGCCCCCAT		
	_		TACGGGGGTA		
4251			TGGTCGCCCC		
			ACCAGCGGGG		
4301			TGTCTGGAAC		
			ACAGACCTTG		
4351			GCAGCCACCG		
					ACACTGACTG
4401			TGCAAACAGT		
			ACGTTTGTCA		
4451					TCTTTGACCC
					AGAAACTGGG
4501					CCAGCAGGTT
					GGTCGTCCAA
4551					ACATAAATAA
					TGTATTTATT
4601					TGCTGTCTTT
	TTTTGGTCTG	AGACAAACCT	` AAACCTAGTT	CGTTCACAGA	ACGACAGAAA
4651					GTCTCGGTCG
	TAAATCCCCA	AAACGCGCGC	GCCATCCGGG	CCCTGGTCGC	CAGAGCCAGC

Figure 26E

PCT/US01/28861 WO 02/022080

4751	GTTCAGATAC	ATGGGCATAA	GCCCGTCTCT	GGGGTGGAGG	TAGCACCACT
			CGGGCAGAGA		
4801	GCAGAGCTTC	ATGCTGCGGG	GTGGTGTTGT	AGATGATCCA	GTCGTAGCAG
	CGTCTCGAAG	TACGACGCCC	CACCACAACA	TCTACTAGGT	CAGCATCGTC
4851	GAGCGCTGGG	CGTGGTGCCT	AAAAATGTCT	TTCAGTAGCA	AGCTGATTGC
			TTTTTACAGA		
4901			AAGTGTTTAC		
			TTCACAAATG		
4951			AGATGCATCT		
			TCTACGTAGA		
5001			CCTCCGGGGA		
			GGAGGCCCCT		
5051	CAGCACAGTG	TATCCGGTGC	ACTTGGGAAA	TTTGTCATGT	AGCTTAGAAG
			TGAACCCTTT		
5101			GAGACGCCCT		
			CTCTGCGGGA		
5151			GGCAATGGGC		
			CCGTTACCCG		
5201			TAACGTCATA		
					TCCTACTCTA  AGACTGCGGT
5251					TCTGACGCCA
E201					AGATTTGCAT
5301					TCTAAACGTA
5351					TGCGGGGCGA
2221					ACGCCCCGCT
	AAGGGTGCGA	AACICAAGIC	TACCCCCI	0111011011	
5401					AGAAAGCAGG
					TCTTTCGTCC
5451	TTCCTGAGCA	GCTGCGACTT	ACCGCAGCCG	GTGGGCCCGT	* AAATCACACC
					TTTAGTGTGG
5501	TATTACCGGC	TGCAACTGGT	' AGTTAAGAGA	GCTGCAGCTG	CCGTCATCCC
					GGCAGTAGGG
5551					CATGTTTTCC
					GTACAAAAGG
5601					GCAGTTCTTG
	GACTGGTTTA	GGCGGTCTTC	CGCGAGCGGC	GGGTCGCTAT	CGTCAAGAAC

Figure 26 F

5701			AGTTCCAGGC TCAAGGTCCG		
5751			CAGCATATCT GTCGTATAGA		
5801			TAGTCGGTGC ATCAGCCACG		
5851			GGGTCCTCGT CCCAGGAGCA		
5901			TGCGCGCTGG ACGCGCGACC		
5951			CTGCCGGTCT GACGGCCAGA		
6001	GTAGCATTTG CATCGTAAAC	ACCATGGTGT TGGTACCACA	CATAGTCCAG GTATCAGGTC	CCCCTCCGCG GGGGAGGCGC	GCGTGGCCCT CGCACCGGGA
6091	TGGCGCGCAG ACCGCGCGTC	CTTGCCCTTG GAACGGGAAC	GAGGAGGCGC CTCCTCCGCG	CGCACGAGGG GCGTGCTCCC	GCAGTGCAGA CGTCACGTCT
6101	CTTTTGAGGG GAAAACTCCC	CGTAGAGCTT GCATCTCGAA	GGGCGCGAGA CCCGCGCTCT	AATACCGATT TTATGGCTAA	CCGGGGAGTA GGCCCCTCAT
6151			CGCAGACGGT GCGTCTGCCA		
6201			TCAAAAACCA AGTTTTTGGT		ATGCTTTTTG TACGAAAAAC
6251	ATGCGTTTCT TACGCAAAGA	TACCTCTGGT ATGGAGACCA	TTCCATGAGC AAGGTACTCG	CGGTGTCCAC	GCTCGGTGAC CGAGCCACTG
6301	GAAAAGGCTG CTTTTCCGAC	TCCGTGTCCC	CGTATACAGA GCATATGTCT	CTTGAGAGGC GAACTCTCCG	CTGTCCTCGA GACAGGAGCT
6351	GCGGTGTTCC CGCCACAAGG	GCGGTCCTCC GCCAGGAGG	TCGTATAGAA AGCATATCTT	ACTCGGACCA TGAGCCTGGT	CTCTGAGACA GAGACTCTGT
6401	AAGGCTCGCG TTCCGAGCGC	TCCAGGCCAG AGGTCCGGTC	CACGAAGGAG GTGCTTCCTC	GCTAAGTGGG CGATTCACCC	AGGGGTAGCG TCCCCATCGC
6451	GTCGTTGTCC CAGCAACAGG	ACTAGGGGGT TGATCCCCCA	CCACTCGCTC	CAGGGTGTGA GTCCCACACA	AGACACATGT TCTGTGTACA
6501	CGCCCTCTTC GCGGGAGAA	GGCATCAAGG GCCGTAGTTCG	AAGGTGATTO TTCCACTAAC	GTTTGTAGGT CAAACATCCA	GTAGGCCACG A CATCCGGTGC
6551	TGACCGGGTC ACTGGCCCAC	TTCCTGAAGO	GGGGCTATAA CCCCGATATI	A AAGGGGGTGG	GGGCGCGTTC CCCGCGCAAG

Figure 266

	•				
6651	AGTACTCCCT	CTGAAAAGCG	GGCATGACTT	CTGCGCTAAG	ATTGTCAGTT
••••		GACTTTTCGC			
	<del>-</del> -				
6701	TCCAAAAACG	AGGAGGATTT	GATATTCACC	TGGCCCGCGG	TGATGCCTTT
		TCCTCCTAAA			
6751	GAGGGTGGCC	GCATCCATCT	GGTCAGAAAA	GACAATCTTT	TTGTTGTCAA
		CGTAGGTAGA			
6801	GCTTGGTGGC	AAACGACCCG	TAGAGGGCGT	TGGACAGCAA	CTTGGCGATG
• • • • • • • • • • • • • • • • • • • •		TTTGCTGGGC			
			•		
6851	GAGCGCAGGG	TTTGGTTTTT	GTCGCGATCG	GCGCGCTCCT	TGGCCGCGAT
		AAACCAAAAA			
6901	GTTTAGCTGC	ACGTATTCGC	GCGCAACGCA	CCGCCATTCG	GGAAAGACGG
	CAAATCGACG	TGCATAAGCG	CGCGTTGCGT	GGCGGTAAGC	CCTTTCTGCC
6951	TGGTGCGCTC	GTCGGGCACC	AGGTGCACGC	GCCAACCGCG	GTTGTGCAGG
	ACCACGCGAG	CAGCCCGTGG	TCCACGTGCG	CGGTTGGCGC	CAACACGTCC
7001	GTGACAAGGT	CAACGCTGGT	GGCTACCTCT	CCGCGTAGGC	GCTCGTTGGT
	CACTGTTCCA	GTTGCGACCA	CCGATGGAGA	GGCGCATCCG	CGAGCAACCA
7051	CCAGCAGAGG	CGGCCGCCCT	TGCGCGAGCA	GAATGGCGGT	AGGGGGTCTA
	GGTCGTCTCC	GCCGGCGGA	ACGCGCTCGT	CTTACCGCCA	TCCCCCAGAT
7101		GTCCGGGGGG			
	CGACGCAGAG	CAGGCCCCCC	AGACGCAGGT	GCCATTTCTG	GGGCCCGTCG
			•		•
7151		CGAAGTAGTC			
	TCCGCGCGCA	GCTTCATCAG	ATAGAACGTA	GGAACGTTCA	GATCGCGGAC
7201	CTGCCATGCG	CGGGCGCAA	GCGCGCGCTC	GTATGGGTTG	AGTGGGGGAC
	GACGGTACGC	GCCCGCCGTT	CGCGCGCGAG	CATACCCAAC	TCACCCCCTG
7251	CCCATGGCAT	GGGGTGGGTG	AGCGCGGAGG	CGTACATGCC	GCAAATGTCG
	GGGTACCGTA	CCCCACCCAC	TCGCGCCTCC	GCATGTACGG	CGTTTACAGC
			_		
7301	TAAACGTAGA	GGGGCTCTCT	GAGTATTCCA	AGATATGTAG	GGTAGCATCT
	ATTTGCATCT	CCCCGAGAGA	CTCATAAGGT	TCTATACATC	CCATCGTAGA
7351	TCCACCGCGG	ATGCTGGCGC	GCACGTAATC	GTATAGTTCG	TGCGAGGGAG
	AGGTGGCGCC	TACGACCGCG	CGTGCATTAG	CATATCAAGC	ACGCTCCCTC
7401	CGAGGAGGTC	GGGACCGAGG	TTGCTACGGG	CGGGCTGCTC	TGCTCGGAAG
	GCTCCTCCAG	CCCTGGCTCC	AACGATGCCC	CGCCGACGAG	ACGAGCCTTC
7451	ACTATCTGCC	TGAAGATGGC	ATGTGAGTTG	GATGATATGG	TTGGACGCTG
	TGATAGACGO	ACTTCTACCG	TACACTCAAC	CTACTATACC	AACCTGCGAC
					0002002200
7501	GAAGACGTT	AAGCTGGCGT	CTGTGAGACC	TACCGCGTCA	CGCACGAAGG
	CTTCTGCAAC	TTCGACCGCA	GACACTCTG	ATGGCGCAGT	GCGTGCTTCC

Figure 26 H

7601		AGTAGTCCAG			
	AGATCCCGCG				
7651		TTCCACAGCT			
		AAGGTGTCGA			
7701		TTGGATCGGA			
		AACCTAGCCT			
7751		ACTGGTTGAC			
		TGACCAACTG			
7801		TATGCCTGCG			
		ATACGGACGC			
7851		CCTGACCATG			
		GGACTGGTAC			
7901		CGCCCTGCTC			
		GCGGGACGAG			
7951		GGCAGGGCGA			
		CCGTCCCGCT			
8001		AAAGTTGCGT			
		TTTCAACGCA			
8051	CGGTTGTTAA	TTACCTGGGC	GGCGAGCACG	ATCTCGTCAA	MGCCGTTGAT
		AATGGACCCG			
8101		ACAATGTAAA			
0151		TGTTACATTT			
8151		AAATTCAAGG			
0201					AAGCGACGAA
8201					TTCGCTGCTT
0251			•		TCGCGAAAGG
8231	1GAGC ICCAC	MCC Y CMCCCC		A A C C T C C A C C	AGCGCTTTCC
0201					GCAGTAGAAG
8301					CGTCATCTTC
				•	
8351					CGGCTAGGTC
					GCCGATCCAG
8401					ATGACCAGCA
					TACTGGTCGT
8451					ATAGGTCTCT
	ACTTCCCGTG	CTCGACGAAG	GGTTTCCGGG	GGTAGGTTCA	TATCCAGAGA

Figure 26I

8551	GAAGAACTGG	ATCTCCCGCC	ACCAATTGGA	GGAGTGGCTA	TTGATGTGGT
0332			TGGTTAACCT		
8601	GAAAGTAGAA	GTCCCTGCGA	CGGGCCGAAC	ACTCGTGCTG	GCTTTTGTAA
0001			GCCCGGCTTG		
	C				
8651	AAACGTGCGC	AGTACTGGCA	GCGGTGCACG	GGCTGTACAT	CCTGCACGAG
0031			CGCCACGTGC		
	1110011000				
8701	CTTCACCTGA	CGACCGCGCA	CAAGGAAGCA	GAGTGGGAAT	TTGAGCCCCT
0,01			GTTCCTTCGT		
	Cranciooner				
8751	CCCCTCCCG	GTTTGGCTGG	TGGTCTTCTA	CTTCGGCTGC	TTGTCCTTGA
6731			ACCAGAAGAT		
	GCGGACCGCC	0,22,000,.00			
8801	СССТСТСССТ	GCTCGAGGGG	AGTTACGGTG	GATCGGACCA	CCACGCCGCG
0001			TCAATGCCAC		
	GGC/10/1000				
8851	CCACCCCAAA	GTCCAGATGT	CCGCGCGCGG	CGGTCGGAGC	TTGATGACAA
0031			GGCGCGCC		AACTACTGTT
	0010000111	000101			
8901	CATCGCGCAG	ATGGGAGCTG	TCCATGGTCT	GGAGCTCCCG	CGGCGTCAGG
0,01			AGGTACCAGA		GCCGCAGTCC
	017.000000				
8951	TCAGGCGGGA	GCTCCTGCAG	GTTTACCTCG	CATAGACGGG	TCAGGGCGCG
0,552			CAAATGGAGC		
	MOTOCOCCO.				
9001	GGCTAGATCC	AGGTGATACC	TAATTTCCAG	GGGCTGGTTG	GTGGCGGCGT
2001			ATTAAAGGTC		
	cconicino				
9051	CGATGGCTTG	CAAGAGGCCG	CATCCCCGCG	GCGCGACTAC	GGTACCGCGC
			GTAGGGGCGC		
	001110001=10				
9101	GGCGGGCGGT	GGGCCGCGG	GGTGTCCTTG	GATGATGCAT	CTAAAAGCGG
			CCACAGGAAC		
					•
9151	TGACGCGGGC	GAGCCCCCGG	AGGTAGGGGG	GGCTCCGGAC	CCGCCGGGAG
	ACTGCGCCCG	CTCGGGGGCC	TCCATCCCCC	CCGAGGCCTG	GGCGGCCCTC
				•	
9201	AGGGGGCAGG	GGCACGTCGG	CGCCGCGCGC	GGGCAGGAGC	TGGTGCTGCG
	TCCCCCGTCC	CCGTGCAGCC	GCGGCGCGCG	CCCGTCCTCG	ACCACGACGC
				•	
9251	CGCGTAGGTT	GCTGGCGAAC	GCGACGACGC	GGCGGTTGAT	CTCCTGAATC
	GCGCATCCAA	CGACCGCTTG	CGCTGCTGCG	CCGCCAACTA	GAGGACTTAG
9301	TGGCGCCTCT	GCGTGAAGAC	GACGGGCCCG	GTGAGCTTGA	ACCTGAAAGA
<b></b>	ACCGCGGAGA	CGCACTTCTG	CTGCCCGGGC	CACTCGAACT	TGGACTTTCT
9351	GAGTTCGACA	GAATCAATTT	CGGTGTCGTT	GACGGCGGCC	TGGCGCAAAA
	CTCAAGCTGT	CTTAGTTAAA	GCCACAGCAA	CTGCCGCCGG	ACCGCGTTTT
	9 = === := : = :				
9401	TCTCCTGCAC	GTCTCCTGAG	TTGTCTTGAT	AGGCGATCTC	GGCCATGAAC
	AGAGGACGTG	CAGAGGACTC	AACAGAACTA	TCCGCTAGAG	CCGGTACTTG

Figure 26. J 64/144

9501			TGCGGGCCAT ACGCCCGGTA		
9551	GGCCTCCCTC CCGGAGGGAG	GTTCCAGACG CAAGGTCTGC	CGGCTGTAGA GCCGACATCT	CCACGCCCCC GGTGCGGGGG	TTCGGCATCG AAGCCGTAGC
9601			CGCGAGATTG GCGCTCTAAC		
9651			GCTGAAAGAG CGACTTTCTC		
9701	TGTGTTCTGC ACACAAGACG	CACGAAGAAG GTGCTTCTTC	TACATAACCC ATGTATTGGG	AGCGTCGCAA TCGCAGCGTT	CGTGGATTCG GCACCTAAGC
9751			AAGGCGCTCC TTCCGCGAGG		
9801			AGTTGCGCGC TCAACGCGCG		
9851			GCGACAGTGT CGCTGTCACA		
9901			TTCTTCAATC AAGAAGTTAG		
9951	GGGAAGAAGA	AGAAGACCGC	GCGGTGGGGG CGCCACCCCC	TCCCCCCTGT	GCCGCCGCTG
10001	CTGCCGCGTG	GCCCTCCGCC	TCGACAAAGC AGCTGTTTCG	CGAGCTAGTA	GAGGGGCGCC
10051	GCTGCCGCGT	ACCAGAGCCA	CTGCCGCGCC	GGCAAGAGCG	
10101	AACCTTCTGC	GGCGGGCAGT	ACAGGGCCAA	TACCCAACCG	GGGGGCTGC
	GTACGCCGTC	CCTATGCCGC	GATTGCTACG	TAGAGTTGTI	TTGTTGTGTA AACAACACAT
	CCATGAGGCG	GCGGCTCCCT	GGACTCGCTC	AGGCGTAGCT	CCGGATCGGA GGCCTAGCCT
	TTTGGAGAGC	TCTTTCCGCA	GATTGGTCAG	TGTCAGCGTT	GGTAGGCTGA CCATCCGACT
	CGTGGCACCG	CCCGCCGTCG	CCCGCCGCC3	A GCCCCAACAJ	TCTGGCGGAG AGACCGCCTC
10351	GTGCTGCTGA CACGACGACT	TGATGTAATT ACTACATTA	AAAGTAGGCO	GTCTTGAGA( CAGAACTCT(	GGCGGATGGT CCGCCTACCA

Figure 26 K

10451	CGGCCATGCC GCCGGTACGG		GGCGCAGGTC CCGCGTCCAG	
10501			TCTTCTCCTT AGAAGAGGAA	
10551	• • • • • • • • • • • • • • • • • • • •		GGCGGAGTTT CCGCCTCAAA	
10601			CGAAGCCCCT GCTTCGGGGA	•
10651	•		GCTAATATGG CGATTATACC	
	CTGCGTGAGG . GACGCACTCC	 		
10751			CCATAACGGA GGTATTGCCT	
10801			TACCTGAGAC ATGGACTCTG	
10851			CCGCACCAGG GGCGTGGTCC	
10901			AGAGGGGCCA TCTCCCCGGT	
10951			ATAAGGCGAT TATTCCGCTA	
11001			GGCGGTGGTG CCGCCACCAC	
11051			GCAGCGGCAA CGTCGCCGTT	
11101	ATGGTCGGGA TACCAGCCCT		GCGCAATCGT CGCGTTAGCA	
11151	GACCGTGCAA CTGGCACGTT		CACTCTTCCG GTGAGAAGGC	
11201	GATAAATTCG CTATTTAAGC			GAGCCCCGTA CTCGGGGCAT
11251	TCCGGCCGTC AGGCCGGCAG			GTCGAACCCA CAGCTTGGGT
11301	GGTGTGCGAC CCACACGCTG			TTCCTTCCAG AAGGAAGGTC

71 gure 26L

11401	AAGCGGTTAG TTCGCCAATC		GAAAGCATTA CTTTCGTAAT		
11451			GTTGAGTCGC CAACTCAGCG		
11501			GAACGGGGGT CTTGCCCCCA		
11551			CGGAAACAGG GCCTTTGTCC		
11601			TGCGGCAGAT ACGCCGTCTA		
11651			CAGACATGCA GTCTGTACGT		
11701			ATCCGCGGTT TAGGCGCCAA		
11751			GGGCCCGGCA CCCGGGCCGT		
11801			GGAGCGCCCT CCTCGCGGGA		
11851			GCGTGAGGCG CGCACTCCGC		
11901			AGGAGCCCGA TCCTCGGGCT		
11951			CGGCATGGCC GCCGTACCGG		
12001			CGACGCGCGA GCTGCGCGCT		
12051	CGCACACGTG GCGTGTGCAC	CGCCGCCGCCGC	ACCTGGTAAC TGGACCATTG	CGCATACGAG	CAGACGGTGA
12101	ACCAGGAGAT TGGTCCTCTA	TAACTTTCAA ATTGAAAGTI	AAAAGCTTTA TTTTCGAAAT	ACAACCACGT TGTTGGTGCA	GCGTACGCTT CGCATGCGAA
12151	GTGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	AGGAGGTGGC TCCTCCACCG	TATAGGACTG ATATCCTGAC	TACGTAGACA	GGGACTTTGT CCCTGAAACA
12201					GCGCAGCTGT CGCGTCGACA
12251					GGATGCGCTG CCTACGCGAC

7 igure 26 M

12351		ATAGTGGTGC TATCACCACG			
12401		CAACTATTCC GTTGATAAGG			
12451	AAGATATACC TTCTATATGG	ATACCCCTTA TATGGGGAAT			
12501		ATGCGCATGG TACGCGTACC			
12551		TCGCAACGAG AGCGTTGCTC			
12601		TCAGCGACCG AGTCGCTGGC			
12651		GGCAGCGGCG CCGTCGCCGC			
12701		GCGCTGGGCC			
12751		GGCTGGCGGT CCGACCGCCA			
12801					GACGGCGAGT CTGCCGCTCA
12851					ACGGACCCGG TGCCTGGGCC
12901					CTCCACGGAC
12951					GCGCGAATCC GCGCGTTAGG
13001	TGACGCGTTC ACTGCGCAAG	CGGCAGCAGC GCCGTCGTCG	CGCAGGCCAP GCGTCCGGTT	CCGGCTCTCC GGCCGAGAGG	GCAATTCTGG GCTTAAGACC
13051	AAGCGGTGGT TTCGCCACCA	ccceccecec	GCAAACCCC# GGTTTGGGGT	CGCACGAGAA CGCGTGCTCTT	GGTGCTGGCG CCACGACCGC
13101	ATCGTAAACG TAGCATTTGC	CGCTGGCCGA CGGACCGGCT	AAACAGGGCC	TAGGCCGGGC	ACGAGGCCGG TGCTCCGGCC
13151					AACAGCGGCA TTGTCGCCGT
13201					G CGAGGCCGTG GCTCCGGCAC

Figure 26 N

13301		TTCCTGAGTA AAGGACTCAT		_	
13351		CAACTTTGTG GTTGAAACAC			
13401	•	AGGTGTACCA TCCACATGGT	<del>-</del>		
13451		CTGCAGACCG GACGTCTGGC			
13501		GGGGGTGCGG CCCCCACGCC			
13551		CGCCCAACTC GCGGGTTGAG			
13601		GGCAGCGTGT CCGTCGCACA			
13651		CGAGGCCATA GCTCCGGTAT	*		
13701		CAAGTGTCAG GTTCACAGTC			
13751		ACCCTAAACT TGGGATTTGA			
13801		CAGTTTAAAC GTCAAATTTG			
13851					CGCCCAGCGT GCGGGTCGCA
13901					TATGCCTCAA ATACGGAGTT
13951					CCCCCCCCC
14001					ACTGGCTACC TGACCGATGG
14051					GGTAACGATG CCATTGCTAC
14101					GCAACCGCAG CGTTGGCGTC
14151					CGCTGCGAAA GCGACGCTTT

7, gure 260

14251	CGCGGTCAGA	TGCTAGTAGC	CCATTTCCAA	GCTTGATAGG	GTCTCTTACC
	GCGCCAGTCT	ACGATCATCG	GGTAAAGGTT	CGAACTATCC	CAGAGAATGG
14301	AGCACTCGCA TCGTGAGCGT			GGCGAGGAGG CCGCTCCTCC	AGTACCTAAA TCATGGATTT
14351	CAACTCGCTG	CTGCAGCCGC	AGCGCGAAAA	AAACCTGCCT	CCGGCATTTC
	GTTGAGCGAC	GACGTCGGCG	TCGCGCTTTT	TTTGGACGGA	GGCCGTAAAG
14401				AGATGAGTAG TCTACTCATC	
14451				CCGCGCCCGC	
14501	TCAAAGGCAC	GACCGTCAGC	GGGGTCTGGT	GTGGGAGGAC	GATGACTCGG
	AGTTTCCGTG	CTGGCAGTCG	CCCCAGACCA	CACCCTCCTG	CTACTGAGCC
14551	CAGACGACAG	CAGCGTCCTG	GATTTGGGAG	GGAGTGGCAA	CCCGTTTGCG
	GTCTGCTGTC	GTCGCAGGAC	CTAAACCCTC	CCTCACCGTT	GGGCAAACGC
14601	CACCTTCGCC	CCAGGCTGGG	GAGAATGTTT	TAAAAAAAA	AAAAGCATGA
	GTGGAAGCGG	GGTCCGACCC	CTCTTACAAA	TTTTTTTTT	TTTTCGTACT
14651	TGCAAAATAA	AAAACTCACC	AAGGCCATGG	CACCGAGCGT	TGGTTTTCTT
	ACGTTTTATT	TTTTGAGTGG	TTCCGGTACC	GTGGCTCGCA	ACCAAAAGAA
14701	GTATTCCCCT	TAGTATGCGG	CGCGCGGCGA	TGTATGAGGA	AGGTCCTCCT
	CATAAGGGGA	ATCATACGCC	GCGCGCCGCT	ACATACTCCT	TCCAGGAGGA
14751	CCCTCCTACG	AGAGTGTGGT	GAGCGCGGCG	CCAGTGGCGG	CGGCGCTGGG
	GGGAGGATGC	TCTCACACCA	CTCGCGCCGC	GGTCACCGCC	GCCGCGACCC
14801	TTCTCCCTTC	GATGCTCCCC	TGGACCCGCC	GTTTGTGCCT	CCGCGGTACC
	AAGAGGGAAG	CTACGAGGGG	ACCTGGGCGG	CAAACACGGA	GGCGCCATGG
14851	TGCGGCCTAC	CGGGGGGAGA	AACAGCATCO	GTTACTCTGA	GTTGGCACCC
	ACGCCGGATG	GCCCCCTCT	TTGTCGTAGG	CAATGAGACT	CAACCGTGGG
14901	CTATTCGACA GATAAGCTGT	CCACCCGTGT	GTACCTGGTG CATGGACCAC	GACAACAAGT CTGTTGTTCA	CAACGGATGT GTTGCCTACA
14951	GGCATCCCTG	AACTACCAGA	A ACGACCACAC	G CAACTTTCTG	ACCACGGTCA
	CCGTAGGGAC	TTGATGGTCT	T TGCTGGTGTC	C GTTGAAAGAC	TGGTGCCAGT
15001	TTCAAAACAA	TGACTACAGO	CCGGGGGAGG	CAAGCACACA	GACCATCAAT
	AAGTTTTGTT	ACTGATGTCO	CCCCCCCCCCCCCCCCCCCCCCCCCCCC	CGTTCGTGTGT	CTGGTAGTTA
15051	CTTGACGAC( GAACTGCTG(	GGTCGCACTO	G GGGCGGCGA(CCCCCCCCCCCCCCCCCCCCCCCCCCCC	CTGAAAACCA G GACTTTTGGT	TCCTGCATAC AGGACGTATG
15101	CAACATGCCA GTTGTACGG	AATGTGAACO	AGTTCATGT	TACCAATAAC A ATGGTTATTC	TTTAAGGCGC AAATTCCGCG

Figure 26 P

15151	GGGTGA JT CCCACTACCA		ACAATC. JT TGTTAGTCCA	
	TACGAGTGGG ATGCTCACCC			
15251			GGAGCACTAC CCTCGTGATG	
15301			TCGGGGTAAA AGCCCCATTT	
15351			ACTGGTCTTG TGACCAGAAC	
15401			CATCATTTTG GTAGTAAAAC	
15451			GCAACTTGTT CGTTGAACAA	
15501			ATCACCTACG TAGTGGATGC	
15551	GGGTGGTAAC CCCACCATTG		GGAÇGCCTAC CCTGCGGATG	
15601			GCGCAGGCGG CGCGTCCGCC	
15651			GCGGCAGCCG CGCCGTCGGC	
15701			TCGCGGCGAC AGCGCCGCTG	
15751			AAGCAGCGGC TTCGTCGCCG	
15801	GCCCCCGCTG CGGGGGCGAC			AACCGGTGAT TTGGCCACTA
15851	CAAACCCCTG GTTTGGGGAC		CAGTTACAAC GTCAATGTTG	
15901	ATGACAGCAC TACTGTCGTG		GGTACCTTGC CCATGGAACG	
15951	GGCGACCCTC CCGCTGGGAG		ACCCTGCTTT TGGGACGAAA	
16001	CGTAACCTGC GCATTGGACG		GTCGTTGCCA CAGCAACGGT	
16051	AAGACCCCGT TTCTGGGGCA			CTTTCCGGTG GAAAGGCCAC

Figure 26 Q

16151		TCCCAACTCA AGGGTTGAGT			
16201		TCCCGAGAAC AGGGCTCTTG			
16251	ATCACCACCG TAGTGGTGGC	TCAGTGAAAA AGTCACTTTT			
16301		AACAGCATCG TTGTCGTAGC			
16351		CACCTGCCCC GTGGACGGGG			
16401		TATCGAGCCG ATAGCTCGGC			
16451					AGCAAGATGT TCGTTCTACA
16501		CAAGAAGCGC GTTCTTCGCG			CGTGCGCGGG GCACGCGCCC
16551					CTGGGCGCAC GACCCGCGTG
16601					CGCAACTACA GCGTTGATGT
16651					TCAGACCGTG AGTCTGGCAC
16701					GGAGGCGCGT CCTCCGCGCA
16751					CGCGCGCGC
16801	CGGCCCTGCT GCCGGGACGA	TAACCGCGCA ATTGGCGCGT	CGTCGCACCG CCAGCGTGGC	GCCGACGGGC CGGCTGCCCG	GGCCATGCGG
16851	GCCGCTCGAA CGGCGAGCTT	GGCTGGCCGC CCGACCGGCG	GGGTATTGTC CCCATAACAG	ACTGTGCCCC TGACACGGGG	CCAGGTCCAG GGTCCAGGTC
16901	GCGACGAGCG CGCTGCTCGC	GCCGCCGCAG CGGCGGCGTC	CAGCCGCGGC GTCGGCGCCG	CATTAGTGCT GTAATCACGA	* ATGACTCAGG * TACTGAGTCC
16951	GTCGCAGGGG CAGCGTCCCC	GTTGCACATA	TGGGTGCGCG ACCCACGCGC	TGAGCCAATC	CGGCCTGCGC CGCGGACGCG
17001	GTGCCCGTGC CACGGGCACG	GCACCCGCCC GCGTGGGCGGG	CCCGCGCAAC GGGCGCGTTG	TAGATTGCA	GAAAAAACTA CTTTTTTGAT

7 igure 26 R

17101		GCGCAAAATC CGCGTTTTAG			
17151	GAGATCTATG CTCTAGATAC	GCCCCCGAA CGGGGGGCTT			
17201	GCTAAAGCGG CGATTTCGCC	GTCAAAAAGA CAGTTTTTCT			
17251	ACGAGGTGGA TGCTCCACCT	ACTGCTGCAC TGACGACGTG			
17301	AAAGGTCGAC TTTCCAGCTG	GCGTAAAACG CGCATTTTGC			
17351		GAGCGCTCCA CTCGCGAGGT			
17401		CGAGGACCTG GCTCCTGGAC			
17451		GAAAGCGGCA CTTTCGCCGT			
17501		ACACCTAGCC TGTGGATCGG			
17551					CGAGTCTGGT GCTCAGACCA
17601		CCACCGTGCA GGTGGCACGT			AGCGACTGGA TCGCTGACCT
17651	AGATGTCTTG TCTACAGAAC	GAAAAAATGA CTTTTTTACT	CCGTGGAACC GGCACCTTGG	TGGGCTGGAG ACCCGACCTC	CCCGAGGTCC
17701	CGCACGCCGG	TTAGTTCGTC	CACCGCGGCC	CTGACCCGCA	GCAGACCGTG CGTCTGGCAC
•	CTGCAAGTCT	ATGGGTGATG	GTCATCGTGG	TCATAACGGT	CCGCCACAGA GGCGGTGTCT
17801	GGGCATGGAG	ACACAAACGT TGTGTTTGCA	CCCCGGTTGC	CTCAGCGGTG GAGTCGCCAC	GCGGATGCCG CGCCTACGGC
17851	CGGTGCAGGC GCCACGTCCG	GGTCGCTGCG GCAGCGACGC	GCCGCGTCCA	AGACCTCTAC TCTGGAGATC	GGAGGTGCAA CCTCCACGTT
17901					CGCGCCGTTC GGCGCGCAAG
17951					GCCCTACATC CGGGATGTAG

Figure 265

18051			CCGAACCACC GGCTTGGTGG		
18101			TGGCCCCGAT ACCGGGGCTA		
18151			GTGCTGCCAA CACGACGGTT		
18201			TGTGGTTCTT ACACCAAGAA		
18251			CGGGATTCCG GCCCTAAGGC		
18301			CTGACGGGCG GACTGCCCGC		
18351			CCGTCGCATG GGCAGCGTAC		
18401			CGGCGATTGG GCCGCTAACC		
18451	CCGTGGCCTT GGCACCGGAA	GCAGGCGCAG CGTCCGCGTC	AGACACTGAT TCTGTGACTA	TAAAAACAAG ATTTTTGTTC	TTGCATGTGG AACGTACACC
18501			TGGACTCTCA ACCTGAGAGT		
18551			ATCAACTTTG TAGTTGAAAC		
18601			AAACTGGCAA TTTGACCGTT		
18651			GGGGCTCGCT		
	AGCCAAGGTG	GCAATTCTTG	ATACCGTCGT	TCCGGACCTT	CAGCAGCACA GTCGTCGTGT
18751	GGCCAGATGC CCGGTCTACG	TGAGGGATAA ACTCCCTATT	GTTGAAAGAG CAACTTTCTC	CAAAATTTCC	AACAAAAGGT TTGTTTTCCA
18801	GGTAGATGGC	CTGGCCTCTG GACCGGAGAC	GCATTAGCGG CGTAATCGCC	GGTGGTGGAC	CTGGCCAACC GACCGGTTGG
18851	AGGCAGTGCA TCCGTCACGT	AAATAAGATI TTTATTCTAA	AACAGTAAGC TTGTCATTCG	TTGATCCCCG AACTAGGGGC	CCCTCCCGTA GGGAGGGCAT
18901	GAGGAGCCTC CTCCTCGGAG	CACCGGCCGT GTGGCCGGCA	GGAGACAGTG CCTCTGTCAC	TCTCCAGAGG AGAGGTCTCC	GGCGTGGCGA CCGCACCGCT

Figure 26T


19001		GCACTAAAGC CGTGATTTCG	
19051		CGGAGTGCTG GCCTCACGAC	
19101		CCGACACCCA GGCTGTGGGT	
19151		ACCCGTCCTA TGGGCAGGAT	
19201		GTTGCGGCCC CAACGCCGGG	
19251		TGGGTCTGGG ACCCAGACCC	
19301	 	ACGTGTCGTA TGCACAGCAT	
19351		GCTGAGCCGC CGACTCGGCG	
19401		CCGCAGTGGT GGCGTCACCA	
19451		GAGCCCCGGG CTCGGGGCCC	
19501		TGAATAACAA ACTTATTGTT	
19551		ACAGACCGGT TGTCTGGCCA	
19601		GGATACTGCG CCTATGACGC	AGGCGCGGTT TCCGCGCCAA
19651			TCCACGTACT AGGTGCATGA
19701			GCCCTACTCT CGGGATGAGA
19751			ATCCTTGCGA TAGGAACGCT
19801			GAAGAGGACG CTTCTCCTGC
19851			AAAAACTCAC TTTTTGAGTG

Figure 26 U

19951			AAACACCTAA TTTGTGGATT		
20001			GAATCTCAGT CTTAGAGTCA		
20051			AAAAAAGACT TTTTTTCTGA		
20101			CAAATGAAAA GTTTACTTTT		
20151			CTAGAAAGTC GATCTTTCAG		
20201			AGGCAATGGT TCCGTTACCA		
20251			TAGATATAGA ATCTATATCT		
20301			GAAGGTAACT CTTCCATTGA		
20351			TAATTACATT ATTAATGTAA		
20401			GCACGGGTAA		
20451					AAACACAGAG TTTGTGTCTC
20501	CTTTCATACC GAAAGTATGG				CCAGGTACTT GGTCCATGAA
20551					GTTAGAATTA CAATCTTAAT
20601	TTGAAAATCA AACTTTTAGT	TGGAACTGAACTGACTT	GATGAACTTC CTACTTGAAG	CAAATTACTO	CTTTCCACTG CAAAGGTGAC
	CCTCCACACT	AATTATGTC1	CTGAGAATGG	TTCCATTTTC	CTAAAACAGG GATTTTGTCC
20701	TCAGGAAAA? AGTCCTTTT?	GGATGGGAAI CCTACCCTT	A AAGATGCTAC T TTCTACGATG	AGAATTTTCA TCTTAAAAGT	GATAAAAATG CTATTTTAC
20751	AAATAAGAG? TTTATTCTC?	T TGGAAATAA A ACCTTTATT	TTTGCCATGG	AAATCAATC	TAAATGCCAAC A TTTACGGTTG
20801	CTGTGGAGAI GACACCTCT	A ATTTCCTGT I TAAAGGACA	A CTCCAACATA T GAGGTTGTAT	A GCGCTGTAT	TGCCCGACAA A ACGGGCTGTT

Tigure 26 V

20901		GTGGTGGCTC CACCACCGAG	
20951		GTCCCTTGAC CAGGGAACTG	
21001		CTGGCCTGCG GACCGGACGC	
21051	-	TTCCACATCC AAGGTGTAGG	
21101		CCTGCCGGGC GGACGGCCCG	
21151		TGGTTCTGCA ACCAAGACGT	
21201		ATTAAGTTTG TAATTCAAAC	
21251		 CAACACCGCC GTTGTGGCGG	 
21301		AGTCCTTTAA TCAGGAAATT	
21351		GCCAACGCTA CGGTTGCGAT	
21401		TTTCCGCGGC AAAGGCGCCG	
21451	GACTAAGGAA CTGATTCCTT	TGGGCTCGGG ACCCGAGCCC	
21501	ACTCTGGCTC TGAGACCGAG	CTAGATGGAA GATCTACCTT	
21551		CTTTGACTCT GAAACTGAGA	GGCCTGGCAA CCGGACCGTT
21601	TGACCGCCTG ACTGGCGGAC	ACGAGTTTGA TGCTCAAACT	
21651	GGGAGGGTTA CCCTCCCAAT	CAGTGTAACA GTCACATTGT	
21701	GTACAAATGC CATGTTTACG		TCTATATCCC AGATATAGGG
21751			TTCCAGCCCA AAGGTCGGGT



21851		ACCAACACAA TGGTTGTGTT			
21901		GAAGGACAGG CTTCCTGTCC			
21951		CGCAGTTGAC GCGTCAACTG			
22001		GGCGCATCCC CCGCGTAGGG			
22051		CTGGGCCAAA GACCCGGTTT			
22101		TTTTGAGGTG AAAACTCCAC			
22151		AAGTCTTTGA TTCAGAAACT			
22201		ACCGTGTACC TGGCACATGG			
22251		AAGCAAGCAA TTCGTTCGTT			
22301		ACTGAAAGCC TGACTTTCGG			TGGGCCATAT ACCCGGTATA
22351					CTCCACACAA GAGGTGTGTT
22401					GGGGGCGTAC CCCCCGCATG
22451					CTACCTCTTT GATGGAGAAA
22501	GAGCCCTTTG CTCGGGAAAC	GCTTTTCTGA CGAAAAGACT	CCAGCGACTC	AAGCAGGTTT TTCGTCCAAA	ACCAGTTTGA TGGTCAAACT
22551	GTACGAGTCA CATGCTCAGT	CTCCTGCGCC GAGGACGCGG	GTAGCGCCAT CATCGCGGTA	TGCTTCTTCC	CCCGACCGCT GGGCTGGCGA
22601					CAACTCGGCC GTTGAGCCGG
22651	GCCTGTGGAC CGGACACCTG	TATTCTGCTG	CATGTTTCTC GTACAAAGAG	CACGCCTTTG GTGCGGAAAC	CCAACTGGCC GGTTGACCGG
22701	CCAAACTCCC GGTTTGAGGG	TACCTAGTGT	ACCCACCAT TGGGGTGGTA	GAACCTTATT	ACCGGGGTAC ATGGCCCCATG

Figure 26 X

22801	CAGGAACAGC GTCCTTGTCG	TCTACAGCTT AGATGTCGAA	CCTGGAGUGU GGACCTCGCG	CAUTUGUU. GTGAGCGGGA	TGAAGGCGTC
22851	CCACAGTGCG	CAGATTAGGA	GCGCCACTTC	TTTTTGTCAC	TTGAAAAACA
	GGTGTCACGC	GTCTAATCCT	CGCGGTGAAG	AAAAACAGTG	AACTTTTTGT
22901	TGTAAAAATA	ATGTACTAGA	GACACTTTCA	ATAAAGGCAA	ATGCTTTTAT
	ACATTTTTAT	TACATGATCT	CTGTGAAAGT	TATTTCCGTT	TACGAAAATA
22951	TTGTACACTC	TCGGGTGATT	ATTTACCCCC	ACCCTTGCCG	TCTGCGCCGT
	AACATGTGAG	AGCCCACTAA	TAAATGGGGG	TGGGAACGGC	AGACGCGGCA
23001	TTAAAAATCA	AAGGGGTTCT	GCCGCGCATC	GCTATGCGCC	ACTGGCAGGG
	AATTTTTAGT	TTCCCCAAGA	CGGCGCGTAG	CGATACGCGG	TGACCGTCCC
23051	ACACGTTGCG	ATACTGGTGT	TTAGTGCTCC	ACTTAAACTC	AGGCACAACC
	TGTGCAACGC	TATGACCACA	AATCACGAGG	TGAATTTGAG	TCCGTGTTGG
23101	ATCCGCGGCA	GCTCGGTGAA	GTTTTCACTC	CACAGGCTGC	GCACCATCAC
	TAGGCGCCGT	CGAGCCACTT	CAAAAGTGAG	GTGTCCGACG	CGTGGTAGTG
23151	CAACGCGTTT	AGCAGGTCGG	GCGCCGATAT	CTTGAAGTCG	CAGTTGGGGC
	GTTGCGCAAA	TCGTCCAGCC	CGCGGCTATA	GAACTTCAGC	GTCAACCCCG
23201	CTCCGCCCTG	CGCGCGCGAG	TTGCGATACA	CAGGGTTGCA	GCACTGGAAC
	GAGGCGGGAC	GCGCGCGCTC	AACGCTATGT	GTCCCAACGT	CGTGACCTTG
23251	ACTATCAGCG	CCGGGTGGTG	CACGCTGGCC	AGCACGCTCT	TGTCGGAGAT
	TGATAGTCGC	GGCCCACCAC	GTGCGACCGG	TCGTGCGAGA	ACAGCCTCTA
23301	CAGATCCGCC GTCTAGGCGC	TCCAGGTCCT AGGTCCAGGA	CCGCGTTGCT GGCGCAACGA	CAGGGCGAAC	GGAGTCAACT CCTCAGTTGA
23351	TTGGTAGCT( AACCATCGA(	G CCTTCCCAAA C GGAAGGGTTT	A AAGGGCGCGT TTCCCGCGCA	GCCCAGGCTT CGGGTCCGAA	TGAGTTGCAC ACTCAACGTG
23401	TCGCACCGTA AGCGTGGCA	A GTGGCATCA CACCGTAGT	A AAGGTGACCG T TTCCACTGGC	TGCCCGGTC1	GGGCGTTAGG CCCGCAATCC
23451	ATACAGCGCG TATGTCGCGG	TGCATAAAA G ACGTATTTT	G CCTTGATCTCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	CTTAAAAGCC CGAATTTTCGC	ACCTGAGCCT TGGACTCGGA
23501	TTGCGCCTT(	C AGAGAAGAA	C ATGCCGCAAG	ACTTGCCGGA	A AAACTGATTG
·		G TCTCTTCTT	G TACGGCGTTC	TGAACGGCC	TTTGACTAAC
23551	GCCGGACAG CGGCCTGTC	G CCGCGTCGT C GGCGCAGCA	G CACGCAGCAC C GTGCGTCGTC	CTTGCGTCGG GAACGCAGCG	TGTTGGAGAT ACAACCTCTA
23601	CTGCACCAC GACGTGGTG	A TTTCGGCCC T AAAGCCGGG	C ACCGGTTCT	r cacgatett a gtgetagaa	G GCCTTGCTAG C CGGAACGATC
23651	ACTGCTCCT TGACGAGGA	T CAGCGCGCG A GTCGCGCGC	C TGCCCGTTT	T CGCTCGTCA A GCGAGCAGT	C ATCCATTTCA G TAGGTAAAGT

France 26 Y

WO 02/022080					PCT/US01/28861
23701	ATCACGTGCT	CCTTATTTAT	CATAATGCTT	CCGTGTAGAC	ACTTAAGCTC
	TAGTGCACGA	GGAATAAATA	GTATTACGAA	GGCACATCTG	TGAATTCGAG
23751	GCCTTCGATC				
	CGGAAGCTAG	AGTCGCGTCG	CCACGTCGGT	GTTGCGCGTC	GGGCACCCGA
23801	CGTGATGCTT				
	GCACTACGAA	CATCCAGTGG	AGACGTTTGC	TGACGTCCAT	GCGGACGTCC
. 23851	AATCGCCCCA				
	TTAGCGGGGT	AGTAGCAGTG	TTTCCAGAAC	AACGACCACT	TCCAGTCGAC
23901	CAACCCGCGG	TGCTCCTCGT	TCAGCCAGGT	CTTGCATACG	GCCGCCAGAG
	GTTGGGCGCC	ACGAGGAGCA	AGTCGGTCCA	GAACGTATGC	CGGCGGTCTC
23951	CTTCCACTTG	GTCAGGCAGT	AGTTTGAAGT	TCGCCTTTAG	ATCGTTATCC
	GAAGGTGAAC	CAGTCCGTCA	TCAAACTTCA	AGCGGAAATC	TAGCAATAGG
24001	ACGTGGTACT				
				CGGAGGTACG	
24051	CGCAGACACG				
				GTAGTGGCAT	
24101				GCGTCCGCAT	
	•			CGCAGGCGTA	
24151	ACTGGGTCGT				
		<u> </u>		CACGCGAATG	
24201	ATGCTTGATT				
				TGGGTGGTAA	
24251					TGATGGCGGG
0.4201				AATGGAGACC	
24301	CGCTCGGGCT				CGCGTTACCG
24351	CAAATCCGCC			CGACCCACAC	
24401	GCGCGTCTTG				
					TGCGGCGGAG
24451	ATCCGCTTTT				
					CCCTGCCCCT
24501	CGACACGTCC				
					GCAGGCGCGA
24551	CGGGGGTGGT				
					AAGGAAGAGG .
24601					ACAGCCTAAC
	ATATCCGTCT	TTTTCTAGTA	CCTCAGTCAG	CTCTTCTTCC	TGTCGGATTG

Figure 262 80/144

24701	CTACCACCTT GATGGTGGAA	CCCCGTCGAG GGGGCAGCTC			
24751	ATCGAGCAGG TAGCTCGTCC	ACCCAGGTTT TGGGTCCAAA			
24801	ACCAACAGAG TGGTTGTCTC	GATAAAAAGC CTATTTTTCG			
24851	AACAAGTCGG TTGTTCAGCC	GCGGGGGGAC CGCCCCCTG			
24901		TGTTGAAGCA ACAACTTCGT			
24951	CGCGTTGCAA GCGCAACGTT	GAGCGCAGCG CTCGCGTCGC	ATGTGCCCCT TACACGGGGA	CGCCATAGCG GCGGTATCGC	GATGTCAGCC CTACAGTCGG
25001		ACGCCACCTA TGCGGTGGAT			
25051		CATGCGAGCC GTACGCTCGG			
25101		GAGGTGCTTG CTCCACGAAC			
25151		ATCCTGCCGT TAGGACGGCA			
25201		AGGGCGCTGT TCCCGCGACA			TCAACGAAGT AGTTGCTTCA
25251		TTTGAGGGTC AAACTCCCAG			GCGGCAAACG CGCCGTTTGC
25301	GAGACGTTGT	CCTTTTGTCG	CTTTTACTTT	CAGTGAGACC	AGTGTTGGTG TCACAACCAC
	CTTGAGCTCC	CACTGTTGCG	CGCGGATCGG	CATGATTTTG	GCAGCATCGA CGTCGTAGCT
	CCAGTGGGTG	AAACGGATGG	GCCGTGAATT	GGATGGGGG	AAGGTCATGA TTCCAGTACT
25,451	GCACAGTCAT CGTGTCAGTA	GAGTGAGCTG CTCACTCGAC	ATCGTGCGCC TAGCACGCGG	GTGCGCAGCC CACGCGTCGG	CCTGGAGAGG GGACCTCTCC
25501					CAGTTGGCGA GTCAACCGCT
25551					GACTTGGAGG CTGAACCTCC

7 egure 26 AA


25651		GGTTCTTTGC CCAAGAAACG	 - · · · · <del>-</del>	
25701		TACACCTTTC ATGTGGAAAG		
25751		GGAGCTCTGC CCTCGAGACG		
25801		TTGGGCAAAA AACCCGTTTT		
25851		TACGTCCGCG ATGCAGGCGC		
25901		CATGGGCGTT GTACCCGCAA		
25951	AAGGAGCTGC TTCCTCGACG	AGAAACTGCT TCTTTGACGA		
26001	• •	CGCTCCGTGG GCGAGGCACC		
26051		TAAAACCCTG ATTTTGGGAC		
26101		AGAACTTTAG TCTTGAAATC		
26151		TGCTGTGCAC ACGACACGTG		
26201		TCCGCCGCTT AGGCGGCGAA		
26251		CCTACCACTC GGATGGTGAG		
26301	-			CACCGCTCCC GTGGCGAGGG
26351				CGGTACCTTT GCCATGGAAA
26401				CGGGGTTGAA GCCCCAACTT
26451				TTTGTACCTG AAACATGGAC
26501				ATCCCGCCCG TAGGGCGGGC

Figure 26 AB


WO 02/022080					PCT/US01/28861
	CCTAA' 3G	AGCTTACCGC	CTGCGTCATT	ACCCA: C	
	GGATTACGCC	TCGAATGGCG	GACGCAGTAA	TGGGTCCCGG	TGTAAGAACC
26601	CCAATTGCAA	GCCATCAACA	AAGCCCGCCA	AGAGTTTCTG	CTACGAAAGG
	GGTTAACGTT	CGGTAGTTGT	TTCGGGCGGT	TCTCAAAGAC	GATGCTTTCC
26651	GACGGGGGGT	TTACTTGGAC	CCCCAGTCCG	GCGAGGAGCT	CAACCCAATC
	CTGCCCCCCA	AATGAACCTG	GGGGTCAGGC	CGCTCCTCGA	GTTGGGTTAG
26701	CCCCCCCCC				
	GGGGGCGGCG	GCGTCGGGAT	AGTCGTCGTC	GGCGCCCGGG	AACGAAGGGT
26751	GGATGGCACC	CAAAAAGAAG	CTGCAGCTGC	CGCCGCCACC	CACGGACGAG
20.11	CCTACCGTGG	GTTTTTCTTC	GACGTCGACG	GCGGCGGTGG	GTGCCTGCTC
26801	GAGGAATACT				
	CTCCTTATGA	CCCTGTCAGT	CCGTCTCCTC	CAAAACCTGC	TCCTCCTCCT
26851	GGACATGATG				
				GCTCCTTCGA	
26901	AAGAGGTGTC			CGGTCGCATT	
26951	GCGCCCCAGA				
				TACCGATGTT	
27001	TCAGGCGCCG				
				TGGGTTGGCA	
27051	CCACTGGAAC				
				TCGGCGGCGG	
27101				TGGCGCGGGC	
				ACCGCGCCCG	
27151	CATAGTTGCT			CAACATCTCC	
27201	GCTTTCTTCT				
					GTAGGACGTA
27251	TACTACCGTC				
					CGCCGTCGTT
27301	CAGCAGCGGC				
					CTGAGACTGT
27351	AAGCCCAAGA				
				-	CTCGCGACGC
27401					AACAGGATTT
	AGACCGCGGG	TTGCTTGGGC	ATAGCTGGGC	GCTCGAATCT	TTGTCCTAAA
27451					AGAACAAGAG
	AAGGGTGAGA	CATACGATAT	AAAGTTGTCT	CGTCCCCGGT	TCTTGTTCTC

7,guri 26 AC

27551	TCACAAAAGC AGTGTTTTCG			GCTGGAAGAC CGACCTTCTG	
27601	TCTTCAGTAA AGAAGTCATT			AGGACTAGTT TCCTGATCAA	
27651				CTCCAGCGGC GAGGTCGCCG	
27701	GCCAGCACCT CGGTCGTGGA			CAAGGAAATT GTTCCTTTAA	
27751				TTGCGGCTGG AACGCCGACC	
27801	••••	-		GCGGGACCCC CGCCCTGGGG	
27851				CCGAATTCTC GGCTTAAGAG	
27901				TTAATCCCCG AATTAGGGGC	
27951				CCCACCACTG GGGTGGTGAC	
28001				TAACTCAGGG ATTGAGTCCC	GCGCAGCTTG CGCGTCGAAC
28051					TATAACTCAC ATATTGAGTG
28101					CGGTGAGCTC
28151					CCGCGGCCGGCC
28201	GCTCTTCATT CGAGAAGTAA	CACGCCTCGT GTGCGGAGCA	CAGGCAATCC GTCCGTTAGG	TAACTCTGCA ATTGAGACGT	GACCTCGTCC
28251	TCTGAGCCGC AGACTCGGCG	GCTCTGGAGG CGAGACCTCC	CATTGGAACT GTAACCTTGA	CTGCAATTTA GACGTTAAAT	TTGAGGAGTT AACTCCTCAA
28301	TGTGCCATCG	GTCTACTTTA CAGATGAAAT	ACCCCTTCTC TGGGGAAGAG	GGGACCTCCC CCCTGGAGGG	GGCCACTATC CCGGTGATAG
28351					GGCGGACGGC CCGCCTGCCG
28401	TACGACTGAA ATGCTGACTT	TGTTAAGTGG	AGAGGCAGAG TCTCCGTCTC	CAACTGCGCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	TGAAACACCT ACTTTGTGGA



02/022000					101,0001.
28451	GGTCCA. JT	CGCCGCCACA	AGTGCTTTGC	CCGCGA C	GGTGAGTTTT
2017-				GGCGCTGAGG	
	censoronen	555555555			
28501	CCTACTTTCA	ATTGCCCGAG	GATCATATCG	AGGGCCCGGC	GCACGGCGTC
26301				TCCCGGGCCG	
	CGNIGNANCI	IAACGGGCIC	CINGININGC	70000000	0010011111
20551	000000000000000000000000000000000000000	GGC) GGC) C)		AGCCTGATTC	CCCACTTAC
28551					
	GCCGAATGGC	GGGTCCCTCT	CGAACGGGCA	TCGGACTAAG	CCCTCAAATG
				000100000	
28601	CCAGCGCCCC	CTGCTAGTTG	AGCGGGACAG	GGGACCCTGT	GITCICACIG
	GGTCGCGGGG	GACGATCAAC	TCGCCCTGTC	CCCTGGGACA	CAAGAGTGAC
28651	TGATTTGCAA	CTGTCCTAAC	CCTGGATTAC	ATCAAGATCT	TTGTTGCCAT
	ACTAAACGTT	GACAGGATTG	GGACCTAATG	TAGTTCTAGA	AACAACGGTA
28701				TAAAATATAC	
	GAGACACGAC	TCATATTATT	TATGTCTTTA	ATTTTATATG	ACCCCGAGGA
28751	ATCGCCATCC	TGTAAACGCC	ACCGTCTTCA	CCCGCCCAAG	CAAACCAAGG
	TAGCGGTAGG	ACATTTGCGG	TGGCAGAAGT	GGGCGGGTTC	GTTTGGTTCC
•					
28801	CGAACCTTAC	CTGGTACTTT	TAACATCTCT	CCCTCTGTGA	TTTACAACAG
2000-	GCTTGGAATG	GACCATGAAA	ATTGTAGAGA	GGGAGACACT	AAATGTTGTC
		2			
28851	<b>ጥጥሮልልሮሮርል</b>	GACGGAGTGA	GTCTACGAGA	GAACCTCTCC	GAGCTCAGCT
20051	TODOTTOGGT	CTGCCTCACT	CAGATGCTCT	CTTGGAGAGG	CTCGAGTCGA
	AAAG110001	C100C10	0		
28901	<b>λ</b> CTCCΔTCΔG	AAAAAACACC	ACCCTCCTTA	CCTGCCGGGA	ACGTACGAGT
20901	TCACCTACTC	TTTTTTCTCC	TGGGAGGAAT	GGACGGCCCT	TGCATGCTCA
	IGAGGIAGIC	1111110100	.00000		
28951	CCCTCNCCC	CCCCTCCACC	<b>ACACCTACCG</b>	CCTGACCGTA	AACCAGACTT
26931				GGACTGGCAT	
	CGCAGTGGCC	GGCGACG1GG	1616671666	00	
20001	mmmcccca.ca	CXCCTCXXTX	<b>አ</b> ርጥርጥርጥጥጉል	רראנאאראננ	AGGTGAGCTT
29001	TITCCGGACA	GACCICAMIA	TOTAL TOTAL	. CCMCMTCTCC	TCCACTCGAA
	AAAGGCCTGT	CIGGAGIIAI	IGAGACAAAI	9910110100	100
22251			CCCCNNNCCC	CCACCTACTC	TGGGGTTTAT
29051					ACCCCAAATA
	TCTTTTGGGA	ATCCCATAAT	CCGGTTTCCG	, COICGAIGAC	ACCCCAB
	~~	100110mcm		י יייא אייירא כביי	TTCTCTAGAA
29101	GAACAATTCA	AGCAACICIA	COGGCIMIIC	, IAMIICAGGI Namanacacca	AAGAGATCTT
	CTTGTTAAGT	TCGTTGAGAT	GCCCGATAAG	, Allandicca	MAGAGAICII
					מידים בידים יי
29151	TCGGGGTTGG	GGTTATTCTC	TGTCTTGTGA	TICICIIIA	TCTTATACTA
	AGCCCCAACC	CCAATAAGAG	ACAGAACAC	. AAGAGAAA11	AGAATATGAT
29201	ACGCTTCTCI	GCCTAAGGCT	CGCCGCCTGC	, TGTGTGCACA	TTTGCATTTA
	TGCGAAGAGA	CGGATTCCG	A GCGGCGGAC	S ACACACGIGI	AAACGTAAAT
29251	TTGTCAGCTI	TTTAAACGC	r GGGGTCGCC	A CCCAAGATGA	TTAGGTACAT
	<b>AACAGTCGA</b>	AAATTTGCG/	A CCCCAGCGG	r GGGTTCTACT	R AATCCATGTA
29301	AATCCTAGGT	TTACTCACC	TTGCGTCAG	C CCACGGTAC	ACCCAAAAGG
	TTAGGATCCA	AATGAGTGG	AACGCAGTC	G GGTGCCATG	G TGGGTTTTCC
29351	TGGATTTTAJ	GGAGCCAGC	C TGTAATGTT	A CATTCGCAG	TGAAGCTAAT
-	ACCTAAAATT	CCTCGGTCG	G ACATTACAA	T GTAAGCGTC	ACTTCGATTA



29451		AACAAAATTG TTGTTTTAAC		
29501		TACAGAGTAT ATGTCTCATA		
29551		TGTATACTTT ACATATGAAA		
29601	•	AAACAGTATA TTTGTCATAT		
29651	<del>-</del>	TTTCTGCTGC AAAGACGACG		
29701	•	TACTCTATAT ATGAGATATA	•	
29751		ATGCCTTAAT TACGGAATTA		
29801		CTCGCTGCTT GAGCGACGAA		
29851		GATTTAAACC CTAAATTTGG		
29901		TGACTCTATG ACTGAGATAC		
29951		CTGGATGTCA GACCTACAGT		
30001		CAGTCCAACT GTCAGGTTGA		
30051		CGCCGGCGCCG	 	ACAAATACAC TGTTTATGTG
30101		TGCCTTTGTC ACGGAAACAG		CATGTGGTGG GTACACCACC
30151	TTCTCCATAG AAGAGGTATC	CGCTTATGTT GCGAATACAA		
30201				CCCATCATTG GGGTAGTAAC
30251		AAACAATGAT TTTGTTACTA		ACTGAAACAC TGACTTTGTG
30301				TCCTCGAGTT AGGAGCTCAA

Figure 26 AF

30401		CACATCGAAG GTGTAGCTTC			
30451		ATTTGTCACC TAAACAGTGG			
30501		TTATCCAGTG AATAGGTCAC			
.30551		CATCCCCAGT GTAGGGGTCA			
30601		ATTATGAAAT TAATACTTTA			
30651		GTTTTGTTCC CAAAACAAGG			
30701		CTCGTATATG GAGCATATAC			
30751		GAAGCCTGGT CTTCGGACCA			
30801		CTTAGCCCTA GAATCGGGAT			
30851		ATGCCATGAA TACGGTACTT			
30901		CAAGTTGTTG GTTCAACAAÇ			
30951					TCTAACAGGA AGATTGTCCT
31001					ATTACAGAGC TAATGTCTCG
31051	AGCGCCTGCT TCGCGGACGA	AGAAAGACGC TCTTTCTGCG	AGGGCAGCGG	CCGAGCAACA	GCGCATGAAT CGCGTACTTA
31101					GGGGTATCTT CCCCATAGAA
31151	TTGTCTCGTA AACAGAGCAT	AAGCAGGCCA TTCGTCCGGT	AAGTCACCTA TTCAGTGGAT	CGACAGTAAT GCTGTCATTA	ACCACCGGAC TGGTGGCCTG
31201					GGTGGTCATG CCACCAGTAC
31251					AAACCGAAGG TTTGGCTTCC

Figure 24 A6 87/144

31351		GATCTTATTC CTAGAATAAG	
31401		TAAAATCAGT ATTTTAGTCA	
31451		CCCTCCTCCC GGGAGGAGGG	-
31501		CCACAATCTA GGTGTTAGAT	
31551		CCACTATCTT GGTGATAGAA	
31601		ACCTTCAACC TGGAAGTTGG	
31651		GCCTTTTCTT CGGAAAAGAA	
31701		CCCCTGGGGT GGGGACCCCA	
31751		GGCATGCTTG CCGTACGAAC	 
31801	-	 CAACCTTACC GTTGGAATGG	 
31851		CCAAGTCAAA GGTTCAGTTT	
31901		 GAAGCCCTAA CTTCGGGATT	 
31951	CTAATGGTCG GATTACCAGC	ACTCACCATG TGAGTGGTAC	
32001	CGTGCACGAC GCACGTGCTG	GCATTGCCAC CGTAACGGTG	
32051	CAGAAGGAAA GTCTTCCTTT	CAAACATCAG GTTTGTAGTC	 
32101	AGCAGTACCC TCGTCATGGG	TGCCTCACCC ACGGAGTGGG	
32151	TAGCTTGGGC ATCGAACCCG	 AAGAGCCCAT TTCTCGGGTA	 
	TAGGACTAAA ATCCTGATTT		

Figure 26 AH


32301	AACTAAAGTT TTGATTTCAA		TGGGTTTTGA ACCCAAAACT		
32351			AGGATTGATT TCCTAACTAA		
32401	CTTGATGTTA GAACTACAAT		TGATGCTCAA ACTACGAGTT		
32451			TAAACTCAGC ATTTGAGTCG		
32501			TTTACAGCTT AAATGTCGAA		
32551			CAAGGGGTTG GTTCCCCAAC		
32601			GGCTTGAATT CCGAACTTAA		
32651			AAAATTGGCC TTTTAACCGG		ATTTGATTCA TAAACTAAGT
32701			ACTAGGAACT TGATCCTTGA		
32751					ACTTTGTGGA TGAAACACCT
32801					GAAAGATGCT CTTTCTACGA
32851					TTGCTACAGT AACGATGTCA
32901					GGAACAGTTC CCTTGTCAAG
32951	AAAGTGCTCA TTTCACGAGT	TCTTATTATA AGAATAATAT	AGATTTGACG TCTAAACTGC	AAAATGGAGI TTTTACCTCA	GCTACTAAAC CGATGATTTG
33001	AATTCCTTCC TTAAGGAAGG	TGGACCCAGA ACCTGGGTCT	ATATTGGAAC TATAACCTTG	TTTAGAAATG	GAGATCTTAC CTCTAGAATG
33051	TGAAGGCACA ACTTCCGTGT	GCCTATACAA CGGATATGTT	A ACGCTGTTGG TGCGACAACG	ATTTATGCCT	AACCTATCAG TTGGATAGTC
33101	CTTATCCAAA GAATAGGTTT	A ATCTCACGGT TAGAGTGCCA	AAAACTGCCA A TTTTGACGG	A AAAGTAACAT T TTTCATTGT/	TGTCAGTCAA A ACAGTCAGTT
33151	GTTTACTTAJ CAAATGAAT	A ACGGAGACAI TGCCTCTGTT	A AACTAAACC ADDTTTADTT 1	r gtaacactai A cattgtgat	A CCATTACACT CGTAATGTGA

Figure 26 AI

33251			GGCCACAACT CCGGTGTTGA		
33301	ACATCCTCTT TGTAGGAGAA		ATACATTGCC TATGTAACGG		
33351			ATTTTTCAAT TAAAAAGTTA		
33401			CCCACCACCA GGGTGGTGGT		
33451			GAACCCTAGT CTTGGGATCA		
33501			GTCCTTTCTC CAGGAAAGAG		
33551			CATATTCTTA GTATAAGAAT		
33601			CATCAGTGAT GTAGTCACTA		
33651			CTGTCCAGCT GACAGGTCGA		
33701			GGGCGGCGAA CCCGCCGCTT		
33751					TGCTGCAGCA ACGACGTCGT
33801					GGAATACAAC
33851	ATGGCAGTGG TACCGTCACC	TCTCCTCAGC AGAGGAGTCG	GATGATTCGC CTACTAAGCG	ACCGCCCGCA TGGCGGGCGT	GCATAAGGCG CGTATTCCGC
33901	CCTTGTCCTC GGAACAGGAG	CGGGCACAGC GCCCGTGTCG	AGCGCACCCT TCGCGTGGGA	GATCTCACTT CTAGAGTGAA	AAATCAGCAC TTTAGTCGTG
33951	AGTAACTGCA TCATTGACGT	GCACAGCACO CGTGTCGTGG	ACAATATTGT TGTTATAACA	TCAAAATCCC AGTTTTAGGG	ACAGTGCAAG TGTCACGTTC
34001	GCGCTGTATO CGCGACATAO	CAAAGCTCAT GTTTCGAGTA	CCGCCCCTGG	ACAGAACCCA TGTCTTGGGT	CGTGGCCATC CGCACCGGTAG
34051	ATACCACAAC TATGGTGTTC	GCGTCCATCT	A TTANGTGGCG T AATTCACCGC	ACCCCTCATA TGGGGAGTAT	AACACGCTGG TTGTGCGACC
34101	ACATAAACAT TGTATTTGTA	TACCTCTTT	GGCATGTTGT A CCGTACAACA	AATTCACCA( TTAAGTGGT(	CTCCCGGTAC GAGGGCCATG

Figure 26 AJ

34201	GCTGGCCAAA CGACCGGTTT	ACCTGCCCGC TGGACGGGCG	CGGCTATACA GCCGATATGT	CTGCAGGGAA GACGTCCCTT	CCGGGACTGG GGCCCTGACC
34251	AACAATGACA TTGTTACTGT	GTGGAGAGCC CACCTCTCGG			
34301	GTCATGATAT CAGTACTATA	CAATGTTGGC GTTACAACCG			
34351		AGCTCCTCCC TCGAGGAGGG			
34401		CAGCGTAAAT GTCGCATTTA			
34451		GCATTGTCAA CGTAACAGTT			
34501	GAGGTCATAC	GTAGCGCGGG CATCGCGCCC	AAAGACAGAG	TTTTCCTCCA	TCTGCTAGGG
34551	ATGACATGCC	AGTGCGCCGA TCACGCGGCT	CTGTTGGCTC	TAGCACAACC	AGCATCACAG
34601	ATGCCAAATG . TACGGTTTAC	CTTGCGGCCT	GCATCAGTAT	AAAGGACTTC	GTTTTGGTCC
34651	ACGCCCGCAC	ACAAACAGAT TGTTTGTCTA	GACGCAGAGG	CCAGAGCGGC	GAATCTAGCG
34701	AGACACATCA	AGTTGTAGTA TCAACATCAT	ATAGGTGAGA	GAGTTTCGTA	GGTCCGCGGG
34751	GGACCGAAGC	GGTTCTATGT CCAAGATACA	TTTGAGGAAG	TACGCGGCGA	CGGGACTATT
34801	GTAGGTGGTG		CGGTGTGGGT	CGGTTGGATG	TGTAAGCAAG
	ACGCTCAGTG	TGTGCCCTCC	TCGCCCTTCT	CGACCTTCTT	CCATGTTTTT
	AAAAAATAAG	GTTTTCTAAT	AGGTTTTGGA	GTTTTACTTC	ATCTATTAAG TAGATAATTC
	ACTTGCGCGA	GGGGAGGCCA	CCGCACCAGT	TTGAGATGTC	CCAAAGAACA GGTTTCTTGT
	CTATTACCGT	AAACATTCTA	CAACGTGTTA	CCGAAGGTTI	AGGCAAACGG TCCGTTTGCC
35051	CCCTCACGTC GGGAGTGCAG	CAAGTGGACG GTTCACCTGC	TAAAGGCTAA ATTTCCGATI	ACCCTTCAGO TGGGAAGTCO	GTGAATCTCC CACTTAGAGG



35151		AATATATCTC TTATATAGAG			
35201		CTGCTCCAGA GACGAGGTCT			
35251		CAAAAATTCA GTTTTTAAGT			
35301		TAACAAAAT ATTGTTTTTA			
35351		TAATCGTGCA ATTAGCACGT			
35401		CATGACAAAA GTACTGTTTT			
35451		TAACCAGCGT ATTGGTCGCA			
35501	GCTATATTTT	TGCAAGGTGC ACGTTCCACG	ACGAGTTTTT	TAGTCCGTTT	CGGAGCGCGT
35551	TTTTTCTTTC	CACATCGTAG GTGTAGCATC	AGTACGAGTA	CGTCTATTTC	CGTCCATTCG
35601	AGGCCTTGGT	CCACAGAAAA GGTGTCTTTT	TCTGTGGTAA	AAAGAGAGTT	TGTACAGACG
35651	CCCAAAGACG	ATAAACACAA TATTTGTGTT	TTATTTTATT	GTTTTTTTGT	AAATTTGTAA
35701	TCTTCGGACA	GAATGTTGTC	CTTTTTGTTG	GGAATATTCG	ATAAGACGGA TATTCTGCCT
35751	GATGCCGGTA	CGGCCGCACT	GGCATTTTTT	TGACCAGTGG	
	TCGTGGTGGC	TGTCGAGGAG	CCAGTACAGG	CCTCAGTATT	TGTAAGACTC ACATTCTGAG
	CCATTTGTGT	AGTCCAACTA	AGTGTAGCCA	GTCACGATTT	AAGCGACCGA TTCGCTGGCT
	TTATCGGGCC	CCCTTATGTA	TGGGCGTCCG	CATCTCTGTT	CATTACAGCC
	GGGTATCCTC	CATATTGTTT	TAATTATCCT	CTCTTTTTGT	CATAAACACC
36001	TGAAAAACCC ACTTTTTGGG	TCCTGCCTAG AGGACGGATC	GCAAAATAGC CGTTTTATCG	TGGGAGGGC	TCCAGAACAA AGGTCTTGTT

Figure 26 AL

36101	AAAGAAAACC TTTCTTTTGG			ACACGGCACC TGTGCCGTGG	
36151	GTCACAGTGT CAGTGTCACA			GCGAGTATAT CGCTCATATA	
36201	AAAATGACGT TTTTACTGCA			AACACCCAGA TTGTGGGTCT	
36251				AACCCACAAC TTGGGTGTTG	
36301				TTCCCATTTT AAGGGTAAAA	
36351				CTAAAACCTA GATTTTGGAT	
36401				ACTCCACCCC TGAGGTGGGG	
					PacI
					~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
36451				ATTGATGATG TAACTACTAC	
36501	ATTCGGATCT	GCGACGCGAG	GCTGGATGGC	CTTCCCCATT	ATGATTCTTC
00301	TAAGCCTAGA	CGCTGCGCTC	CGACCTACCG	GAAGGGGTAA	TACTAAGAAG
36551					GCTGTCCAGG CGACAGGTCC
36601					AAAAGGCCAG TTTTCCGGTC
36651					CTCCGCCCCC GAGGCGGGG
36701	CTGACGAGCA GACTGCTCGT	TCACAAAAAT AGTGTTTTA	CGACGCTCAA GCTGCGAGTT	GTCAGAGGTG CAGTCTCCAC	GCGAAACCCG CGCTTTGGGC
36751	ACAGGACTAT TGTCCTGATA	AAAGATACCA TTTCTATGGI	GGCGTTTCCC	CCTGGAAGCT GGACCTTCGA	CCCTCGTGCG GGGAGCACGC
36801					GCCTTTCTCC GCGAAAGAGG
36851					G GTATCTCAGT CATAGAGTCA
36901	TCGGTGTAGG AGCCACATCO	TCGTTCGCTC	CAAGCTGGGG	TGTGTGCACG ACACACGTGG	AACCCCCCGT TTGGGGGGCA

Figure 26 AM

37001		CGACTTATCG GCTGAATAGC	 	
37051		GGTATGTAGG CCATACATCC		
37101		TACACTAGAA ATGTGATCTT	 	
37151		CTTCGGAAAA GAAGCCTTTT		
37201		GTAGCGGTGG CATCGCCACC		
37251		GGATCTCAAG CCTAGAGTTC		
37301		GAACGAAAAC CTTGCTTTTG		
37351		TCTTCACCTA AGAAGTGGAT		
37401		GGTCTGACAG CCAGACTGTC		
37451		TGTCTATTTC ACAGATAAAG		
37501		TACGATACGG ATGCTATGCC		
37551		GAGACCCACG CTCTGGGTGC		
37601		GGAAGGGCCG CCTTCCCGGC		
37651		GTCTATTAAT CAGATAATTA		AAGTAGTTCG TTCATCAAGC
37701				GCATCGTGGT CGTAGCACCA
37751	GTCACGCTCG CAGTGCGAGC			TCCCAACGAT AGGGTTGCTA
37801				GGTTAGCTCC CCAATCGAGG
37851	TTCGGTCCTC AAGCCAGGAG			TGTTATCACT ACAATAGTGA

Figure 26 AN

37951	GATGCTTTTC	TGTGACTGGT	GAGTACTCAA	CCAAGTCATT	CTGAGAATAG
	CTACGAAAAG	ACACTGACCA	CTCATGAGTT	GGTTCAGTAA	GACTCTTATC
38001	TGTATGCGGC	GACCGAGTTG	CTCTTGCCCG	GCGTCAACAC	GGGATAATAC
			GAGAACGGGC		
38051	CGCGCCACAT	AGCAGAACTT	TAAAAGTGCT	CATCATTGGA	AAACGTTCTT
			ATTTTCACGA		
38101	CGGGGCGAAA	ACTCTCAAGG	ATCTTACCGC	TGTTGAGATC	CAGTTCGATG
	GCCCCGCTTT	TGAGAGTTCC	TAGAATGGCG	<b>ACAACTCTAG</b>	GTCAAGCTAC
	•••••				
38151	TAACCCACTC	GTGCACCCAA	CTGATCTTCA	GCATCTTTTA	CTTTCACCAG
•	ATTGGGTGAG	CACGTGGGTT	GACTAGAAGT	CGTAGAAAAT	GAAAGTGGTC
		•			
38201	CGTTTCTGGG	TGAGCAAAAA	CAGGAAGGCA	AAATGCCGCA	AAAAAGGGAA
	GCAAAGACCC	ACTCGTTTTT	GTCCTTCCGT	TTTACGGCGT	TTTTTCCCTT
38251	TAAGGGCGAC	ACGGAAATGT	TGAATACTCA	TACTCTTCCT	TTTTCAATAT
	ATTCCCGCTG	TGCCTTTACA	ACTTATGAGT	ATGAGAAGGA	AAAAGTTATA
38301	TATTGAAGCA	TTTATCAGGG	TTATTGTCTC	ATGAGCGGAT	ACATATTTGA
	ATAACTTCGT	AAATAGTCCC	AATAACAGAG	TACTCGCCTA	TGTATAAACT
38351	ATGTATTTAG	AAAAATAAAC	AAATAGGGGT	TCCGCGCACA	TTTCCCCGAA
	TACATAAATC	TTTTTATTTG	TTTATCCCCA	AGGCGCGTGT	AAAGGGGCTT
38401	AAGTGCCACC				
	TTCACGGTGG	ACTGCAGATT	CTTTGGTAAT	AATAGTACTG	TAATTGGATA
					moon mooch h
38451	AAAAATAGGC	GTATCACGAG	GCCCTTTCGT	CTTCAAGAAT	TGGATCCGAA
	TTTTTATCCG	CATAGTGCTC	CGGGAAAGCA	GAAGTTCTTA	ACCTAGGCTT
		<b>.</b>			
	•	PacI			
			(CEO ID NO	221	
38501	TTCTTAATTT				
	AAGAATTAAA	GAATTAATT	(SEQ ID NO	1:331	

Figure 26 AD

1	CATCATCAAT	AATATACCTT	ATTTTGGATT	GAAGCCAATA	TGATAATGAG
	GTAGTAGTTA	TTATATGGAA	TAAAACCTAA	CTTCGGTTAT	ACTATTACTC
				#0000110000	CCCCCTCACC
51				TGGGAACGGG	
	CCCCACCTCA	AACACTGCAC	CGCGCCCCGC	ACCCTTGCCC	CGCCCACTGC
101	TAGTAGTGTG	GCGGAAGTGT	GATGTTGCAA	GTGTGGCGGA	ACACATGTAA
				CACACCGCCT	
151	CCCA CCCATC	TO CO CA A A A CT	ር አ C ር ጥጥጥ <b>ጥጥ</b> ር	GTGTGCGCCG	CTCTACACAG
151				CACACGCGGC	
	CGCTGCCTAC	ACCGTTTCA	CIGCAAAAAC	CACACGCGGC	CACAIGIGIC
201				GATGTTGTAG	
	CTTCACTGTT	AAAAGCGCGC	CAAAATCCGC	CTACAACATC	ATTTAAACCC
251	CGTAACCGAG	TAAGATTTGG	CCATTTTCGC	GGGAAAACTG	AATAAGAGGA
232				CCCTTTTGAC	
	GCATIGGCIC	ATTCTARACC	6617222.000		
301	AGTGAAATCT	GAATAATTTT	GTGTTACTCA	TAGCGCGTAA	TATTTGTCTA
	TCACTTTAGA	CTTATTAAAA	CACAATGAGT	ATCGCGCATT	ATAAACAGAT
351	GGGFCGCGG	GACTTTGACC	GTTTACGTGG	AGACTCGCCC	AGGTGTTTTT
331	CCCCCCCCC	CTGAAACTGG	CAAATGCACC	TCTGAGCGGG	TCCACAAAAA
					•
401	CTCAGGTGTT	TTCCGCGTTC	CGGGTCAAAG	TTGGCGTTTT	ATTATTATAG
	GAGTCCACAA	AAGGCGCAAG	GCCCAGTTTC	AACCGCAAAA	TAATAATATC
453	000000000	mcc>mmcc>	<b>メ</b> ここのできません	CATATCATAA	татстасатт
451	GCGGCCGCGA	TCCATTGCAT	MCG11G1A1C	GTATAGTATT	אייטראיינייטא
	CGCCGGCGCT	AGGTAACGTA	TGCAACATAG	GIAIAGIAII	AIACAIGIAA
501				TGTTGACATT	
	ATATAACCGA	GTACAGGTTG	TAATGGCGGT	ACAACTGTAA	CTAATAACTG
	•				
551					AGCCCATATA
	ATCAATAATT	ATCATTAGTT	AATGCCCCAG	TAATCAAGTA	TCGGGTATAT
601	TGGAGTTCCG	CGTTACATAA	CTTACGGTAA	ATGCCCGCC	TGGCTGACCG
001					ACCGACTGGC
651	CCCAACGACC	CCCGCCCATT	GACGTCAATA	ATGACGTATG	TTCCCATAGT
	GGGTTGCTGG	GGGCGGGTAA	CTGCAGTTAT	TACTGCATAC	AAGGGTATCA
701	********	CCCACTTCC	• <b>አ</b> ጥጥርልርርጥርል	ATGGGTGGAG	TATTTACGGT
701	AACGCCAATA	GGGACIIICC	MANCHOCACH	. macccaccarc	ATAAATGCCA
	TTGCGGTTAT	CCCTGAAAGG	, IMACIGUAGI	ACCUACCIC	AIAAAIGUCA
751	AAACTGCCCA	CTTGGCAGTA	CATCAAGTGT	ATCATATGCC	AAGTACGCCC
	TTTGACGGGT	GAACCGTCAT	GTAGTTCACA	TAGTATACGG	TTCATGCGGG
801	CCTATTGACG	TCAATGACGG	TAAATGGCCC	GCCTGGCATT	ATGCCCAGTA
	GGATAACTGC	AGTTACTGCC	ATTTACCGG	CGGACCGTA	TACGGGTCAT

Figure 27A


901	TCGCTATTAC AGCGATAATG				
951	TAGCGGTTTG ATCGCCAAAC				
1001	TGGGAGTTTG ACCCTCAAAC				
1051	ACAACTCCGC TGTŢGAGGCG				
1101	GTCTATATAA CAGATATATT				
1151	CCATCCACGC GGTAGGTGCG				
1201			ATTGGAACGC TAACCTTGCG		TGCCAAGAGT . ACGGTTCTCA
1251	GAGATCTGCC CTCTAGACGG		GCAAGTGGTC CGTTCACCAG		
1301	CCAGGTGGCA	СТСССТСТСС	ATGAGGAGGG TACTCCTCCC	GGCTCGGGCG	GCGGCTGTCC
1351	CACTCCTCCT	GGCTCGGGCG	CGCAGTGGGC GCGTCACCCG	CACCCGCGGC	ACAGGTCCCT
1401	GGACCTCTTC	GTGCCGCGGT	TCACCTCCTC AGTGGAGGAG	GTTGTGGCGG	CGGTGGTTGC
1451	GGCTGACGCG	GACCGACCTC	CGGGTCCTCC	TGCTCCTCCA	
1501	CACTCCGGGG	TCCACGGGGA	CTCCGGGTAC	TGGATGTTCC	GCGCCGTGGA CGCGGCACCT
1551		AAGGACTTCC	TCTTCCCGCC	GGACCTCCCG	GACTAGGTGA
1601	GGGTCTTCTC	CGTCCTGTAG	GACCTGGACA	CCCACATGGT	CACCCAGGGC GTGGGTCCCG
1651	ATGAAGGGGC	TGACCGTCTT	GATGTGGGGG	CCGGGGCCGT	TCAGGTTCCC AGTCCAAGGG
1701	CCTGACCTTC GGACTGGAAG				CCCGAGAAGG GGGCTCTTCC
1751					CCCCATGTCC GGGGTACAGG

Figure 27B


1851	CTCCAAGCTG				
	GAGGTTCGAC				
1901	ACAAGGACTG				
		GATTTCGGGC			
1951		TTTGCCCCTC			
		AAACGGGGAG			
2001	CACTCCCACT				
	GTGAGGGTGA	CAGGAAAGGA	TTATTTTACT	CCTTTAACGT	AGCGTAACAG
2051		TCATTCTATT			
	ACTCATCCAC	AGTAAGATAA	GACCCCCCAC	CCCACCCCGT	CCTGTCGTTC
2101		GGGAAGACAA			
		CCCTTCTGTT			
2151		CGGCGCGCCG			
		GCCGCGCGGC			
2201		ATATAAGGTG			
		TATATTCCAC			
2251		CGCCGCCATG			
		GCGGCGGTAC			
2301		TGACAACGCG			
		ACTGTTGCGC			
2351		TCCAGCATTG			
		AGGTCGTAAC			
2401		CTACGAGACC			
		GATGCTCTGG			
2451					TTGTGACTGA
					AACACTGACT
2501	CTTTGCTTTC				
					GCAAGTAGGC
2551	CCCGCGATGA	CAAGTTGACG	GCTCTTTTGG	CACAATTGGA	TTCTTTGACC
		•			AAGAAACTGG
2601					GCCAGCAGGT
					CGGTCGTCCA
2651					AACATAAATA
					TTGTATTTAT
2701	AAAAACCAGA	CTCTGTTTGG	ATTTGGATCA	AGCAAGTGTC	TTGCTGTCTT
	TTTTTGGTCT	GAGACAAACC	TAAACCTAGT	TCGTTCACAG	AACGACAGAA

Figure 27C

2751	TATTTAGGGG	TTTTGCGCGC	GCGGTAGGCC	CGGGACCA	GGTCTCGGTC
	ATAAATCCCC				
2801	GTTGAGGGTC CAACTCCCAG	CTGTGTATTT	TTTCCAGGAC	GTGGTAAAGG CACCATTTCC	TGACTCTGGA ACTGAGACCT
2851	TGTTCAGATA ACAAGTCTAT	CATGGGCATA GTACCCGTAT	TCGGGCAGAG	ACCCACCTC	CATCGTGGTG
2901	ጥርሮልርልርርጥጥ	CATGCTGCGG	GGTGGTGTTG	TAGATGATCC	AGTCGTAGCA
2901	ACGTCTCGAA	GTACGACGCC	CCACCACAAC	ATCTACTAGG	TCAGCATCGT
2951	GGAGCGCTGG	GCGTGGTGCC	TAAAAATGTC	TTTCAGTAGC	AAGCTGATTG
	CCTCGCGACC	CGCACCACGG	ATTTTTACAG	AAAGTCATCG	TTCGACTAAC
3001			TAAGTGTTTA		
	GGTCCCCGTC	CGGGAACCAC	ATTCACAAAT	GTTTCGCCAA	TTCGACCCTA
3051	GGGTGCATAC	GTGGGGATAT	GAGATGCATC	TTGGACTGTA	TTTTTAGGTT
	CCCACGTATG	CACCCCTATA	CTCTACGTAG	AACCTGACAT	AAAAATCCAA
3101	GGCTATGTTC	CCAGCCATAT	CCCTCCGGGG	ATTCATGTTG	TGCAGAACCA
	CCGATACAAG	GGTCGGTATA	GGGAGGCCCC	TAAGTACAAC	ACGTCTTGGT
3151	CCAGCACAGT	GTATCCGGTG	CACTTGGGAA	ATTTGTCATG	TAGCTTAGAA
	GGTCGTGTCA	CATAGGCCAC	GTGAACCCTT	TAAACAGTAC	ATCGAATCTT
3201	GGAAATGCGT	GGAAGAACTT	GGAGACGCCC	TTGTGACCTC	CAAGATTTTC
	CCTTTACGCA	CCTTCTTGAA	CCTCTGCGGG	AACACTGGAG	GTTCTAAAAG
3251	CATGCATTCG	TCCATAATGA	TGGCAATGGG	CCCACGGGCG	GCGGCCTGGG
•			ACCGTTACCC		
3301	CGAAGATATT	TCTGGGATCA	CTAACGTCAT	AGTTGTGTTC	CAGGATGAGA
	GCTTCTATAA	AGACCCTAGT	GATTGCAGTA	TCAACACAAG	GTCCTACTCT
3351	TCGTCATAGG	CCATTTTTAC	AAAGCGCGGG	CGGAGGGTGC	CAGACTGCGG
	AGCAGTATCC	GGTAAAAATG	TTTCGCGCCC	GCCTCCCACG	GTCTGACGCC
3401	TATAATGGTT	CCATCCGGCC	CAGGGGCGTA	GTTACCCTCA	CAGATTTGCA
	ATATTACCAA	GGTAGGCCGG	GTCCCCGCAT	CAATGGGAGI	GTCTAAACGT
3451	TTTCCCACGC	TTTGAGTTCA	GATGGGGGA	TCATGTCTAC	CTGCGGGGCG
	AAAGGGTGCG	AAACTCAAGI	CTACCCCCCI	AGTACAGATO	GACGCCCCGC
3501	ATGAAGAAAA	CGGTTTCCGG	GGTAGGGGA	ATCAGCTGGG	AAGAAAGCAG
	TACTTCTTTT	GCCAAAGGCC	CCATCCCTC	TAGTCGACC	TTCTTTCGTC
3551	GTTCCTGAGC	AGCTGCGACT	TACCGCAGC	GGTGGGCCCC	TAAATCACAC
	CAAGGACTCG	TCGACGCTG	A ATGGCGTCG	CCACCCGGG(	ATTTAGTGTG
3601	CTATTACCGG	CTGCAACTG	TAGTTAAGA	AGCTGCAGC	GCCGTCATCC
	GATAATGGCC	GACGTTGAC	ATCAATTCT(	TCGACGTCG/	A CGGCAGTAGG
3651	CTGAGCAGGG	GGGCCACTT	C GTTAAGCAT	TCCCTGACT	C GCATGTTTTC
	GACTCGTCC	CCCGGTGAA	G CAATTCGTAG	AGGGACTGA	G CGTACAAAAG



3701	CCTGACCAAA GGACTGGTTT		GCCCAGCGAT CGGGTCGCTA	
3751	GCAAGGAAGC CGTTCCTTCG			
3801	CTTTTGAGCG GAAAACTCGC		CGGTCCCACA GCCAGGGTGT	
3851	CTGCTCTACG GACGAGATGC		TCCTCGTTTC AGGAGCAAAG	
3901	GCGGCTTTCG CGCCGAAAGC		CTCGTCCAGA GAGCAGGTCT	
3951			TCAGCGTAGT AGTCGCATCA	
4001			GCCAGGGTGC CGGTCCCACG	
4051			TTCGCCCTGC AAGCGGGACG	
4101			GCCCCTCCGC CGGGGAGGCG	
4151			CCGCACGAGG GGCGTGCTCC	
4201			AAATACCGAT TTTATGGCTA	
4251			TCTCGCATTC AGAGCGTAAG	CACGAGCCAG . GTGCTCGGTC
4301			AGGTTTCCCC TCCAAAGGGG	
4351	GATGCGTTTC CTACGCAAAG			CGCTCGGTGA GCGAGCCACT
4401	CGAAAAGGCT GCTTTTCCGA			CCTGTCCTCG GGACAGGAGC
4451	AGCGGTGTTC TCGCCACAAG			ACTCTGAGAC TGAGACTCTG
4501	AAAGGCTCGC TTTCCGAGCG			GAGGGGTAGC CTCCCCATCG
4551	GGTCGTTGTC CCAGCAACAG			AAGACACATG TTCTGTGTAC
4601	TCGCCCTCTT AGCGGGAGAA			TGTAGGCCAC ACATCCGGTG



PCT/US01/28861 WO 02/022080

4701				CGAGGGCCAG GCTCCCGGTC	
4751				TCTGCGCTAA AGACGCGATT	
4801				CTGGCCCGCG GACCGGGCGC	
4851				AGACAATCTT TCTGTTAGAA	
4901				TTGGACAGCA AACCTGTCGT	
4951				GGCGCGCTCC CCGCGCGAGG	
5001	TGTTTAGCTG ACAAATCGAC	CACGTATTCG GTGCATAAGC	CGCGCAACGC GCGCGTTGCG	ACCGCCATTC TGGCGGTAAG	GGGAAAGACG CCCTTTCTGC
5051	GTGGTGCGCT CACCACGCGA	CGTCGGGCAC GCAGCCCGTG	CAGGTGCACG GTCCACGTGC	CGCCAACCGC GCGGTTGGCG	GGTTGTGCAG CCAACACGTC
5101	GGTGACAAGG CCACTGTTCC	TCAACGCTGG AGTTGCGACC	TGGCTACCTC ACCGATGGAG	TCCGCGTAGG AGGCGCATCC	CGCTCGTTGG GCGAGCAACC
5151	TCCAGCAGAG AGGTCGTCTC	CGCCGCCCC	TTGCGCGAGC AACGCGCTCG	AGAATGGCGG TCTTACCGCC	TAGGGGGTCT ATCCCCCAGA
5201	AGCTGCGTCT TCGACGCAGA	CCTCCGGGG	GTCTGCGTCC CAGACGCAGG	ACGGTAAAGA TGCCATTTCT	CCCCGGGCAG
5251					TCTAGCGCCT AGATCGCGGA
5301					GAGTGGGGGA CTCACCCCT
5,351	CCCCATGGCA GGGGTACCGT	TGGGGTGGGT	CTCGCGCCTC	GCGTACATGC CGCATGTACG	CGCAAATGTC GCGTTTACAG
5401	GTAAACGTAG CATTTGCATC	AGGGGCTCTC TCCCCGAGAG	TGAGTATTCC ACTCATAAGG	AAGATATGTA	GGGTAGCATC CCCATCGTAG
5451	TTCCACCGCG AAGGTGGCGC	GATGCTGGCG CTACGACCGC	CGCACGTAAT CGCGTGCATTA	CGTATAGTTO	GTGCGAGGGA GCACGCTCCCT
5501	GCGAGGAGGT CGCTCCTCCA	CGGGACCGAC	GTTGCTACGC CAACGATGCC	GCCCGACGACGACGACGACGACGACGACGACGACGACGAC	CTGCTCGGAA A GACGAGCCTT
5551	GACTATCTGC CTGATAGACC	CTGAAGATGO GACTTCTACO	CATGTGAGTT GTACACTCA	GGATGATATO A CCTACTATAC	G GTTGGACGCT CAACCTGCGA

Figure 27F

5651				AGCTCGGCGG	
				TCGAGCCGCC	
5701	GTCTAGGGCG	CAGTAGTCCA	GGGTTTCCTT	GATGATGTCA	TACTTATCCT
	CAGATCCCGC	GTCATCAGGT	CCCAAAGGAA	CTACTACAGT	ATGAATAGGA
5751	GTCCCTTTTT	TTTCCACAGC	TCGCGGTTGA	GGACAAACTC	TTCGCGGTCT
				CCTGTTTGAG	
5801				GCCTCCGAAC	
		•		CGGAGGCTTG	
5851	TAGCATGTAG	<b>AACTGGTTGA</b>	CGGCCTGGTA	GGCGCAGCAT	CCCTTTTCTA
				CCGCGTCGTA	
5901				GGAGCGAGGT	
			•	CCTCGCTCCA	
5951				TACTGGTATT	
				ATGACCATAA	
6001	••••			AAAGTCCGTG	
				TTTCAGGCAC	
6051	-			CGTTGAAGAG	
				GCAACTTCTC	
6101				AAGGGTCCCG	
				TTCCCAGGGC	
6151				GATCTCGTCA	
	•		•	CTAGAGCAGT	•
6201				AGCGCGGGAT	
				TCGCGCCCTA	
6251	-			AGCTCTTCAG	
				TCGAGAAGTC	
6301					GAAGCGACGA
				•	CTTCGCTGCT
6351					
	•				CAGCGCTTTC
6401					TGCAGTAGAA
					ACGTCATCTT
6451					GCGGCTAGGT
					CGCCGATCCA
6501					CATGACCAGC
	GAGCGCGCCG	TCAGTGATCT	CCGAGTAGAG	GCGGCTTGAA	GTACTGGTCG

Figure 27G

6601	TACATCGTAG ATGTAGCATC				
6651	GGAAGAACTG CCTTCTTGAC				
6701	TGAAAGTAGA ACTTTCATCT				
6751	AAAACGTGCG TTTTGCACGC		AGCGGTGCAC TCGCCACGTG		
6801 .	GGTTGACCTG CCAACTGGAC		ACAAGGAAGC TGTTCCTTCG		
6851	TCGCCTGGCG AGCGGACCGC		GTGGTCTTCT CACCAGAAGA		
6901	ACCGTCTGGC TGGCAGACCG		GAGTTACGGT CTCAATGCCA		
6951			TCCGCGCGCG AGGCGCGCGC		
7001			GTCCATGGTC CAGGTACCAG		
7051			GGTTTACCTC CCAAATGGAG		
7101			CTAATTTCCA GATTAAAGGT		
7151			GCATCCCCGC CGTAGGGGCG		
7201			GGGTGTCCTT CCCACAGGAA		
7251	GTGACGCGGG CACTGCGCCC	CGAGCCCCCG	GAGGTAGGGG CTCCATCCCC	GGGCTCCGGA CCCGAGGCCT	CCCGCCGGGA GGGCGGCCCT
7301	GAGGGGGCAG CTCCCCCGTC	GGGCACGTCG CCCGTGCAGC	CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC	CGGGCAGGAG	CTGGTGCTGC GACCACGACG
7351	GCGCGTAGGT CGCGCATCCA	TGCTGGCGAA ACGACCGCTT	CGCGACGACG CGCCTGCTGC	CGGCGGTTGA GCCGCCAACT	TCTCCTGAAT AGAGGACTTA
7401	CTGGCGCCTC GACCGCGGAG	TGCGTGAAGA ACGCACTTCT	CGACGGGCCC	GGTGAGCTTG CCACTCGAAC	AACCTGAAAG TTGGACTTTC
7451					CTGGCGCAAA GACCGCGTTT

Figure 27H

7551				GCGTCCGGCT	
	GACGAGCTAG	AGAAGGAGGA	CCTCTAGAGG	CGCAGGCCGA	GCGAGGTGCC
7601				TGAGCTGCGA	
				ACTCGACGCT	
7651				ACCACGCCCC	
				TGGTGCGGGG	
7701				GAGCTCCACG	
•				CTCGAGGTGC	
7751				GGTAGTTGAG CCATCAACTC	
7801				CAGCGTCGCA GTCGCAGCGT	
	CACACAAGAC	GGIGCIICII	CAIGIAIIO	0.000	
7851				CATGGCCTCG	
	CAACTATAGG	GGGTTCCGGA	GTTCCGCGAG	GTACCGGAGC	ATCTTCAGGT
7901	CCCCC	CAAAAACTGG	CACTTCCCC	CCGACACGGT	TAACTCCTCC
7901				GGCTGTGCCA	
7951				TCGCGCACCT	
				AGCGCGTGGA	
8001				CTCCTCTTCC	
	CCGATGTCCC	CGGAGAAGAA	GAAGAAGTTA	GAGGAGAAGG	IATICCCGGA
8051				GAGGGGGGAC	
				CTCCCCCCTG	
8101				CGCTCGATCA	
				GCGAGCTAGT	
8151					CGGGGGGCGCA
	CGCTGCCGCG	TACCAGAGCC	ACTGCCGCGC	CGGCAAGAGC	GCCCCCGCGT
8201	GTTGGAAGAC	GCCGCCCGTC	ATGTCCCGGT	TATGGGTTGG	CGGGGGGCTG
	CAACCTTCTG	CGGCGGGCAG	TACAGGGCCA	ATACCCAACC	GCCCCCGAC
8251	CCATGCGGCA	GGGATACGGC	GCTAACGATG	CATCTCAACA	ATTGTTGTGT
0231					TAACAACACA
8301	AGGTACTCCG	CCGCCGAGGG	ACCTGAGCGA	GTCCGCATCG	ACCGGATCGG
					TGGCCTAGCC
8351	AAAACCTCTC	GAGAAAGGCG	TCTAACCAGT	CACAGTCGCA	AGGTAGGCTG
	TTTTGGAGAG	CTCTTTCCGC	AGATTGGTCA	GTGTCAGCGT	TCCATCCGAC
0.401	»GC»CCGTGG		CGGGCGCGC	TCGGGGTTGT	TTCTGGCGGA
8401					AAGACCGCCT

Figure 27I

8501		CACCATGTCC GTGGTACAGG			
8551		CCCAGGCTTC GGGTCCGAAG			
8601	GTCTTGCATG	AGCCTTTCTA	CCGGCACTTC	TTCTTCTCCT	TCCTCTTGTC
	CAGAACGTAC	TCGGAAAGAT	GGCCGTGAAG	AAGAAGAGGA	AGGAGAACAG
8651	CTGCATCTCT	TGCATCTATC	GCTGCGGCGG	CGGCGGAGTT	TGGCCGTAGG
	GACGTAGAGA	ACGTAGATAG	CGACGCCGCC	GCCGCCTCAA	ACCGGCATCC
8701	TGGCGCCCTC	TTCCTCCCAT	GCGTGTGACC	CCGAAGCCCC	TCATCGGCTG
	ACCGCGGGAG	AAGGAGGGTA	CGCACACTGG	GGCTTCGGGG	AGTAGCCGAC
8751	AAGCAGGGCT	AGGTCGGCGA	CAACGCGCTC	GGCTAATATG	GCCTGCTGCA
	TTCGTCCCGA	TCCAGCCGCT	GTTGCGCGAG	CCGATTATAC	CGGACGACGT
8801	CCTGCGTGAG	GGTAGACTGG	AAGTCATCCA	TGTCCACAAA	GCGGTGGTAT
	GGACGCACTC	CCATCTGACC	TTCAGTAGGT	ACAGGTGTTT	CGCCACCATA
8851	GCGCCCGTGT	TGATGGTGTA	AGTGCAGTTG	GCCATAACGG	ACCAGTTAAC
	CGCGGGCACA	ACTACCACAT	TCACGTCAAC	CGGTATTGCC	TGGTCAATTG
8901	GGTCTGGTGA	CCCGGCTGCG	AGAGCTCGGT	GTACCTGAGA	CGCGAGTAAG
	CCAGACCACT	GGGCCGACGC	TCTCGAGCCA	CATGGACTCT	GCGCTCATTC
8951	CCCTCGAGTC	AAATACGTAG	TCGTTGCAAG	TCCGCACCAG	GTACTGGTAT
	GGGAGCTCAG	TTTATGCATC	AGCAACGTTC	AGGCGTGGTC	CATGACCATA
9001	CCCACCAAAA GGGTGGTTTT	AGTGCGGCGG TCACGCCGCC	CGGCTGGCGG	TAGAGGGGCC ATCTCCCCGG	AGCGTAGGGT TCGCATCCCA
9051	GGCCGGGGCT CCGGCCCCGA	CCGGGGGCGA	GATCTTCCAA CTAGAAGGTT	CATAAGGCGA GTATTCCGCT	TGATATCCGT ACTATAGGCA
9101	AGATGTACCT	GGACATCCAG	GTGATGCCGG	CGGCGGTGGT	GGAGGCGCGC
	TCTACATGGA	CCTGTAGGTC	CACTACGGCC	GCCGCCACCA	CCTCCGCGCG
9151	GGAAAGTCGC CCTTTCAGCG	GGACGCGGTT CCTGCGCCAA	CCAGATGTTG GGTCTACAAC	GCGTCGCCGT	AAAAGTGCTC TTTTCACGAG
9201	CATGGTCGGG GTACCAGCCC	ACGCTCTGGC	CGGTCAGGCG GCCAGTCCGC	GCGCGTTAGC	TTGACGCTCT: AACTGCGAGA
9251	AGACCGTGCA	AAAGGAGAGG	CTGTAAGCGC	GCACTCTTCC	GTGGTCTGGT
	TCTGGCACGT	TTTCCTCTCG	GACATTCGCC	CCTGAGAAGG	CACCAGACCA
9301	GGATAAATTO CCTATTTAAO	CCAAGGGTAT	CATGGCGGAC	GACCGGGGTT G CTGGCCCCA	CGAGCCCCGT CGCTCGGGGCA
9351	ATCCGGCCGT TAGGCCGGCA	CCGCCGTGAT	CCATGCGGT	TACCGCCCGC(	TGTCGAACCC ACAGCTTGGG

Figure 27J

9451	CCGCGCCGCC	CTGCTGCGCT GACGACGCGA		
9501	TAAGCGGTTA ATTCGCCAAT	GGCTGGAAAG CCGACCTTTC		
9551		ATTTTCCAAG TAAAAGGTTC		 
9601	TCGGACCGGC AGCCTGGCCG	CGGACTGCGG GCCTGACGCC		
9651	GACCCCGCTT CTGGGGCGAA	GCAAATTCCT CGTTTAAGGA		
9701	TTTCCCAGAT AAAGGGTCTA	GCATCCGGTG CGTAGGCCAC	•	
9751		AAGAGCAGCG TTCTCGTCGC		 
9801		GGAGGGGCGA CCTCCCGCT		
9851		CCCGCGCGCGC		
9901		TGGCGCGGCT ACCGCGCCGA		
9951		AAGCGTGATA TTCGCACTAT		
10001		CCGCGAGGGA GGCGCTCCCT		
10051		GGCGCGAGCT CCGCGCTCGA		AGCGGTTGCT TCGCCAACGA
10101				AGTCCCGCGC TCAGGGCGCG
10151	GCGCACACGT CGCGTGTGCA			GCAGACGGTG CGTCTGCCAC
10201				TGCGTACGCT ACGCATGCGA
10251	TGTGGCGCGC ACACCGCGCG			TGGGACTTTG ACCCTGAAAC
10301	TAAGCGCGCT ATTCGCGCGA			GGCGCAGCTG CCGCGTCGAC

Figure 27K

10401	GCTAAACATA CGATTTGTAT	GTAGAGCCCG CATCTCGGGC	AGGGCCGCTG TCCCGGCGAC	GCTGCTCGAT CGACGAGCTA	TTGATAAACA AACTATTTGT
10451			CAGGAGCGCA GTCCTCGCGT		
10501			CATGCTTAGC GTACGAATCG		
10551	CAAGATATAC GTTCTATATG	CATACCCCTT GTATGGGGAA	ACGTTCCCAT TGCAAGGGTA	AGACAAGGAG TCTGTTCCTC	GTAAAGATCG CATTTCTAGC
10601			GCGCTGAAGG CGCGACTTCC		
10651			GCGCATCCAC CGCGTAGGTG		
10701	GCGGCGCGAG CGCCGCGCTC	CTCAGCGACC GAGTCGCTGG	GCGAGCTGAT CGCTCGACTA	GCACAGCCTG CGTGTCGGAC	CAAAGGGCCC GTTTCCCGGG
10751	TGGCTGGCAC ACCGACCGTG	GGGCAGCGGC CCCGTCGCCG	GATAGAGAGG CTATCTCTCC	CCGAGTCCTA GGCTCAGGAT	CTTTGACGCG GAAACTGCGC
10801	GGCGCTGACC CCGCGACTGG	TGCGCTGGGC ACGCGACCCG	CCCAAGCCGA GGGTTCGGCT	CGCGCCCTGG GCGCGGGACC	AGGCAGCTGG TCCGTCGACC
10851	GGCCGGACCT CCGGCCTGGA	GGGCTGGCGG CCCGACCGCC	TGGCACCCGC ACCGTGGGCG	GCGCGCTGGC CGCGCGACCG	AACGTCGGCG TTGCAGCCGC
10901	GCGTGGAGGA CGCACCTCCT	ATATGACGAG TATACTGCTC	GACGATGAGT CTGCTACTCA	ACGAGCCAGA TGCTCGGTCT	GGACGGCGAG
10951	TACTAAGCGG ATGATTCGCC	TGATGTTTCT	GATCAGATGA CTAGTCTACT	TGCAAGACGC	AACGGACCCG TTGCCTGGGC
11001	GCGGTGCGGG CGCCACGCCC	CGGCGCTGC# CGCCGCGACGT	GAGCCAGCCG CTCGGTCGGC	TCCGGCCTTA AGGCCGGAAT	ACTCCACGGA TGAGGTGCCT
11051	CGACTGGCGC GCTGACCGCG	CAGGTCATGO GTCCAGTACO	ACCGCATCAT TGGCGTAGTA	GTCGCTGACT CAGCGACTGA	GCGCGCAATC CGCGCGTTAG
11101	CTGACGCGTT GACTGCGCAA	CCGGCAGCAC GGCCGTCGTC	CCGCAGGCCA CGGCGTCCGGT	ACCGGCTCTC TGGCCGAGAG	CGCAATTCTG GCGTTAAGAC
11151	GAAGCGGTG( CTTCGCCAC(	TCCCGGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGCGC	GCGTTTGGGG	ACGCACGAGA TGCGTGCTC1	A AGGTGCTGGC TCCACGACCG
11201	GATCGTAAA( CTAGCATTT(	CGCGACCGG	AAAACAGGGGCCCCCCCCCCCCCCCCCCCCCCCCCCCC	CATCCGGCCGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	GACGAGGCCG GCTGCTCCGGC
11251	GCCTGGTCT CGGACCAGA'	A CGACGCGCT( I GCTGCGCGA	G CTTCAGCGCC	TGGCTCGTTA	A CAACAGCGGC I GTTGTCGCCG

Figure 27L

11351			CAACCTGGGC GTTGGACCCG	
11401			CCAACGTGCC GGTTGCACGG	
11451			CGGCTAATGG GCCGATTACC	
11501			AGACTATTTT TCTGATAAAA	
11551			GCCAGGCTTT CGGTCCGAAA	
11601	*		GGCGACCGCG CCGCTGGCGC	
11.651			GCTGCTGCTA CGACGACGAT	
11701			CATACCTAGG GTATGGATCC	
11751			CATGTGGACG GTACACCTGC	
11801			GGGGCAGGAG CCCCGTCCTC	
11851			CCAACCGGCG GGTTGGCCGC	
11901			GAGCGCATTT CTCGCGTAAA	
11951			CGACGGGGTA GCTGCCCCAT	
12001			AACCGGGCAT TTGGCCCGTA	GTATGCCTCA CATACGGAGT
12051	AACCGGCCGT TTGGCCGGCA		TACTTGCATC ATGAACGTAG	
12101	CGTGAACCCC GCACTTGGGG		CTTGAACCCG GAACTTGGGC	
12151				GGGTAACGAT CCCATTGCTA
12201				CGCAACCGCA GCGTTGGCGT

Figure 27 M

12301			AGCAGCTTGT TCGTCGAACA		
12351			CCCATTTCCA GGGTAAAGGT		
12401			CGCGCCTGCT GCGCGGACGA		
12451			CAGCGCGAAA GTCGCGCTTT		
12501			CCTAGTGGAC GGATCACCTG		
12551			ACGTGCCAGG TGCACGGTCC		
12601			CGGGGTCTGG GCCCCAGACC		
12651			GGATTTGGGA CCTAAACCCT		
12701			GGAGAATGTT CCTCTTACAA		
12751			CAAGGCCATG GTTCCGGTAC		
12801	TGTATTCCCC ACATAAGGGG	TTAGTATGCG AATCATACGC	CCCCCCCCC	ATGTATGAGG TACATACTCC	AAGGTCCTCC TTCCAGGAGG
12851			TGAGCGCGGC ACTCGCGCCG		
12901			CTGGACCCGC GACCTGGGCG		
12951	CTGCGGCCTA GACGCCGGAT				AGTTGGCACC TCAACCGTGG
13001			TGTACCTGGT ACATGGACCA		TCAACGGATG AGTTGCCTAC
13051					GACCACGGTC
13101					AGACCATCAA TCTGGTAGTT
13151					ATCCTGCATA TAGGACGTAT

Figure 27N

13251		TGTCGCGCTT ACAGCGCGAA		=	
13301	. =	GTGGAGTTCA CACCTCAAGT	= : :	-	
13351		CCTTATGAAC GGAATACTTG			
13401		ACGGGGTTCT TGCCCCAAGA			
13451		AGACTGGGGT TCTGACCCCA			
13501		AAACGAAGCC TTTGCTTCGG			
13551		ACTTCACCCA TGAAGTGGGT			
13601		CCCTTCCAGG GGGAAGGTCC			
13651		CATTCCCGCA GTAAGGGCGT			
13701		ACACCGAACA TGTGGCTTGT			
13751		GGCGCGGAAG CCGCGCCTTC			
13801		GGACATGAAC CCTGTACTTG			
13851		AGGAGAAGCG TCCTCTTCGC			
13901		GCGCAACCCG CGCGTTGGGC			AAACCGGTGA TTTGGCCACT
13951	TCAAACCCCT AGTTTGGGGA	GACAGAGGAC CTGTCTCCTG			
14001		CCTTCACCCA GGAAGTGGGT			CATACAACTA GTATGTTGAT
14051	CGGCGACCCT GCCGCTGGGA	CAGACCGGAA GTCTGGCCTT			
14101	ACGTAACCTG TGCATTGGAC	CGGCTCGGAG GCCGAGCCTC			

Tigure 270


14201			CCGTGCACTC GGCACGTGAG		
14251			ATCCGCCAGT TAGGCGGTCA		
14301			CCAGATTTTG GGTCTAAAAC		
14351			ACGTTCCTGC TGCAAGGACG		
14401			GGAGGAGTCC CCTCCTCAGG		· -
14451			CTACGTTTAC GATGCAAATG		
14501	- <del>-</del>	_ · · · · - · · · -	GCACTTTTTG CGTGAAAAAC	· ·	= =
14551			GGCTGGGGCC CCGACCCCGG		
14601			CTCCGACCAA GAGGCTGGTT		
14651			GCGCGCACAA CGCGCGTGTT		
14701			GACGCGGTGG CTGCGCCACC		
14751			GTCCACAGTG CAGGTGTCAC		
14801			ATGCTAAAAT TACGATTTTA		
14851	TAGCACGTCG ATCGTGCAGC		CGACCCGGCA GCTGGGCCGT		
14901	GCGGCCCTGC CGCCGGGACG		ACGTCGCACC TGCAGCGTGG		
14951	GGCCGCTCGA CCGGCGAGCT		CGGGTATTGT GCCCATAACA		
15001	GGCGACGAGC CCGCTGCTCG		GCAGCCGCGG CGTCGGCGCC		
15051	GGTCGCAGGG CCAGCGTCCC				GCGGCCTGCG CGCCGGACGC

Figure 27P

15151	እርጥጥክርስርጥር	СТАСТСТТСТ	ATGTATCCAG	CGCCGCCGC	GCGCAACGAA
13131			TACATAGGTC		
15201			CAAAGAAGAG		
			GTTTCTTCTC		
15251	GGAGATCTAT				
			TCTTCCTTCT		
15301			AAAAAGAAAG		
			TTTTTCTTTC		
15351			CGCTACCGCG		
	••••		GCGATGGCGC		
15401			GTGTTTTGCG		
			CACAAAACGC		
15451			ACCCGCACCT		
			TGGGCGTGGA		
15501			GCTTGAGCAG		
			CGAACTCGTC		
15551			ATAAGGACAT		
	_		TATTCCTGTA		
15601			CTAAAGCCCG		
			GATTTCGGGC		
15651			AGAAAAGCGC		
			TCTTTTCGCG		•
15701					CAGCGACTGG
			TCGACTACCA		
15751					GCCCGAGGTC
					CGGGCTCCAG
15801	CGCGTGCGGC	CAATCAAGCA	GGTGGCGCCG	GGACTGGGCG	TGCAGACCGT
					ACGTCTGGCA
15851					ACCGCCACAG
					TGGCGGTGTC
15901	AGGGCATGGA	GACACAAACG	TCCCCGGTTG	CCTCAGCGGT	GGCGGATGCC
	TCCCGTACCT	CIGIGITIGO	: AGGGGCCAAC	GGAGTCGCCA	CCGCCTACGG
15951					CGGAGGTGCA
					GCCTCCACGT
16001	AACGGACCCG	TGGATGTTTC	GCGTTTCAGC	ccccaaca	CCGCGCCGTT
	TTGCCTGGGC	ACCTACAAA	G CGCAAAGTCG	GGGGCCGCC	GGCGCGGCAA

Figure 270

16051				TGCCCGAATA ACGGGCTTAT	
16101				GGCTACACCT CCGATGTGGA	
16151	AAGACGAGCA TTCTGCTCGT			CACTGGAACC GTGACCTTGG	
16201				TTTCCGTGCG AAAGGCACGC	
16251				ACAGCGCGCT TGTCGCGCGA	
16301	GTAGCAAATT	TTCGGCCAGA	AACACCAAGA	TGCAGATATG ACGTCTATAC	CGGGAGTGGA
16351	CGGCGGAGGC	AAAGGCCAC	GGCCCTAAGG	GAGGAAGAAT CTCCTTCTTA	CGTGGCATCC
16401	TCCCCGTACC	GGCCGGTGCC	GGACTGCCCG	CCGTACGCAG	
16451	GCCGCCGCC	GCGCGCAGCG	TGGCAGCGTA	GCGCGGCGGT CGCGCCGCCA	TAGGACGGGG
16501	AGGAATAAGG	TGACTAGCGG	CGCCGCTAAC	CGCGGCACGG	CGGAATTGCA GCCTTAACGT
16551	AGGCACCGGA	ACGTCCGCGT	CTCTGTGACT	AATTTTTGTT	GTTGCATGTG CAACGTACAC
16601	CTTTTTAGTI	TTATTTTCA	GACCTGAGAG	TGCGAGCGAA	GGTCCTGTAA CCAGGACATT
16651	GATAAAACAT	CTTACCTTCT	GTAGTTGAAA	CGCAGAGACC	GCCCGCGACA GGGGCGCTGT
	GCCGAGCGCC	GGCAAGTACO	CTTTGACCG	TCTATAGCCG	ACCAGCAATA TGGTCGTTAT
	ACTCGCCACC	GCGGAAGTCG	ACCCCGAGC(	ACACCTCGCC	CATTAAAAAT GTAATTTTTA
	AAGCCAAGG:	GGCAATTCT	GATACCGTC	TTCCGGACCT	A ACAGCAGCAC T TGTCGTCGTG
	TCCGGTCTA	GACTCCCTAT	r TCAACTTTC	CGTTTTAAA	CAACAAAAGG GTTGTTTTCC
	ACCATCTAC	C GGACCGGAG	A CCGTAATCG	CCCACCACC!	A CCTGGCCAAC T GGACCGGTTG
16951	CAGGCAGTG( GTCCGTCAC(	C AAAATAAGA? G TTTTATTCT?	TAACAGTAA A ATTGTCATT	CTTGATCCCC CGAACTAGGG	GCCCTCCCGT GCGGAGGGCA



PCT/US01/28861 WO 02/022080


17051				CTCTGGTGAC GAGACCACTG	
17161				CAAGGCCTGC GTTCCGGACG	
17151			<del>-</del> · · ·	GGGCCAGCAC CCCGGTCGTG	
17201				AGCAGAAACC TCGTCTTTGG	
17251				AGCCGCGCGT TCGGCGCGCA	
17301		<del>-</del>		CGTAGCCAGT GCATCGGTCA	
17351				GGGTGCAATC CCCACGTTAG	
17401				ATGTGTGTCA TACACACAGT	
17451				CCGCGCGCGC	
17501				TCTTACATGC AGAATGTACG	
17551		-		GCTGGTGCAG CGACCACGTC	
17601				AGTTTAGAAA TCAAATCTTT	
17651		- <del>-</del>		TCCCAGCGTT AGGGTCGCAA	
17701	GTTCATCCCT CAAGTAGGGA			GTACTCGTAC CATGAGCATG	
17751	TCACCCTAGC AGTGGGATCG			TGGACATGGC ACCTGTACCG	
17801	TTTGACATCC AAACTGTAGG			CCTACTTTTA GGATGAAAAT	
17851	TGGCACTGCC ACCGTGACGG			GGGTGCCCCA CCCACGGGGT	
17901	AATGGGATGA TTACCCTACT			TAAACCTAGA ATTTGGATCT	

Figure 275

17951	GATGACAACG CTACTGTTGC				
18001	CGTATTTGGG GCATAAACCC				
18051	TTCAAATAGG AAGTTTATCC				
18101	CAACCTGAAC GTTGGACTTG			TGGTACGAAA ACCATGCTTT	
18151	AGTACGTCGA	CCCTCTCAGG	ATTTTTTCTG	TACCCCAATG ATGGGGTTAC	TTTGGTACAA
18201	TGCCAAGTAT	ACGTTTTGGG	TGTTTACTTT	ATGGAGGGCA TACCTCCCGT	TCCGTAAGAA
18251	CATTTCGTTG	TTTTACCTTT	CGATCTTTCA	CAAGTGGAAA GTTCACCTTT	ACGTTAAAAA
18301	GAGTTGATGA	CTCCGTCGGC	GTCCGTTACC	TGATAACTTG ACTATTGAAC	TGAGGATTTC
18351	ACCATAACAT	GTCACTTCTA	CATCTATATC		GTGAGTATAA
18401	AGAATGTACG	GGTGATAATT	CCTTCCATTG	TCACGAGAAC AGTGCTCTTG	ATTACCCGGT
18451	TGTTAGATAC	GGGTTGTCCG	GATTAATGTA	TGCTTTTAGG	CTGTTAAAAT
18501	AACCAGATTA	CATAATGTTG	TCGTGCCCAT		AGACCGCCCG
18551	GTTCGTAGCG	TCAACTTACG	ACAACATCTA	AACGTTCTGT	GAAACACAGA CTTTGTGTCT
	CGAAAGTATG	GTCGAAAACG	AACTAAGGTA	ACCACTATCI	ACCÁGGTACT TGGTCCATGA
	AAAGATACAC	CTTAGTCCGA	CAACTGTCGA	TACTAGGTCT	TGTTAGAATT ACAATCTTAA
	TAACTTTTAG	TACCTTGACT	TCTACTTGAX	GGTTTAATGA	CGAAAGGTGA
	CCCTCCACAC	TAATTATGT	TCTGAGAATC	GTTCCATTT	CCTAAAACAG GGATTTTGTC
	CAGTCCTTT	ACCTACCCT	TTTCTACGAT	CTCTTAAAA(	AGATAAAAAT TCTATTTTA
18851	GAAATAAGA( CTTTATTCT(	TTGGAAATA	A TTTTGCCATO  AAAACGGTAO	GAAATCAAT( CTTTAGTTA(	TAAATGCCAA ATTTACGGTT

Figure 27 T

18951	 CAGTCCTTCC GTCAGGAAGG		
19001	TGAACAAGCG ACTTGTTCGC		
19051	GGAGCACGCT CCTCGTGCGA		
19101	CCACCGCAAT GGTGGCGTTA		
19151	GCTATGTGCC CGATACACGG		
19201	 AACCTCCTTC TTGGAGGAAG		
19251	GGATGTTAAC CCTACAATTG		
19301	ACGGAGCCAG TGCCTCGGTC		
19351	CCCATGGCCC GGGTACCGGG		
19401	CACCAACGAC GTGGTTGCTG		
19451	ACCCTATACC TGGGATATGG		
19501	 AACTGGGCGG TTGACCCGCC		
19551	AACCCCATCA TTGGGGTAGT		TTATTACACC AATAATGTGG
19601			TCAACCACAC AGTTGGTGTG
19651			TGGCCTGGCA ACCGGACCGT
19701			CTCAGTTGAC GAGTCAACTG
19751			ACTGGTTCCT TGACCAAGGA
19801			TTCTATATCC AAGATATAGG




19851				TCTTTAGAAA AGAAATCTTT	
19901				TACAAGGACT ATGTTCCTGA	
19951				ATTTGTTGGC TAÀACAACCG	
20001				CTAACTTCCC GATTGAAGGG	
20051				CAGAAAAAGT GTCTTTTTCA	
20101				TAACTTTATG ATTGAAATAC	
20151				ACGCCAACTC TGCGGTTGAG	
20201				GACGAGCCCA CTGCTCGGGT	
20251				TGTGCACCAG ACACGTGGTC	GGCGTGGCGC
20301				CCTTCTCGGC GGAAGAGCCG	CGGCAACGCC GCCGTTGCGG
20351					CATGGGCTCC GTACCCGAGG
20401					GTGGGCCATA CACCCGGTAT
20451					TCTCCACACA AGAGGTGTGT
	TCGAGCGGAC	GCGGTATCAG	TTATGCCGGC	CAGCGCTCTG	TGGGGGCGTA ACCCCCGCAT
	GTGACCTACC	GGAAACGGAC	CTTGGGCGTG	AGTTTTTGTA	GCTACCTCTT CGATGGAGAA
20601					TACCAGTTTG ATGGTCAAAC
20651					CCCCGACCGC GGGGCTGGCG
20701					CCAACTCGGC GGTTGAGCCG
20751					GCCAACTGGC A CGGTTGACCG

Figure 27 V.

20851				CAGCCCACCC GTCGGGTGGG	
20901				CCACTCGCCC GGTGAGCGGG	
20951				CTTTTTGTCA GAAAAACAGT	
21001				AATAAAGGCA TTATTTCCGT	
21051				CACCCTTGCC GTGGGAACGG	
21101				CGCTATGCGC	
21151	GACACGTTGC CTGTGCAACG	GATACTGGTG CTATGACCAC	TTTAGTGCTC AAATCACGAG	CACTTAAACT GTGAATTTGA	CAGGCACAAC GTCCGTGTTG
21201	GTAGGCGCCG	TCGAGCCACT	TCAAAAGTGA	GGTGTCCGAC	
21251	GGTTGCGCAA	ATCGTCCAGC	CCGCGGCTAT	AGAACTTCAG	GCAGTTGGGG CGTCAACCCC
21301	GGAGGCGGGA	CGCGCGCGCT	CAACGCTATG	TGTCCCAACG	AGCACTGGAA TCGTGACCTT
21351	GTGATAGTCG	CGGCCCACCA	CGTGCGACCG	GTCGTGCGAG	TTGTCGGAGA AACAGCCTCT
21401	AGTCTAGGCG	CAGGTCCAGG	AGGCGCAACG	AGTCCCGCTI	CGGAGTCAAC CGCCTCAGTTG
21451	AAACCATCGA	CGGAAGGGTT	TTTCCCGCGC	: ACGGGTCCGA	TTGAGTTGCA AACTCAACGT
	GAGCGTGGCA	TCACCGTAG	TTTCCACTG	CACGGGCCAC	TGGGCGTTAG ACCCGCAATC
	CTATGTCGCG	GACGTATTT	CGGAACTAG	A CGAATTTTC	CACCTGAGCC GTGGACTCGG
	AAACGCGGAA	GTCTCTTCT	r GTACGGCGT	r ctgaacggc	AAAACTGATT TTTTGACTAA
	CCGGCCTGT	CGGCGCAGC	A CGTGCGTCG	r GGAACGCAG	G GTGTTGGAGA C CACAACCTCT
21701	TCTGCACCA( AGACGTGGT(	TAAAGCCGG	CACCGGTTC	T TCACGATCT A AGTGCTAGA	I GGCCTTGCTA A CCGGAACGAT

7, gure 27 W


21801			TCATAATGCT AGTATTACGA		
21851			CGGTGCAGCC GCCACGTCGG		
21901			CTCTGCAAAC GAGACGTTTG		= :
21951			CAAAGGTCTT GTTTCCAGAA		
22001			TTCAGCCAGG AAGTCGGTCC		
22051			TAGTTTGAAG ATCAAACTTC		
22101			CCCCCCCCCC	-	
22151	*		CTCAGCGGGT GAGTCGCCCA		
22201			CTCTTCCTCT GAGAAGGAGA		
22251		<del>-</del>	GCCGCCGCAC CGGCGGCGTG		
22301			GGGTTGCTGA CCCAACGACT		
22351			GCTGTCCACG CGACAGGTGC		
22401			GGCGCTTCTT CCGCGAAGAA		
22451	CCAAATCCGC GGTTTAGGCG		GATGGCCGCG CTACCGGCGC		
22501	AGCGCGTCTT TCGCGCAGAA				TACGCCGCCT ATGCGGCGGA
22551	CATCCGCTTT GTAGGCGAAA		CCCGGGGAGG GGGCCCCTCC		
22601	ACGACACGTC TGCTGTGCAG				GCGTCCGCGC CGCAGGCGCG
22651	TCGGGGGTGG AGCCCCCACC				



22751		TGAGTTCGCC ACTCAAGCGG		
22801		TCCCCGTCGA AGGGGCAGCT		
22851		GACCCAGGTT CTGGGTCCAA		
22901		GGATAAAAAG CCTATTTTTC		
22951		GGCGGGGGGA CCGCCCCCT		
23001		CTGTTGAAGC GACAACTTCG		
23051		AGAGCGCAGC TCTCGCGTCG		
23101		AACGCCACCT TTGCGGTGGA	 	
23151		ACATGCGAGC TGTACGCTCG		
23201		AGAGGTGCTT TCTCCACGAA		
23251		TATCCTGCCG ATAGGACGGC		
23301		CAGGGCGCTG GTCCCGCGAC		
23351		CTTTGAGGGT GAAACTCCCA		
23401	GCTCTGCAAC CGAGACGTTG			GAGTGTTGGT CTCACAACCA
23451	GGAACTCGAG CCTTGAGCTC	GGTGACAACG CCACTGTTGC		
23501	AGGTCACCCA TCCAGTGGGT	CTTTGCCTAC GAAACGGATG		
23551	AGCACAGTCA TCGTGTCAGT	TGAGTGAGCT ACTCACTCGA		
23601	GGATGCAAAT CCTACGTTTA			GCAGTTGGCG CGTCAACCGC

Figure 27 Y

23701	GAGCGACGCA CTCGCTGCGT	AACTAATGAT TTGATTACTA	GGCCGCAGTG CCGGCGTCAC	CTCGTTACCG GAGCAATGGC	TGGAGCTTGA ACCTCGAACT
23751	GTGCATGCAG CACGTACGTC	CGGTTCTTTG GCCAAGAAAC	CTGACCCGGA GACTGGGCCT	GATGCAGCGC CTACGTCGCG	AAGCTAGAGG TTCGATCTCC
23801	AAACATTGCA TTTGTAACGT	CTACACCTTT GATGTGGAAA	CGACAGGGCT GCTGTCCCGA	ACGTACGCCA TGCATGCGGT	GGCCTGCAAG CCGGACGTTC
23851			CAACCTGGTC GTTGGACCAG		
23901	CGAAAACCGC GCTTTTGGCG	CTTGGGCAAA GAACCCGTTT	ACGTGCTTCA TGCACGAAGT	TTCCACGCTC AAGGTGCGAG	AAGGGCGAGG TTCCCGCTCC
23951	GCGCGGCGCT	GATGCAGGCG	GACTGCGTTT CTGACGCAAA	TGAATAAAGA	TACGATGTGG
24001	TGGCAGACGG ACCGTCTGCC	CCATGGGCGT GGTACCCGCA	TTGGCAGCAG AACCGTCGTC	TGCTTGGAGG ACGAACCTCC	AGTGCAACCT TCACGTTGGA
24051	GTTCCTCGAC	GTCTTTGACG	TAAAGCAAAA ATTTCGTTTT	GAACTTCCTG	GATACCTGCC
24101	GGAAGTTGCT	CGCGAGGCAC		ACCGCCTGTA	GTAAAAGGGG
24151	CTTGCGGACG	AATTTTGGGA	CGTTGTCCCA	GACGGTCTGA	TCACCAGTCA AGTGGTCAGT
24201	TTCGTACAAC	GTCTTGAAAT	CCTTGAAATA	GGATCTCGCG	TCAGGAATCT AGTCCTTAGA
24251	ACGGGCGGTG	GACGACACGI	GAAGGATCGC	TGAAACACGG	CATTAAGTAC GTAATTCATG
24301	GCGCTTACGG	GAGGCGGCGA	AACCCCGGTG	ACGATGGAAG	TGCAGCTAGC ACGTCGATCG
	GTTGATGGAA	CGGATGGTG	A GACTGTATTA	CCTTCTGCAC	AGCGGTGACG TCGCCACTGC
	CAGATGACCT	CACAGTGACA	A GCGACGTTGC	ATACGTGGGG	GCACCGCTCC GCGTGGCGAGG
	GACCAAACGT	TAAGCGTCG	A CGAATTGCT	TCAGTTTAAT	A TCGGTACCTT T AGCCATGGAA
	ACTCGACGTC	CCAGGGAGC	G GACTGCTTT	r CAGGCGCCGi	CCGGGGTTGA A GGCCCCAACT
24551	AACTCACTC( TTGAGTGAG(	GGGGCTGTGG CCCCGACAC	G ACGTCGGCT	r accttcgcal a tggaagcgt	A ATTTGTACCT I TAAACATGGA



24601		ACGCCCACGA TGCGGGTGCT		
24651		GAGCTTACCG CTCGAATGGC	 	
24701		AGCCATCAAC TCGGTAGTTG		
24751		TTTACTTGGA AAATGAACCT		
24801		CCGCAGCCCT GGCGTCGGGA	 	
24851	AGGATGGCAC TCCTACCGTG	CCAAAAAGAA GGTTTTTCTT		
24901		TGGGACAGTC ACCCTGTCAG		
24951		GGAAGACTGG CCTTCTGACC	 	
25001		CAGACGAAAC GTCTGCTTTG		
25051		AAATCGGCAA TTTAGCCGTT		
25101		GCCGGCACTG CGGCCGTGAC		
25151		CCAGGGCCGG GGTCCCGGCC	 	
25201		CAGCGCCAAG GTCGCGGTTC		
25251	CCATAGTTGC GGTATCAACG	TTGCTTGCAA AACGAACGTT		
25301	CGCTTTCTTC GCGAAAGAAG	TCTACCATCA AGATGGTAGT		
25351	TTACTACCGT AATGATGGCA	CATCTCTACA GTAGAGATGT		
25401	ACAGCAGCGG TGTCGTCGCC	CCACACAGAA GGTGTGTCTT		
25451	AAAGCCCAAG TTTCGGGTTC	AAATCCACAG TTTAGGTGTC		
25501	GTCTGGCGCC CAGACCGCGG	CAACGAACCC GTTGCTTGGG		

Figure 27 AA


25551	TTTCCCAC AAAGGGTGAG	TGTATGCTAT ACATACGATA	ATTTCAACAG TAAAGTTGTC	AGCAGGGG. TCGTCCCCGG	AAGAACAAGA TTCTTGTTCT
25601	GCTGAAAATA CGACTTTTAT			CCTCACCCGC GGAGTGGGCG	
25651				CGCTGGAAGA GCGACCTTCT	
25701				AAGGACTAGT TTCCTGATCA	
25751	TTCTCAAATT AAGAGTTTAA	TAAGCGCGAA ATTCGCGCTT	AACTACGTCA TTGATGCAGT	TCTCCAGCGG AGAGGTCGCC	CCACACCCGG GGTGTGGGCC
25801				GCAAGGAAAT CGTTCCTTTA	
25851				CTTGCGGCTG GAACGCCGAC	
25901					CACATGATAT GTGTACTATA
25951	CCCGGGTCAA GGGCCCAGTT	CGGAATACGC GCCTTATGCG	GCCCACCGAA CGGGTGGCTT	ACCGAATTCT TGGCTTAAGA	CCTGGAACAG GGACCTTGTC
26001	GCGGCTATTA CGCCGATAAT	CCACCACACC GGTGGTGTGG	TCGTAATAAC AGCATTATTG	CTTAATCCCC GAATTAGGGG	GTAGTTGGCC CATCAACCGG
26051	CGCTGCCCTG GCGACGGGAC	GTGTACCAGG CACATGGTCC	AAAGTCCCGC TTTCAGGGCG	TCCCACCACT AGGGTGGTGA	GTGGTACTTC CACCATGAAG
26101					GGCGCAGCTT CCGCGTCGAA
26151					GTATAACTCA CATATTGAGT
26201	CCTGACAATO GGACTGTTAO	AGAGGGCGA(	GTATTCAGCT CATAAGTCG	CAACGACGAC GTTGCTGCTC	TCGGTGAGCT AGCCACTCGA
26251	CCTCGCTTG( GGAGCGAAC(	TCTCCGTCCC	GACGGGACA CTGCCCTGT	TTCAGATCGO A AAGTCTAGCO	CGCCGCCGCC
26301	CGCTCTTCAT GCGAGAAGTI	TCACGCCTC	G TCAGGCAATO	C CTAACTCTGG G GATTGAGAC	AGACCTCGTC TCTGGAGCAG
26351	CTCTGAGCCC GAGACTCGG	G CGCTCTGGA C GCGAGACCT	G GCATTGGAA C CGTAACCTT	C TCTGCAATT G AGACGTTAA	T ATTGAGGAGT A TAACTCCTCA
26401	TTGTGCCAT(	C GGTCTACTT G CCAGATGAA	T AACCCCTTC A TTGGGGAAG	T CGGGACCTC A GCCCTGGAG	C CGGCCACTAT G GCCGGTGATA
26451	CCGGATCAA GGCCTAGTT	T TTATTCCTA A AATAAGGAT	A CTTTGACGC T GAAACTGCG	G GTAAAGGAC C CATTTCCTG	T CGGCGGACGG A GCCGCCTGCC

Figure 27 AB

26501	CMACCACMCA	ATGTTAAGTG	CACACCCACA	GC A A CTGCGC	CTCAAACACC
26501		TACAATTCAC			
	0.1100101.01	2,,,0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
26551		TCGCCGCCAC			
	ACCAGGTGAC	AGCGGCGGTG	TTCACGAAAC	GGGCGCTGAG	GCCACTCAAA
26601		AATTGCCCGA TTAACGGGCT			
	ACGATGAAAC	TTAACGGGCT	CCIAGIAIAG	CICCCGGGCC	GCGIGCCGCA
26651	CCGGCTTACC	GCCCAGGGAG	AGCTTGCCCG	TAGCCTGATT	CGGGAGTTTA
		CGGGTCCCTC			
26701		CCTGCTAGTT			
	GGGTCGCGG	GGACGATCAA	CTCGCCCTGT	CCCCTGGGAC	ACAAGAGTGA
26751	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	ACTGTCCTAA	СССТССВТТВ	CATCAAGATC	TTTGTTGCCA
20/31		TGACAGGATT			
	Chemina				
26801		GAGTATAATA			
	AGAGACACGA	CTCATATTAT	TTATGTCTTT	AATTTTATAT	GACCCCGAGG
		CTGTAAACGC	63 CCCMCMMC	NOCCCCCA N	CCANACCAAC
26851		GACATTTGCG			
	ATAGCGGTAG	GACATITGCG	GIGGCAGAAG	100000011	
26901	GCGAACCTTA	CCTGGTACTT	TTAACATCTC	TCCCTCTGTG	ATTTACAACA
		GGACCATGAA			
26951		AGACGGAGTG			
	CAAAGTTGGG	TCTGCCTCAC	TCAGATGCTC	TCTTGGAGAG	GCICGAGICG
27001	ተልርተርርልተርል	GAAAAAACAC	CACCCTCCTT	ACCTGCCGGG	AACGTACGAG
2,001		CTTTTTTGTG			
27051					AAACCAGACT
	ACGCAGTGGC	CGGCGACGTG	GTGTGGATGG	CGGACTGGCA	TTTGGTCTGA
27101	<u> </u>	. AGACCTCAAT	AACTCTGTTT	ACCAGAACAG	GAGGTGAGCT
2/101					CTCCACTCGA
		•			
27151	TAGAAAACCC	TTAGGGTATT	AGGCCAAAGG	CGCAGCTACT	GTGGGGTTTA
	ATCTTTTGGG	AATCCCATAA	TCCGGTTTCC	GCGTCGATGA	CACCCCAAAT
22201	mca a ca a mmc	·	י ארפפפרייאייי	ריים אייויר א כני	TTTCTCTAGA
2/201					AAAGAGATCT
27251	ATCGGGGTTG	GGGTTATTCT	CTGTCTTGTG	ATTCTCTTTA	TTCTTATACT
	TAGCCCCAAC	CCCAATAAGA	GACAGAACAC	TAAGAGAAA	AAGAATATGA
					* እውጥምም እውጥም
27301	AACGCTTCTC	TGCCTAAGGC	POCCOCCEAC	CIGIGIGCAC	ATTTGCATTT TAAACGTAAA
	TTGCGAAGAC	- ALGORITCE	, AGCGGCGGAC	. unununuu1	
27351	ATTGTCAGCT	TTTTAAACGO	TGGGGTCGC	ACCCAAGAT	ATTAGGTACA
	TAACAGTCG	AAAATTTGC	ACCCCAGCGC	G TGGGTTCTA	TAATCCATGT
27401	TAATCCTAG	TTTACTCACO	CTTGCGTCA	CCCACGGTAG	CACCCAAAAG GTGGGTTTTC
	ATTAGGATC(	AAATGAGTG	, GAALGCAGT	, GGGIGCCAIC	9 6166611116

Figure 27AC

WO 02/022	080				PCT/US01/28861
27451	GTGGATTT.	ACC ACC CACC	ርጥርጥል አጥርጥጥ	<b>እ</b> ሮ <b>እ</b> ጥጥሮርር	
2/451				TGTAAGCGTC	
	CACCTAAAAT	TCCTCGGTCG	GACATTACAA	IGIANGCGIC	GACTICGATI
27501	TGAGTGCACC	ACTCTTATAA	AATGCACCAC	AGAACATGAA	AAGCTGCTTA
2,501	ACTCACGTGG				
	ACTCACG100	IONOMINII	114010010	iciidiacii	11CGACGAA1
27551	TTCGCCACAA	AAACAAAATT	GGCAAGTATG	CTGTTTATGC	TATTTGGCAG
		-		GACAAATACG	
	12.00007011	÷			
27601	CCAGGTGACA	CTACAGAGTA	TAATGTTACA	GTTTTCCAGG	GTAAAAGTCA
	GGTCCACTGT	GATGTCTCAT	ATTACAATGT	CAAAAGGTCC	CATTTTCAGT
27651	TAAAACTTTT	ATGTATACTT	TTCCATTTTA	TGAAATGTGC	GACATTACCA
	ATTTTGAAAA	TACATATGAA	AAGGTAAAAT	ACTTTACACG	CTGTAATGGT
27701	TGTACATGAG	CAAACAGTAT	AAGTTGTGGC	CCCCACAAAA	TTGTGTGGAA
	ACATGTACTC	GTTTGTCATA	TTCAACACCG	GGGGTGTTTT	AACACACCTT
27751	AACACTGGCA	CTTTCTGCTG	CACTGCTATG	CTAATTACAG	TGCTCGCTTT
	TTGTGACCGT	GAAAGACGAC	GTGACGATAC	GATTAATGTC	ACGAGCGAAA
27801	GGTCTGTACC	CTACTCTATA	TTAAATACAA	AAGCAGACGC	AGCTTTATTG
	CCAGACATGG	GATGAGATAT	AATTTATGTT	TTCGTCTGCG	TCGAAATAAC
				<b></b>	> momo> oo> o
27851	AGGAAAAGAA				
	TCCTTTTCTT	TTACGGAATT	AAATGATTCA	ATGTTTCGAT	TACAGTGGTG
27901	TX X CTCCTTT	አርጥርርርጥርርጥ	ጥሮር እ አ አ አ ር አ አ	ATTCAAAAAG	<b>ጥ</b> ጥ እርር እጥጥ አጥ
2/901					AATCGTAATA
	ATTGACGAAA	IGAGCGACGA	ACGITIGIT	IAAGIIIIIC	ANICGIANIA
27951	AATTAGAATA	GGATTTAAAC	CCCCCGGTCA	TTTCCTGCTC	AATACCATTC
2,331				AAAGGACGAG	
28001	CCCTGAACAA	TTGACTCTAT	GTGGGATATG	CTCCAGCGCT	ACAACCTTGA
	GGGACTTGTT	AACTGAGATA	CACCCTATAC	GAGGTCGCGA	TGTTGGAACT
28051	AGTCAGGCTT	CCTGGATGTC	AGCATCTGAC	TTTGGCCAGC	ACCTGTCCCG
	TCAGTCCGAA	GGACCTACAG	TCGTAGACTG	AAACCGGTCG	TGGACAGGGC
				•	
28101	CGGATTTGTT				
	GCCTAAACAA	GGTCAGGTTG	ATGTCGCTGG	GTGGGATTGT	CTCTACTGGT
					0.0
28151	ACACAACCAA				
	TGTGTTGGTT	GCGCCGGCGG	CGATGGCCTG	AATGTAGATG	GTGTTTATGT
20201	CCCCAAGTTT	<b>こかこととでかかかごか</b>	СААТААСТСС	СВТВ ВСТТСС	CCATCTCCTC
20201	· - · ·				CGTACACCAC
	GOGG! ICMAN	SACGGAAACA	3. MIIGNUL	TIMI IGNACC	, .
28251	GTTCTCCATA	GCGCTTATGT	TTGTATGCCT	TATTATTATG	TGGCTCATCT
					ACCGAGTAGA
					· <del></del> -
28301	GCTGCCTAAA	GCGCAAACGC	GCCCGACCAC	CCATCTATAG	TCCCATCATT
<del></del>					AGGGTAGTAA
28351					GACTGAAACA
	CACGATGTGG	GTTTGTTACT	ACCTTAGGTA	TCTAACCTGC	CTGACTTTGT



28451		CTGACCCTTG GACTGGGAAC		
28501		TCACATCGAA AGTGTAGCTT		
28551		GATTTGTCAC CTAAACAGTG		
28601		TTTATCCAGT AAATAGGTCA		
28651	ATCTCAGACA TAGAGTCTGT	CCATCCCCAG GGTAGGGGTC		
28701		AATTATGAAA TTAATACTTT		
28751		CGTTTTGTTC GCAAAACAAG		
28801		ACTCGTATAT TGAGCATATA		
28851		CGAAGCCTGG GCTTCGGACC		
28901		TCTTAGCCCT AGAATCGGGA		
28951	-	GATGCCATGA CTACGGTACT		
29001		ACAAGTTGTT TGTTCAACAA		
29051		CTCCCACCC GAGGGTGGGG		
29101				TATTACAGAG ATAATGTCTC
29151				AGCGCATGAA TCGCGTACTT
29201				AGGGGTATCT TCCCCATAGA
29251				TACCACCGGA ATGGTGGCCT
29301				TGGTGGTCAT ACCACCAGTA

Figure 27 A E


29401		CTCACCTTGT GAGTGGAACA		
29451		GCGGTCTCAA CGCCAGAGTT		
29501		CATCACTTAC GTAGTGAATG		
29551		GCACCTCCTT CGTGGAGGAA		
29601		GCAAACTTTC CGTTTGAAAG		
29651		TCCATCCGCA AGGTAGGCGT		
29701		CGTCTGAAGA GCAGACTTCT		
29751		CCTCCAACTG GGAGGTTGAC		
29801		TCAAGAGAGT AGTTCTCTCA		
29851		TTACCTCCAA AATGGAGGTT		
29901		GACGAGGCCG CTGCTCCGGC		
29951				GGAAATATCT CCTTTATAGA
30001	GCACCCCTCA CGTGGGGAGT			CCGCCGCACC GGCGGCGTGG
30051				GCCCCGCTAA CGGGGCGATT
30101				CCTCACAGTG GGAGTGTCAC
30151				CCACCACCGA GGTGGTGGCT
30201				ACTGCCACTG TGACGGTGAC
30251				AAATGGAAAA TTTACCTTTT

Figure 27 AF

30351	TTTGACCGTA	GCAACTGGTC	CAGGTGTGAC	TATTAATAAT	ACTTCCTTGC
	AAACTGGCAT	CGTTGACCAG	GTCCACACTG	ATAATTATTA	TGAAGGAACG
30401		TACTGGAGCC			
	TTTGATTTCA	ATGACCTCGG	AACCCAAAAC	TAAGTGTTCC	GTTATACGTT
30451		CAGGAGGACT			
	GAATTACATC	GTCCTCCTGA	TICCTAACTA	AGAGTTTTGT	CTGCGGAATA
30501	-	AGTTATCCGT			
	TGAACTACAA	TCAATAGGCA	AACTACGAGT	TTTGGTTGAT	TTAGATTCTG
30551		CCCTCTTTTT			
	ATCCTGTCCC	GGGAGAAAA	TATTTGAGTC	GGGTGTTGAA	CCTATAATTG
30601		GCCTTTACTT			
	ATGTTGTTTC	CGGAAATGAA	CAAATGTCGA	AGTTTGTTAA	GGTTTTTCGA
30651		CTAAGCACTG			
	ACTCCAATTG	GATTCGTGAC	GGTTCCCCAA	CTACAAACTG	CGATGTCGGT
30701		TGCAGGAGAT		•	
	ATCGGTAATT	ACGTCCTCTA	CCCGAACTTA	AACCAAGTGG	ATTACGTGGT
30751		CCCTCAAAAC			
	TTGTGTTTAG	GGGAGTTTTG	TTTTTAACCG	GTACCGGATC	TTAAACTAAG
30801		ATGGTTCCTA			
		TACCAAGGAT			
30851		TACAGTAGGA			
		ATGTCATCCT			
30901		CTCCATCTCC			
		GAGGTAGAGG			
30951		TTGGTCTTAA			
		AACCAGAATT			•
31001	TTTCAGTTTT				
	AAAGTCAAAA	CCGACAATTT	CCGTCAAACC	GAGGTTATAG	ACCTTGTCAA
31051	CAAAGTGCTC				
	GTTTCACGAG	TAGAATAATA	TTCTAAACTG	CTTTTACCTC	ACGATGATTT
31101	CAATTCCTTC				
	GTTAAGGAAG	GACCTGGGTC	TTATAACCTT	GAAATCTTTA	CCTCTAGAAT
31151	CTGAAGGCAC				
		TCGGATATGT			
31201					TTGTCAGTCA
	CGAATAGGTT	TTAGAGTGCC	ATTTTGACGG	TTTTCATTGT	AACAGTCAGT

Figure 27 AG


31251	<del>-</del> -	AACGGAGACA TTGCCTCTGT		TGTAACAL ACATTGTGAT	ACCATTACAC TGGTAATGTG
31301				CTCCAAGTGC GAGGTTCACG	
31351				TACATTAATG ATGTAATTAC	
31401				CCAAGAATAA GGTTCTTATT	
31451				TTGCAGAAAA AACGTCTTTT	
31501				ACATAGCTTA TGTATCGAAT	
31551				TATTCAACCT ATAAGTTGGA	
31601				CCCCGGCTGG GGGGCCGACC	
31651	GTAGTATAGT	ACCCATTGTC	TGTATAAGAA	AGGTGTTATA TCCACAATAT	AAGGTGTGCC
31701	AAAGGACAGC	TCGGTTTGCG	AGTAGTCACT		GAGGGGCCCG
31751	TCGAGTGAAT	TCAAGTACAG	CGACAGGTCG	ACGACTCGGT	CAGGCTGCTG GTCCGACGAC
31801	AGGTTGAACG	CCAACGAATT	GCCCGCCGCT	TCCTCTTCAG	CACGCCTACA GTGCGGATGT
31851	ACCCCCATCT	CAGTATTAGC	ACGTAGTCCT	ATCCCGCCAC	GTGCTGCAGC CACGACGTCG
	TCGCGCGCTT	ATTTGACGAC	GGCGGCGGCG	AGGCAGGACG	AGGAATACAA TCCTTATGTT
	GTACCGTCAC	CAGAGGAGTC	GCTACTAAGC	GTGGCGGGCG	AGCATAAGGC TCGTATTCCG
	CGGAACAGGA	GGCCCGTGTC	GTCGCGTGGG	ACTAGAGTGA	TAAATCAGCA ATTTAGTCGT
	GTCATTGACG	TCGTGTCGTG	GTGTTATAAC	: AAGTTTTAGO	CACAGTGCAA GTGTCACGTT
	CCGCGACATA	GGTTTCGAG1	ACCGCCCCTC	GTGTCTTGGC	ACGTGGCCAT TGCACCGGTA
32151	CATACCACAA GTATGGTGTT	GCGCAGGTAC CGCGTCCATC	ATTAAGTGGC TAATTCACCC	GACCCCTCAT CTGGGGAGTA	AAACACGCTG A TTTGTGCGAC



32251		CTCTGATTAA GAGACTAATT		
32301		AACCTGCCCG TTGGACGGGC	·	 
32351		AGTGGAGAGC TCACCTCTCG		 
32401	••••	TCAATGTTGG AGTTACAACC		 
32451		AAGCTCCTCC TTCGAGGAGG		 
32501		TCAGCGTAAA AGTCGCATTT		
32551		TGCATTGTCA ACGTAACAGT		
32601	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	GGTAGCGCGG CCATCGCGCC		 
32651		GAGTGCGCCG CTCACGCGGC		
32701		GGAACGCCGG CCTTGCGGCC		
32751		GACAAACAGA CTGTTTGTCT		
32801		TAGTTGTAGT ATCAACATCA		
32851		GGGTTCTATG CCCAAGATAC		
32901				CACATTCGTT GTGTAAGCAA
32951				ACCATGTTTT TGGTACAAAA
33001		CCAAAAGATT GGTTTTCTAA		GATCTATTAA CTAGATAATT
33051				GCCAAAGAAC CGGTTTCTTG
33101				AAGGCAAACG TTCCGTTTGC

Figure 27 AI

33201		ATTCCAGCAC TAAGGTCGTG			
33251		CAATATATCT GTTATATAGA			
33301		TCTGCTCCAG AGACGAGGTC			
33351	AATCATGATT TTAGTACTAA	GCAAAAATTC CGTTTTTAAG			
33401		TTAACAAAAA AATTGTTTTT			
33451		ATAATCGTGC TATTAGCACG			
33501		CCATGACAAA GGTACTGTTT			
33551		CTAACCAGCG GATTGGTCGC			
33601	GCGATATAAA CGCTATATTT	ATGCAAGGTG TACGTTCCAC	CTGCTCAAAA GACGAGTTTT	AATCAGGCAA TTAGTCCGTT	AGCCTCGCGC TCGGAGCGCG
33651	AAAAAAGAAA TTTTTTCTTT	GCACATCGTA CGTGTAGCAT	GTCATGCTCA CAGTACGAGT	TGCAGATAAA ACGTCTATTT	GGCAGGTAAG CCGTCCATTC
33701		ACCACAGAAA TGGTGTCTTT			
33751	CGGGTTTCTG GCCCAAAGAC	CATAAACACA GTATTTGTGT	ATAAAAATA TATTTTATTT	ACAAAAAAAC TGTTTTTTTG	ATTTAAACAT TAAATTTGTA
33801					CATAAGACGG GTATTCTGCC
33851	ACTACGGCCA TGATGCCGGT	TGCCGGCGTG	ACCGTAAAAA TGGCATTTTT	AACTGGTCAC TTGACCAGTG	CGTGATTAAA GCACTAATTT
33901	AAGCACCACC TTCGTGGTGG	GACAGCTCCT CTGTCGAGGA	CGGTCATGTC	CGGAGTCATA GCCTCAGTAT	ATGTAAGACT TACATTCTGA
33951	CGGTAAACAC GCCATTTGTC	ATCAGGTTGA TAGTCCAACT	TTCACATCGG	TCAGTGCTAA AGTCACGATT	AAAGCGACCG TTTCGCTGGC
34001	AAATAGCCCG TTTATCGGGC	GGGGAATACA CCCCTTATGI	TACCCGCAGG	GCATCTCTGT	ACATTACAGC TGTAATGTCG
34051	CCCCATAGGA GGGGTATCCI	GGTATAACAA CCATATTGTT	AATTAATAGG	AGAGAAAAAC TCTCTTTTTC	ACATAAACAC TGTATTTGTG



34151				ACAGTCAGCC TGTCAGTCGG	
34201	AAAAGAAAAC TTTTCTTTTG			GACACGGCAC CTGTGCCGTG	
34251	AGTCACAGTG TCAGTGTCAC			AGCGAGTATA TCGCTCATAT	
34301	AAAAATGACG TTTTTACTGC			AAACACCCAG TTTGTGGGTC	
34351	GCGAACCTAC CGCTTGGATG			AAACCCACAA TTTGGGTGTT	
34401				CTTCCCATTT GAAGGGTAAA	
34451	ACAATTCCCA TGTTAAGGGT			CCTAAAACCT GGATTTTGGA	
34501				AACTCCACCC TTGAGGTGGG	
					PacI
34551				TATTGATGAT ATAACTACTA	
34601				CCTTCCCCAT GGAAGGGGTA	
34601 34651	TTAAGCCTAG CTCGCTTCCG	ACGCTGCGCT GCGGCATCGG	CCGACCTACC		ATACTAAGAA TGCTGTCCAG
	TTAAGCCTAG CTCGCTTCCG GAGCGAAGGC GCAGGTAGAT	ACGCTGCGCT GCGGCATCGG CGCCGTAGCC GACGACCATC	CCGACCTACC GATGCCCGCG CTACGGGCGC AGGGACAGCT	GGAAGGGGTA TTGCAGGCCA	TGCTGTCCAG ACGACAGGTC CAAAAGGCCA
34651	TTAAGCCTAG CTCGCTTCCG GAGCGAAGGC GCAGGTAGAT CGTCCATCTA GGAACCGTAA	ACGCTGCGCT GCGGCATCGC GACGACCATC CTGCTGGTAG AAAGGCCGCG	CCGACCTACC GATGCCCGCG CTACGGGCGC AGGGACAGCT TCCCTGTCGA TTGCTGGCGT	GGAAGGGGTA TTGCAGGCCA AACGTCCGGT TCAAGGCCAG AGTTCCGGTC TTTTCCATAG	TGCTGTCCAG ACGACAGGTC CAAAAGGCCA GTTTTCCGGT
34651 34701 34751	TTAAGCCTAG CTCGCTTCCG GAGCGAAGGC GCAGGTAGAT CGTCCATCTA GGAACCGTAA CCTTGGCATT CCTGACGAGC	ACGCTGCGCT GCGGCATCGG GACGACCATC CTGCTGGTAG AAAGGCCGCG TTTCCGGCGC	CCGACCTACC GATGCCCGCG CTACGGGCGC AGGGACAGCT TCCCTGTCGA TTGCTGGCGT AACGACCGCA TCGACGCTCA	TTGCAGGCCA AACGTCCGGT TCAAGGCCAG AGTTCCGGTC TTTTCCATAG AAAAGGTATC AGTCAGAGGT	TGCTGTCCAG ACGACAGGTC CAAAAGGCCA GTTTTCCGGT GCTCCGCCCC CGAGGCGGGG
34651 34701 34751 34801	TTAAGCCTAG CTCGCTTCCG GAGCGAAGGC GCAGGTAGAT CGTCCATCTA GGAACCGTAA CCTTGGCATT CCTGACGAGC GGACTGCTCG GACAGGACTA	ACGCTGCGCT GCGGCATCGG CGCCGTAGCC GACGACCATC CTGCTGGTAG AAAGGCCGCG TTTCCGGCGC ATCACAAAAA TAGTGTTTTT TAAAGATACC	CCGACCTACC GATGCCCGCG CTACGGGCGC AGGGACAGCT TCCCTGTCGA TTGCTGGCGT AACGACCGCA TCGACGCTCA AGCTGCGAGT AGGCGTTTCC	GGAAGGGGTA TTGCAGGCCA AACGTCCGGT TCAAGGCCAG AGTTCCGGTC TTTTCCATAG AAAAGGTATC AGTCAGAGGT TCAGTCTCCA CCCTGGAAGC	TGCTGTCCAG ACGACAGGTC CAAAAGGCCA GTTTTCCGGT GCTCCGCCC CGAGGCGGGG GGCGAAACCC CCGCTTTGGG
34651 34701 34751 34801 34851	TTAAGCCTAG CTCGCTTCCG GAGCGAAGGC GCAGGTAGAT CGTCCATCTA GGAACCGTAA CCTTGGCATT CCTGACGAGC GGACTGCTCG GACAGGACTA CTGTCCTGAT	ACGCTGCGCT GCGGCATCGG CGCCGTAGCC GACGACCATC CTGCTGGTAG AAAGGCCGCG TTTCCGGCGC ATCACAAAAA TAGTGTTTTT TAAAGATACC ATTTCTÄTGG TCCGACCCTG	CCGACCTACC GATGCCCGCG CTACGGGCGC AGGGACAGCT TCCCTGTCGA TTGCTGGCGT AACGACCGCA TCGACGCTCA AGCTGCGAGT AGCTGCGAGT CCGCAAAGG CCGCTTACCG	GGAAGGGTA TTGCAGGCCA AACGTCCGGT TCAAGGCCAG AGTTCCGGTC TTTTCCATAG AAAAGGTATC AGTCAGAGGT TCAGTCTCCA CCCTGGAAGC GGGACCTTCG GATACCTGTC	TGCTGTCCAG ACGACAGGTC  CAAAAGGCCA GTTTTCCGGT  GCTCCGCCCC CGAGGCGGGG  GGCGAAACCC CCGCTTTGGG  TCCCTCGTGC AGGGAGCACG
34651 34701 34751 34801 34851 34901	TTAAGCCTAG CTCGCTTCCG GAGCGAAGGC GCAGGTAGAT CGTCCATCTA GGAACCGTAA CCTTGGCATT CCTGACGAGC GGACTGCTCG GACAGGACTA CTGTCCTGAT CCTGTCCTGAT CCTCCTGT	ACGCTGCGCT GCGGCATCGG CGCCGTAGCC GACGACCATC CTGCTGGTAG AAAGGCCGCG TTTCCGGCGC ATCACAAAAA TAGTGTTTTT TAAAGATACC ATTTCTATGG TCCGACCCTG AGGCTGGGAC	CCGACCTACC GATGCCCGCG CTACGGGCGC AGGGACAGCT TCCCTGTCGA TTGCTGGCGT AACGACCGCA AGCTGCGAGT AGCGTTTCC TCCGCAAAGG CCGCTTACCG GGCGAATGGC TTCTCATAGC	GGAAGGGTA TTGCAGGCCA AACGTCCGGT TCAAGGCCAG AGTTCCGGTC TTTTCCATAG AAAAGGTATC AGTCAGAGGT TCAGTCTCCA CCCTGGAAGC GGGACCTTCG GATACCTGTC CTATGGACAG TCACGCTGTA	TGCTGTCCAG ACGACAGGTC  CAAAAGGCCA GTTTTCCGGT  GCTCCGCCCC CGAGGCGGGG  GGCGAAACCC CCGCTTTGGG  TCCCTCGTGC AGGGAGCACG  CGCCTTTCTC GCGGAAAGAG

Figure 27 AK

	AAGTCGGGCT	GGCGACGCGG	AATAGGCCAT	TGATAGCAGA	ACTCAGGTTG
35101				GCAGCCACTG CGTCGGTGAC	
35151	TAGCAGAGCG	AGGTATGTAG	GCGGTGCTAC	AGAGTTCTTG	AAGTGGTGGC
				TCTCAAGAAC	
35201				TTGGTATCTG	
	GATTGATGCC	GATGTGATCT	TCCTGTCATA	AACCATAGAC	GCGAGACGAC
35251	AAGCCAGTTA	CCTTCGGAAA	AAGAGTTGGT	AGCTCTTGAT	CCGGCAAACA
	TTCGGTCAAT	GGAAGCCTTT	TTCTCAACCA	TCGAGAACTA	GGCCGTTTGT
35301	AACCACCGCT	GGTAGCGGTG	GTTTTTTTGT	TTGCAAGCAG	CAGATTACGC
	TTGGTGGCGA	CCATCGCCAC	CAAAAAAACA	AACGTTCGTC	GTCTAATGCG
35351	GCAGAAAAA	AGGATCTCAA	GAAGATCCTT	TGATCTTTTC	TACGGGGTCT
	CGTCTTTTTT	TCCTAGAGTT	CTTCTAGGAA	ACTAGAAAAG	ATGCCCCAGA
35401	GACGCTCAGT	GGAACGAAAA	CTCACGTTAA	GGGATTTTGG	TCATGAGATT
	CTGCGAGTCA	CCTTGCTTTT	GAGTGCAATT	CCCTAAAACC	AGTACTCTAA
35451	ATCAAAAAGG	ATCTTCACCT	AGATCCTTTT	AAATCAATCT	AAAGTATATA
	TAGTTTTTCC	TAGAAGTGGA	TCTAGGAAAA	TTTAGTTAGA	TTTCATATAT
35501	TGAGTAAACT	TGGTCTGACA	GTTACCAATG	CTTAATCAGT	GAGGCACCTA
	ACTCATTTGA	ACCAGACTGT	CAATGGTTAC	GAATTAGTCA	CTCCGTGGAT
35551	TCTCAGCGAT	CTGTCTATTT	CGTTCATCCA	TAGTTGCCTG	ACTCCCCGTC
	AGAGTCGCTA	GACAGATAAA	GCAAGTAGGT	ATCAACGGAC	TGAGGGGCAG
35601				CCATCTGGCC	
	CACATCTATT	GATGCTATGC	CCTCCCGAAT	GGTAGACCGG	GGTCACGACG
35651	AATGATACCG				
					AGTCGTTATT
35701					AACTTTATCC
	TGGTCGGTCG	GCCTTCCCGG	CTCGCGTCTT	CACCAGGACG	TTGAAATAGG
35751					TAAGTAGTTC
	CGGAGGTAGG	TCAGATAATT	AACAACGGCC	CTTCGATCTC	ATTCATCAAG
35801					GGCATCGTGG
	CGGTCAATTA	TCAAACGCGT	TGCAACAACG	GTAACGATGT	CCGTAGCACC
35851					TTCCCAACGA
	ACAGTGCGAG	CAGCAAACCA	TACCGAAGTA	AGTCGAGGCC	AAGGGTTGCT
35901					CGGTTAGCTC
	AGTTCCGCTC	AATGTACTAG	GGGGTACAAC	ACGTTTTTTC	GCCAATCGAG
35951	CTTCGGTCCT	CCGATCGTTG	TCAGAAGTAA	GTTGGCCGCA	GTGTTATCAC
	GAAGCCAGGA	GGCTAGCAAC	AGTCTTCATT	CAACCGGCGT	CACAATAGTG


Figure 2 7AL

36051				ACCAAGTCAT	
	TCTACGAAAA	GACACTGACC	ACTCATGAGT	TGGTTCAGTA	AGACTCTTAT
36101	GTGTATGCGG	CGACCGAGTT	GCTCTTGCCC	GGCGTCAACA	CGGGATAATA
	CACATACGCC	GCTGGCTCAA	CGAGAACGGG	CCGCAGTTGT	GCCCTATTAT
36151	CCGCGCCACA	TAGCAGAACT	TTAAAAGTGC	TCATCATTGG	AAAACGTTCT
				AGTAGTAACC	
36201				CTGTTGAGAT	
				GACAACTCTA	
36251				AGCATCTTTT	
				TCGTAGAAAA	
36301				AAAATGCCGC	
	•			TTTTACGGCG	
36351				ATACTCTTCC	
				TATGAGAAGG	
36401				CATGAGCGGA	
				GTACTCGCCT	
36451				TTCCGCGCAC	
				AAGGCGCGTG	
36501	AAAGTGCCAC				
				TAATAGTACT	
36551	TAAAAATAGG				
	ATTTTTATCC	GCATAGTGCT	CCGGGAAAGC	AGAAGTTCTT	AACCTAGGCT
		PacI			

36601 ATTCTTAATT TCTTAATTAA (SEQ ID NO:34)

TAAGAATTAA AGAATTAATT (SEQ ID NO:35)

Ingure 27 AM






FIGURE 28




FIGURE 29A




FIGURE 29B


atg Met 1	gat Asp	gca Ala	atg Met	aag Lys 5	aga Arg	Gly :	ctc Leu	tgc Cys	tgt Cys 10	gtg Val	ctg Leu	ctg Leu	ctg Leu	tgt Cys 15	gga Gly	48
gca Ala	gtc Val	ttc Phe	gtt Val 20	tcg Ser	ccc Pro	agc Ser	gag Glu	atc Ile 25	tcc Ser	att Ile	gtg Val	tgg Trp	gcc Ala 30	tcc Ser	agg Arg	96
gag Glu	ctg Leu	gag Glu 35	agg Arg	ttt Phe	gct Ala	gtg Val	aac Asn 40	cct Pro	ggc Gly	ctg Leu	ctg Leu	gag Glu 45	acc Thr	tct Ser	gag Glu	144
Gly	tgc Cys 50	agg Arg	cag Gln	atc Ile	ctg Leu	ggc Gly 55	cag Gln	ctc Leu	cag Gln	ccc Pro	tcc Ser 60	ctg Leu	caa Gln	aca Thr	Gly	192
tct Ser 65	gag Glu	gag Glu	ctg Leu	agg Arg	tcc Ser 70	ctg Leu	tac Tyr	aac Asn	aca Thr	gtg Val 75	gct Ala	acc Thr	ctg Leu	tac Tyr	tgt Cys 80	240
gtg Val	cac His	cag Gln	aag Lys	att Ile 85	gat Asp	gtg Val	aag Lys	gac Asp	acc Thr 90	aag Lys	gag Glu	gcc Ala	ctg Leu	gag Glu 95	aag Lys	288
att Ile	gag Glu	gag Glu	gag Glu 100	Gln	aac Asn	aag Lys	tcc Ser	aag Lys 105	aag Lys	aag Lys	gcc Ala	cag Gln	cag Gln 110	gct Ala	gct Ala	336
gct Ala	ggc	aca Thr 115	Gly	aac Asn	tcc Ser	agc Ser	cag Gln 120	Val	tcc Ser	cag Gln	aac Asn	tac Tyr 125	Pro	att	gtg Val	384
cag Gln	aac Asn 130	Leu	cag Gln	ggc	cag Gln	atg Met 135	Val	cac His	cag Gln	gcc Ala	atc Ile 140	tcc Ser	Pro	cgg Arg	acc Thr	432
ctg Leu 145	Asn	gcc Ala	tgg Trp	gtg Val	aag Lys 150	Val	gtg Val	gag Glu	gag Glu	aag Lys 155	Ala	ttc Phe	tcc Ser	Pro	gag Glu 160	480
gtg Val	ato	Pro	atg Met	ttc Phe 165	Ser	Ala	ctg Lev	tct Ser	gag Glu 170	ı Gly	gcc Ala	acc Thr	Pro	cag Glr 175	gac Asp	528
ctg Lev	aac Asr	aco Thi	ato Met	: Leu	aac Asn	aca Thr	gtg Val	g ggg 1 Gly 185	, GTA	cat His	cag Glr	g gct n Ala	gco Ala 190	Me	g cag t Gln	576
atg Met	cto Lei	g aag 1 Ly: 19:	s Gli	g acc	ato	: aat : Asi	gag 1 Glu 200	u Gli	g gct	gct A Ala	gag Gli	tgg u Try 20	a Ası	age Ar	g ctg g Leu	624
cat His	cci s Pro 210	va:	g cad l Hi:	c gct s Ala	ggc Gly	Pro 21	o Ile	t gcd e Ala	e cco	o Gly	C CA Y G1: 22	n Me	g agg	g ga g Gl	g ccc u Pro	672
agg Arg 22!	g Gl	y Se	t gad r Asj	c att	gct Ala 230	a G1;	c ac	c acc	t to r Se:	Th:	r Le	c ca u Gl	g ga n Gl	g ca u Gl	g att n Ile 240	720
99 G1	c tg y Tr	g at p Me	g ac	c aad r Asi 24	n Ası	e ec	c cc o Pr	c ato	e Pro	o Va	g gg 1 Gl	g ga y Gl	a at u Il	c ta e Ty 25	c aag r Lys 5	768


Figure 30'A"

	tgg Trp															816
	tcc Ser															864
	gtg Val 290															912
	gtg Val															960
	gac Asp															1008
gag Glu	gag Glu	atg Met	atg Met 340	aca Thr	gcc Ala	tgc Cys	cag Gln	ggg Gly 345	gtg Val	Gly ggg	Gjà ââc	ect Pro	ggt Gly 350	cac His	aag Lys	1056
	agg Arg															1104
	atg Met 370											Lys				1152
	ttc Phe															1200
	agg Arg									Lys					Met	1248
	gac Asp													Trp		1296
tcc Ser	cac His	aag Lys 435	ggc Gly	agg Arg	cct Pro	Gly	aac Asn 440	Phe	ctc Leu	cag Gln	tcc Ser	agg Arg 445	Pro	gag Glu	ecc Pro	1344
	gcc Ala 450	Pro					Phe					Glu			Thr	1392
ccc Pro 465	Ser	cag Gln	aag Lys	cag Gln	gag Glu 470	Pro	att	gac Asp	aag Lys	gag Glu 475	Lev	tac Tyr	Pro	ctg Leu	gcc Ala 480	1440
tcc Ser	ctg Leu	agg Arg	tcc Ser	ctg Leu 485	Phe	ggc Gly	aac Asn	gac Asp	Pro 490	Ser	tco Ser	cag Gln	taa *	(SI (SI	D NO:36) D NO:37)	1482



Figure 31





## FIGURE 33A

አጥርርርጥርርጥል	GGGCTTCTGT	ССТСТСТССТ	GGTGAGCTGG	ACAAGTGGGA	GAAGATCAGG
*	GTGGCAAGAA				
	TTGCTGTGAA		•		
	TCCAGCCCTC				
	CCCTGTACTG				
	TTGAGGAGGA				
	ACTCCAGCCA				
	ACCAGGCCAT				
GAGAAGGCCT	TCTCCCCTGA	GGTGATCCCC	ATGTTCTCTG	CCCTGTCTGA	GGGTGCCACC
CCCCAGGACC	TGAACACCAT	GCTGAACACA	GTGGGGGGCC	ATCAGGCTGC	CATGCAGATG
CTGAAGGAGA	CCATCAATGA	GGAGGCTGCT	GAGTGGGACA	GGCTGCATCC	TGTGCACGCT
GGCCCCATTG	CCCCGGCCA	GATGAGGGAG	CCCAGGGGCT	CTGACATTGC	TGGCACCACC
TCCACCCTCC	AGGAGCAGAT	TGGCTGGATG	ACCAACAACC	CCCCCATCCC	TGTGGGGGAA
ATCTACAAGA	GGTGGATCAT	CCTGGGCCTG	AACAAGATTG	TGAGGATGTA	CTCCCCACC
TCCATCCTGG	ACATCAGGCA	GGGCCCCAAG	GAGCCCTTCA	GGGACTATGT	GGACAGGTTC
TACAAGACCC	TGAGGGCTGA	GCAGGCCTCC	CAGGAGGTGA	AGAACTGGAT	GACAGAGACC
CTGCTGGTGC	AGAATGCCAA	CCCTGACTGC	AAGACCATCC	TGAAGGCCCT	GGGCCCTGCT
GCCACCCTGG	AGGAGATGAT	GACAGCCTGC	CAGGGGGTGG	GGGGCCCTGG	TCACAAGGCC
AGGGTGCTGG	CTGAGGCCAT	GTCCCAGGTG	ACCAACTCCG	CCACCATCAT	GATGCAGAGG
GGCAACTTCA	GGAACCAGAG	GAAGACAGTG	AAGTGCTTCA	ACTGTGGCAA	GGTGGGCCAC
ATTGCCAAGA	ACTGTAGGGC	CCCCAGGAAG	AAGGGCTGCT	GGAAGTGTGG	CAAGGAGGC
CACCAGATGA	AGGACTGCAA	TGAGAGGCAG	GCCAACTTCC	TGGGCAAAAT	CTGGCCCTCC
CACAAGGGCA	GGCCTGGCAA	CTTCCTCCAG	TCCAGGCCTG	AGCCCACAGC	CCCTCCCGAG
GAGTCCTTCA	. GGTTTGGGGA	GGAGAAGACC	ACCCCCAGCC	AGAAGCAGGA	GCCCATTGAC
AAGGAGCTGT	ACCCCCTGGC	CTCCCTGAGG	TCCCTGTTTG	GCAACGACCC	CTCCTCCCAG
ATGGCTCCCA	TCTCCCCCAT	TGAGACTGTG	CCTGTGAAGC	TGAAGCCTGG	CATGGATGGC
CCCAAGGTGA	AGCAGTGGCC	CCTGACTGAG	GAGAAGATCA	AGGCCCTGGT	GGAAATCTGC
	AGAAGGAGGG				
					GGACTTCAGG
· · · · <del>-</del>					CCACCCCGCT
					CTTCTCTGTG
					CAACAATGAG
					CTCCCCTGCC
					CCCTGACATT
					TGGGCAGCAC
					CACCCCTGAC
					CCCCGACAAG
					TGACATCCAG
					A GGTGAGGCAG
· - <del></del> ·					r gactgaggag
GCTGAGCTG	G AGCTGGCTG	GAACAGGGA	ATCCTGAAG	AGCCTGTGC	A TGGGGTGTAC

### FIGURE 33B

TATGACCCCT	CCAAGGACCT	GATTGCTGAG	ATCCAGAAGC	AGGGCCAGGG	CCAGTGGACC
TACCAAATCT	ACCAGGAGCC	CTTCAAGAAC	CTGAAGACTG	GCAAGTATGC	CAGGATGAGG
GGGCCCACA	CCAATGATGT	GAAGCAGCTG	ACTGAGGCTG	TGCAGAAGAT	CACCACTGAG
TCCATTGTGA	TCTGGGGCAA	GACCCCCAAG	TTCAAGCTGC	CCATCCAGAA	GGAGACCTGG
GAGACCTGGT	GGACTGAGTA	CTGGCAGGCC	ACCTGGATCC	CTGAGTGGGA	GTTTGTGAAC
ACCCCCCCC	TGGTGAAGCT	GTGGTACCAG.	CTGGAGAAGG	AGCCCATTGT	GGGGGCTGAG
ACCTTCTATG	TGGCTGGGGC	TGCCAACAGG	GAGACCAAGC	TGGGCAAGGC	TGGCTATGTG
ACCAACAGGG	GCAGGCAGAA	GGTGGTGACC	CTGACTGACA	CCACCAACCA	GAĄGACTGCC
CTCCAGGCCA	TCTACCTGGC	CCTCCAGGAC	TCTGGCCTGG	AGGTGAACAT	TGTGACTGCC
TCCCAGTATG	CCCTGGGCAT	CATCCAGGCC	CAGCCTGATC	AGTCTGAGTC	TGAGCTGGTG
AACCAGATCA	TTGAGCAGCT	GATCAAGAAG	GAGAAGGTGT	ACCTGGCCTG	GGTGCCTGCC
CACAAGGGCA	TTGGGGGCAA	TGAGCAGGTG	GACAAGCTGG	TGTCTGCTGG	CATCAGGAAG
GTGCTGTTCC	TGGATGGCAT	TGACAAGGCC	CAGGATGAGC	ATGAGAAGTA	CCACTCCAAC
TGGAGGGCTA	TGGCCTCTGA	CTTCAACCTG	CCCCTGTGG	TGGCTAAGGA	GATTGTGGCC
TCCTGTGACA	AGTGCCAGCT	GAAGGGGGAG	GCCATGCATG	GGCAGGTGGA	CTGCTCCCCT
GGCATCTGGC	AGCTGGCCTG	CACCCACCTG	GAGGGCAAGG	TGATCCTGGT	GGCTGTGCAT
GTGGCCTCCG	GCTACATTGA	GGCTGAGGTG	ATCCCTGCTG	AGACAGGCCA	GGAGACTGCC
TACTTCCTGC	TGAAGCTGGC	TGGCAGGTGG	CCTGTGAAGA	CCATCCACAC	TGCCAATGGC
TCCAACTTCA	CTGGGGCCAC	AGTGAGGGCT	GCCTGCTGGT	GGGCTGGCAT	CAAGCAGGAG
TTTGGCATCO	CCTACAACCC	CCAGTCCCAG	GGGGTGGTGG	CCTCCATGAA	CAAGGAGCTG
AAGAAGATCA	TTGGGCAGGT	GAGGGACCAG	GCTGAGCACC	TGAAGACAGO	TGTGCAGATG ·
GCTGTGTTC	TCCACAACTT	CAAGAGGAAG	GGGGGCATCG	GGGGCTACTC	CGCTGGGGAG
AGGATTGTG	ACATCATTGC	CACAGACATC	CAGACCAAGG	AGCTCCAGAA	GCAGATCACC
	ACTTCAGGGT				
					TGACATCAAG
GTGGTGCCC1	GGAGGAAGGC	CAAGATCATC	AGGGACTATO	GCAAGCAGAT	GGCTGGGGAT
GACTGTGTG	CCTCCAGGCA	GGATGAGGAC	TAA		
SEQ ID NO	: 38				

#### FIGURE 34A

Met Gly Ala Arg Ala Ser Val Leu Ser Gly Gly Glu Leu Asp Lys Trp Glu Lys Ile Arg Leu Arg Pro Gly Gly Lys Lys Lys Tyr Lys Leu Lys His Ile Val Trp Ala Ser Arg Glu Leu Glu Arg Phe Ala Val Asn Pro Gly Leu Leu Glu Thr Ser Glu Gly Cys Arg Gln Ile Leu Gly Gln Leu Gln Pro Ser Leu Gln Thr Gly Ser Glu Glu Leu Arg Ser Leu Tyr Asn Thr Val Ala Thr Leu Tyr Cys Val His Gln Lys Ile Asp Val Lys Asp Thr Lys Glu Ala Leu Glu Lys Ile Glu Glu Glu Gln Asn Lys Ser Lys Lys Lys Ala Gln Gln Ala Ala Ala Gly Thr Gly Asn Ser Ser Gln Val Ser Gln Asn Tyr Pro Ile Val Gln Asn Leu Gln Gly Gln Met Val His Gln Ala Ile Ser Pro Arg Thr Leu Asn Ala Trp Val Lys Val Val Glu Glu Lys Ala Phe Ser Pro Glu Val Ile Pro Met Phe Ser Ala Leu Ser Glu Gly Ala Thr Pro Gln Asp Leu Asn Thr Met Leu Asn Thr Val Gly Gly His Gln Ala Ala Met Gln Met Leu Lys Glu Thr Ile Asn Glu Glu Ala Ala Glu Trp Asp Arg Leu His Pro Val His Ala Gly Pro Ile Ala Pro Gly Gln Met Arg Glu Pro Arg Gly Ser Asp Ile Ala Gly Thr Thr Ser Thr Leu Gln Glu Gln Ile Gly Trp Met Thr Asn Asn Pro Pro Ile Pro Val Gly Glu Ile Tyr Lys Arg Trp Ile Ile Leu Gly Leu Asn Lys Ile Val Arg Met Tyr Ser Pro Thr Ser Ile Leu Asp Ile Arg Gln Gly Pro Lys Glu Pro Phe Arg Asp Tyr Val Asp Arg Phe Tyr Lys Thr Leu Arg Ala Glu Gln Ala Ser Gln Glu Val Lys Asn Trp Met Thr Glu Thr Leu Leu Val Gln Asn Ala Asn Pro Asp Cys Lys Thr Ile Leu Lys Ala Leu Gly Pro Ala Ala Thr Leu Glu Glu Met Met Thr Ala Cys Gln Gly Val Gly Gly Pro Gly His Lys Ala Arg Val Leu Ala Glu Ala Met Ser Gln Val Thr Asn Ser Ala Thr Ile Met Met Gln Arg Gly Asn Phe Arg Asn Gln Arg Lys Thr Val Lys Cys Phe Asn Cys Gly Lys Val Gly His Ile Ala Lys Asn Cys Arg Ala Pro Arg Lys Lys Gly Cys Trp Lys Cys Gly Lys Glu Gly His Gln Met Lys Asp Cys Asn Glu Arg Gln Ala Asn Phe Leu Gly Lys Ile Trp Pro Ser His Lys Gly Arg Pro Gly Asn Phe Leu Gln Ser Arg Pro Glu Pro Thr Ala Pro Pro Glu Glu Ser Phe Arg Phe Gly Glu Glu Lys Thr Thr Pro Ser Gln Lys Gln Glu Pro Ile Asp Lys Glu Leu Tyr Pro Leu Ala Ser Leu Arg Ser Leu Phe Gly Asn Asp Pro Ser Ser Gln Met Ala Pro Ile Ser Pro Ile Glu Thr Val Pro Val Lys Leu Lys Pro Gly Met Asp Gly Pro Lys Val Lys Gln Trp Pro Leu Thr Glu Glu Lys Ile Lys Ala Leu Val Glu Ile Cys Thr Glu Met Glu Lys Glu Gly Lys Ile Ser Lys Ile Gly Pro Glu Asn Pro Tyr Asn Thr Pro Val Phe Ala Ile Lys Lys Lys Asp Ser Thr Lys Trp Arg Lys Leu Val Asp Phe Arg Glu Leu Asn Lys Arg Thr Gln Asp Phe Trp Glu Val Gln Leu Gly Ile Pro His Pro Ala Gly Leu Lys Lys Lys Ser Val Thr Val Leu Ala Val Gly Asp Ala Tyr Phe Ser Val Pro Leu Asp Glu Asp Phe Arg Lys Tyr Thr Ala Phe Thr Ile Pro Ser Ile Asn Asn Glu Thr Pro Gly Ile Arg Tyr Gln Tyr Asn Val Leu Pro Gln Gly Trp Lys Gly Ser Pro Ala Ile Phe Gln Ser Ser Met Thr Lys Ile Leu Glu Pro Phe Arg Lys Gln Asn Pro Asp Ile Val Ile Tyr Gln Tyr Met Ala Ala Leu Tyr Val Gly Ser Asp Leu Glu Ile Gly Gln His Arg Thr Lys Ile Glu Glu Leu Arg Gln His Leu Leu Arg Trp Gly Leu Thr Thr Pro Asp Lys Lys His Gln Lys Glu Pro Pro Phe Leu Trp Met Gly Tyr Glu Leu His Pro

#### FIGURE 34B

Asp Lys Trp Thr Val Gln Pro Ile Val Leu Pro Glu Lys Asp Ser Trp Thr Val Asn Asp Ile Gln Lys Leu Val Gly Lys Leu Asn Trp Ala Ser Gln Ile Tyr Pro Gly Ile Lys Val Arg Gln Leu Cys Lys Leu Leu Arg Gly Thr Lys Ala Leu Thr Glu Val Ile Pro Leu Thr Glu Glu Ala Glu Leu Glu Leu Ala Glu Asn Arg Glu Ile Leu Lys Glu Pro Val His Gly Val Tyr Tyr Asp Pro Ser Lys Asp Leu Ile Ala Glu Ile Gln Lys Gln Gly Gln Gly Gln Trp Thr Tyr Gln Ile Tyr Gln Glu Pro Phe Lys Asn Leu Lys Thr Gly Lys Tyr Ala Arg Met Arg Gly Ala His Thr Asn Asp Val Lys Gln Leu Thr Glu Ala Val Gln Lys Ile Thr Thr Glu Ser Ile Val Ile Trp Gly Lys Thr Pro Lys Phe Lys Leu Pro Ile Gln Lys Glu Thr Trp Glu Thr Trp Trp Thr Glu Tyr Trp Gln Ala Thr Trp Ile Pro Glu Trp Glu Phe Val Asn Thr Pro Pro Leu Val Lys Leu Trp Tyr Gln Leu Glu Lys Glu Pro Ile Val Gly Ala Glu Thr Phe Tyr Val Ala Gly Ala Ala Asn Arg Glu Thr Lys Leu Gly Lys Ala Gly Tyr Val Thr Asn Arg Gly Arg Gln Lys Val Val Thr Leu Thr Asp Thr Thr Asn Gln Lys Thr Ala Leu Gln Ala Ile Tyr Leu Ala Leu Gln Asp Ser Gly Leu Glu Val Asn Ile Val Thr Ala Ser Gln Tyr Ala Leu Gly Ile Ile Gln Ala Gln Pro Asp Gln Ser Glu Ser Glu Leu Val Asn Gln Ile Ile Glu Gln Leu Ile Lys Lys Glu Lys Val Tyr Leu Ala Trp Val Pro Ala His Lys Gly Ile Gly Gly Asn Glu Gln Val Asp Lys Leu Val Ser Ala Gly Ile Arg Lys Val Leu Phe Leu Asp Gly Ile Asp Lys Ala Gln Asp Glu His Glu Lys Tyr His Ser Asn Trp Arg Ala Met Ala Ser Asp Phe Asn Leu Pro Pro Val Val Ala Lys Glu Ile Val Ala Ser Cys Asp Lys Cys Gln Leu Lys Gly Glu Ala Met His Gly Gln Val Asp Cys Ser Pro Gly Ile Trp Gln Leu Ala Cys Thr His Leu Glu Gly Lys Val Ile Leu Val Ala Val His Val Ala Ser Gly Tyr Ile Glu Ala Glu Val Ile Pro Ala Glu Thr Gly Gln Glu Thr Ala Tyr Phe Leu Leu Lys Leu Ala Gly Arg Trp Pro Val Lys Thr Ile His Thr Ala Asn Gly Ser Asn Phe Thr Gly Ala Thr Val Arg Ala Ala Cys Trp Trp Ala Gly Ile Lys Gln Glu Phe Gly Ile Pro Tyr Asn Pro Gln Ser Gln Gly Val Val Ala Ser Met Asn Lys Glu Leu Lys Lys Ile Ile Gly Gln Val Arg Asp Gln Ala Glu His Leu Lys Thr Ala Val Gln Met Ala Val Phe Ile His Asn Phe Lys Arg Lys Gly Gly Jle Gly Gly Tyr Ser Ala Gly Glu Arg Ile Val Asp Ile Ile Ala Thr Asp Ile Gln Thr Lys Glu Leu Gln Lys Gln Ile Thr Lys Ile Gln Asn Phe Arg Val Tyr Tyr Arg Asp Ser Arg Asn Pro Leu Trp Lys Gly Pro Ala Lys Leu Leu Trp Lys Gly Glu Gly Ala Val Val Ile Gln Asp Asn Ser Asp Ile Lys Val Val Pro Arg Arg Lys Ala Lys Ile Ile Arg Asp Tyr Gly Lys Gln Met Ala Gly Asp Asp Cys Val Ala Ser Arg Gln Asp Glu Asp SEQ ID NO: 39

International application No.

PCT/US01/28861

		FC170301720001			
A. CLAS	SIFICATION OF SUBJECT MATTER				
IPC(7)	: C12N 15/86				
US CL	: 435/456	de al alemático de la 100			
	International Patent Classification (IPC) or to both na  OS SEARCHED	tuonal classification and IPC			
B. FIEL	US SEARCHED				
	rumentation searched (classification system followed \\ 24/205.1, 207.1, 227.1, 233.1; 435/69.1, 69.3, 173.3				
Documentation	on searched other than minimum documentation to the	extent that such documents are included	1 in the fields searched		
	ta base consulted during the international search (namontinuation Sheet	e of data base and, where practicable, s	earch terms used)		
C. DOCI	JMENTS CONSIDERED TO BE RELEVANT				
Category *	Citation of document, with indication, where ap	propriate, of the relevant passages	Relevant to claim No.		
X	WO 96/39178 (ERTL et al.) 12 December 1996 (12.		1-3, 8-11, 18		
	and claims 1 and 5.	, 15 , , ,			
Y			4, 5, 13-17, 29-32, 34, 35, 37		
x 	US 6,019,978 A (ERTL et al.) 1 February 2000,(01	/02/2000), see columns 2, 7 and 8.	1-3, 8-11, 18		
Y			4, 5, 13-17, 29-32, 34, 35, 37		
X,P	US 6,287,571 8 (ERTL et al.) 11 September 200 and claim 1.	1 (11/09/2001), see columns 2, 7, 8	1, 9, 18		
<b>x</b>	US 5,643,579A (HUNG et al.) 1 July 1997 (01/07/1	1997), see examples 1, 2, 25 and 26.	1-3, 8, 9-11, 18		
Y			4,5,13-17, 29-32, 34, 35, 37		
WANG et al. The use of an E1-deleted, replication -defective adenovirus recombinant expressing the rabies virus glycoprotein for early vaccination of mice against rabies virus.  Journal of Virology (March 1997) Vol. 71, No. 5, pp 3677-3683.					
	<u> </u>				
	r documents are listed in the continuation of Box C.	See patent family annex.			
"A" documen	pecial extegories of cited documents: t defining the general state of the art which is not considered to ticular relevance	"T" later document published after the i priority date and not in conflict with understand the principle or theory u	h the application but cited to		
"X" document of particular relevance; the claimed invention cannot be "E" earlier application or patent published on or after the international filing considered novel or cannot be considered to involve an inventive date  step when the document is taken alone			dered to involve an inventive		
"L" document which may throw doubts on priority claim(s) or which is cited "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such document, such combination being obvious to a person skilled in the art			step when the document is uch documents, such		
"O" document referring to an oral disclosure, use, exhibition or other means "&" document member of the same patent family					
priority	priority due claimed				
	actual completion of the international search 2002 (06.02.2002)	Date of mailing of the international se 19 AUG 2002	arch report		
<del></del>	pailing address of the ISA/US	Authorized officer	1,10		
Ca Bo	minissioner of Patents and Trademarks	Ulrike Winkler, Ph.D.	siekins for		
1	#bington, D.C. 20231	Telephone No. 703-308-0196	[]		
Larsimite N	Facsimile No. (703)305-3230 Telephone No. 703-308-0196				

Form PCT/ISA/210 (second sheet) (July 1998)

International application No.
PCT/US01/28861

gory •	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
iπ	ATUK et al. Immunogenicity of recombinant human adenovirus -human nmunodeficiency virus vaccines in chimpanzees. Aids Research and Human Retroviruses 1993) Vol. 9, No. 5, pp395-404, see material and methods.	1, 9, 29-32
ad	REVEC et al. Immune response to HIV-1 gag antigens induced by recombinant denovirus vectors in mice and rhesus macaque monkeys. Journal of Acquired Immune efficincy Syndrome. (1991) Vol. 4, No. 6 pp. 568-76, see abstract.	1, 9, 29-32
re	ORI et al. Rapid protection against human immunodeficiency virus type 1 (HIV-1) plication mediated by high efficiency non-retroviral delivery of genes interfering with IV-1 tat and gag. Gene Therapy (1994) Vol. 1, No. 1, pp. 27-31, see abstract.	1,9
	FARR et al. Differential effects of polyadenylation regions on gene expression in nammalian cells. DNA (1986) Vol. 5, No. 2, pp.115-22, see abstract.	16
	ATUK et al. Adenovirus vectored vaccine. Developmental Biological Standards (1994) ol. 82, pp. 71-77, see abstract.	1, 9

International application No.

PCT/US01/28861

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)				
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:				
1.		Claim Nos.: because they relate to subject matter not required to be searched by this Authority, namely:		
2.		Claim Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:		
3.	6.4(a).	Claim Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule		
Box	II Ob	servations where unity of invention is lacking (Continuation of Item 2 of first sheet)		
		ional Searching Authority found multiple inventions in this international application, as follows: continuation Sheet		
1.		As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.		
2.		As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.		
3.		As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:		
4.	$\boxtimes$	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1-5, 8-11, 13-18, 29-32, 34, 35, 37		
Ret	nark on	Protest		

International application No.

PCT/US01/28861

## BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single general inventive concept under PCT Rule 13.1. In order for all inventions to be examined, the appropriate additional examination fees must be paid.

Group	Claims	
1	1-5, 8-11, 13-18, 29, 30, 31, 32, 34, 35, 37	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Gag protein (SEQ ID NO: 29) inserted in the parallel orientation of E1. In addition the vector contains a promoter and a polyadenylation signal.
2	6, 7, 36	The claims are directed to an adenoviral vector that is at least partially deleted of <u>AE1 and AE3</u> , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Gag protein (SEQ ID NO: 29).
3	12, 33	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV protein inserted in the antiparallel orientation of E1.
4	19-23, 38-42	The claims are directed to a method of making and harvesting of a recombinant adenoviral particle that contains a gene encoding an HIV Gag protein.
5	24, 27, 28, 43, 46, 47	The claim is directed to a method of generating a cellular mediated immune response to HIV Gag protein with the recombinant adenoviral particle.
6	25, 26, 44, 45	The claim is directed to a method of generating a cellular mediated immune response to HIV Gag protein with the recombinant adenoviral particle in addition to administering a DNA plasmid vaccine.
7	48-51, 53, 54, 56	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 1) inserted in the parallel orientation of E1.
8	48-51, 53, 54, 56	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 5) inserted in the parallel orientation of E1.
9	48-51, 53, 54, 56	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 7) inserted in the parallel orientation of E1.
10	52	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 1) inserted in the antiparallel orientation of E1.
11	52	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 5) inserted in the antiparallel orientation of E1.
12	52	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 7) inserted in the antiparallel orientation of E1.
13	55	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$

International application No.

PCT/US01/28861

		and $\Delta E3$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 1)
4	55	inserted in E1.  The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ and $\Delta E3$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 5) inserted in E1.
5	55	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ and $\Delta E3$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Pol protein (SEQ ID NO: 7) inserted in E1.
6	57-61	The claims are directed to a method of making and harvesting of a recombinant adenoviral particle that contains a gene encoding an HIV Pol protein.
7	62, 65, 66	The claim is directed to a method of generating a cellular mediated immune response to HIV Pol protein with the recombinant adenoviral particle.
8	63, 64	The claim is directed to a method of generating a cellular mediated immune response to HIV Pol protein with the recombinant adenoviral particle in addition to administering a DNA plasmid vaccine.
9	67-70, 72, 73, 75	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 9) inserted in the parallel orientation of E1.
20	67-70, 72, 73, 75	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 11) inserted in the parallel orientation of E1.
21	67-70, 72, 73, 75	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 13) inserted in the parallel orientation of E1.
22	67-70, 72, 73, 75	The claims are directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 15) inserted in the parallel orientation of E1.
23	71	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 9) inserted in the antiparallel orientation of E1.
24	71	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 11) inserted in the antiparallel orientation of E1.
25	71	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 13) inserted in the antiparallel orientation of E1.
26	71	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 15) inserted in the antiparallel orientation of E1.
27	74	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ and $\Delta E3$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 9) inserted in E1.
28	74	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ and $\Delta E3$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 11) inserted in E1.
29	74	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ and $\Delta E3$ , the vector contains the cis-acting packaging sequence of the wild type

International application No.

PCT/US01/28861

		adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 13) inserted in E1.
30	74	The claim is directed to an adenoviral vector that is at least partially deleted of $\Delta E1$ and $\Delta E3$ , the vector contains the cis-acting packaging sequence of the wild type adenovirus genome, and a gene which encodes an HIV Nef protein (SEQ ID NO: 15) inserted in E1.
31	76-80	The claims are directed to a method of making and harvesting of a recombinant adenoviral particle that contains a gene encoding an HIV Nef protein.
32	81, 84, 85	The claims are directed to a method of generating a cellular mediated immune response to HIV Nef with the recombinant adenoviral particle.
33	82, 83	The claims are directed to a method of generating a cellular mediated immune response to HIV Nef with the recombinant adenoviral particle in addition to administering a DNA plasmid vaccine.
34	86a	The claim is drawn to a multivalent vaccine wherein gag, pol and nef are expressed from three individual vectors.
35	86b, 88, 89	The claims are drawn to a multivalent vaccine wherein gag, pol and nef are expressed from one individual vectors.
36	86c, 88	The claims are drawn to a multivalent vaccine wherein gag, pol and nef are expressed from two individual vectors, one expressing nef-pol fusion and one expressing gag.
37	86d, 87, 88	The claims are drawn to a multivalent vaccine wherein gag, pol and nef are expressed from two individual vectors, one expressing gag-pol fusion and one expressing nef.
38	86e, 88	The claims are drawn to a multivalent vaccine wherein gag, pol and nef are expressed from two individual vectors, one expressing nef-gag fusion and one expressing pol.
39	86f, 88	The claims are drawn to a multivalent vaccine wherein gag, pol and nef are expressed from a single vectors as a fusion protein.
40	86g, 88	The claims are drawn to a multivalent vaccine wherein gag and pol are expressed from two individual vectors.
41	86h, 88, 89	The claims are drawn to a multivalent vaccine wherein gag and pol are expressed individually from one vector.
42	86i, 88	The claims are drawn to a multivalent vaccine wherein pol and nef are expressed from two individual vectors.
43	86j, 88, 89	The claims are drawn to a multivalent vaccine wherein <i>pol</i> and <i>nef</i> are expressed from individually from one vector.
44	86k, 88	The claims are drawn to a multivalent vaccine wherein nef and gag are expressed individually from one vector.
45	861, 88, 89	The claims are drawn to a multivalent vaccine wherein nef and gag are expressed individually from one vector.
46	86m, 88	The claims are drawn to a multivalent vaccine wherein gag and pol are expressed as a fusion protein from one vector.
47	86n, 88	The claims are drawn to a multivalent vaccine wherein pol and nef are expressed as a fusion protein from one vector.

The inventions listed as Groups 1-48 do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

The technical feature linking groups 1-33 appears to be a recombinant adenoviral vector wherein the adenoviral vector is at least partially deleted in E1 but the vector may contain more deletions, the vector contains wild type sequences including packaging signals and a gene encoding a heterologous HIV protein or fragments thereof. Ertl et al. (WO 96/39178) disclose a recombinant adenoviral vector that is deleted in E1 and partially deleted in E3, the remainder of the adenoviral vector contains wild type sequences. The vector additionally contains an insertion of a heterologous protein which includes HIV proteins (see abstract and claims 1 and 5). Therefore, the technical feature linking the inventions of groups 1-45 does not constitute a special technical feature as defined by PCT Rule 13.2, as it does not define a contribution over the prior art.

The special technical feature of the following groups 1-3, 7-15, 19-30 and 34-48 is considered to be the combination of sequences that is disclosed in each group, see individual claim groupings above for the different sequences. The DNA disclosed in each group is made up of a different sequence having a different structure and different function.

International application No.

PCT/US01/28861

The special technical feature of group 4, 16 and 31 is considered to be a method of producing recombinant adenoviral particles. Each group contains different sequences hence the resulting particles would have different structures and functions associated with the particle.

The special technical feature of group 5, 17 and 32 is considered to be a method of producing a cellular mediated immune response to the heterologous protein encoded by the different adenoviral vectors. Each group contains different sequences a encoding different protein, therefore the resulting immune response will also be different.

The special technical feature of group 6, 18 and 33 is considered to be a method of producing a cellular mediated immune response to the heterologous protein encoded by the different adenoviral vectors in conjunction with immunizing the individual a DNA plasmid vaccine. Each method contains different sequences encoding a different protein, therefore the resulting immune response will also be different.

Accordingly, groups 1-48 are not so linked by the same or corresponding technical feature as to form a single general inventive concept.

#### Continuation of B. FIELDS SEARCHED Item 3:

WEST 2.0, STN-BIOSIS, MEDLINE

adenoviral vector, deletion, HIV, Gag, polyadenylation signal, CMV promoter